

.30 - 30 Winchester - Published Manufacturer Loading Data

Shellholders:	Hornady #2	Lee #3	Lyman #6	RCBS #2	Starting	Max	Source
Recipe Type: <input checked="" type="radio"/> Rifle <input type="radio"/> Pistol							
Bullet Weight: <input checked="" type="checkbox"/> ALL <input checked="" type="checkbox"/> 100 gr <input checked="" type="checkbox"/> 105 gr <input checked="" type="checkbox"/> 110 gr <input checked="" type="checkbox"/> 125 gr <input checked="" type="checkbox"/> 130 gr <input checked="" type="checkbox"/> 135 gr <input checked="" type="checkbox"/> 140 gr <input checked="" type="checkbox"/> 150 gr <input checked="" type="checkbox"/> 160 gr <input checked="" type="checkbox"/> 170 gr <input checked="" type="checkbox"/> 173 gr <input checked="" type="checkbox"/> 190 gr							
Powder: <input checked="" type="checkbox"/> ALL <input checked="" type="checkbox"/> Accurate 2015 <input checked="" type="checkbox"/> Accurate 2200 <input checked="" type="checkbox"/> Accurate 2230 <input checked="" type="checkbox"/> Accurate 2460 <input checked="" type="checkbox"/> Accurate 2495 <input checked="" type="checkbox"/> Accurate 2520 <input checked="" type="checkbox"/> Accurate 4064 <input checked="" type="checkbox"/> Accurate 5744 <input checked="" type="checkbox"/> Accurate LT-32 <input checked="" type="checkbox"/> Alliant Powder 1200-R <input checked="" type="checkbox"/> Alliant Powder 2000-MR <input checked="" type="checkbox"/> Alliant Powder AR-							
Recipe Source: <input checked="" type="checkbox"/> ALL <input checked="" type="checkbox"/> Alliant Powder <input checked="" type="checkbox"/> Barnes <input checked="" type="checkbox"/> Hodgdon <input checked="" type="checkbox"/> Shooters World <input checked="" type="checkbox"/> Speer <input checked="" type="checkbox"/> VihtaVuori							
	<input type="button" value="Print"/>	100 gr RNSP (Speer)	Powder: Reloder 7 (Alliant Powder) Primer: CCI 200 Case: WIN	Trim Length: C.O.L.: 2.345"	Powder: 31.5 gr Vel.: Press.:	35.0 gr 2,792	Alliant Powder <input type="button" value="Info"/>
	<input type="button" value="Print"/>	105 gr HP (Lapua)	Powder: N120 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.539"	Powder: 22.8 gr Vel.: 2,271 Press.:	26.8 gr 2,562	VihtaVuori <input type="button" value="Info"/>
	<input type="button" value="Print"/>	105 gr HP (Lapua)	Powder: N130 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.539"	Powder: 26.3 gr Vel.: 2,329 Press.:	30.1 gr 2,623	VihtaVuori <input type="button" value="Info"/>
	<input type="button" value="Print"/>	105 gr HP (Lapua)	Powder: N133 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.539"	Powder: 28.7 gr Vel.: 2,395 Press.:	33.8 gr 2,732	VihtaVuori <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr RN (HDY) 0.308"	Powder: 2230 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.440"	Powder: 32.4 gr Vel.: 2,450 Press.: 37,400	36.0 gr 2,725 41,500	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr RN (HDY) 0.308"	Powder: 2460 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.440"	Powder: 33.3 gr Vel.: 2,369 Press.: 33,700	37.0 gr 2,692 37,400	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr RN (HDY) 0.308"	Powder: 2495 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.440"	Powder: 33.3 gr Vel.: 2,375 Press.: 36,900	37.0 gr 2,699 41,000	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr RN (HDY) 0.308"	Powder: 2520 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.440"	Powder: 34.2 gr Vel.: 2,366 Press.: 32,100	38.0 gr 2,689 35,700	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr RN (HDY) 0.308"	Powder: 4064 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.440"	Powder: 35.1 gr Vel.: 2,380 Press.: 37,300	39.0 gr 2,705 41,400	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr HP (Speer)	Powder: Reloder 7 (Alliant Powder) Primer: CCI 200 Case: WIN	Trim Length: C.O.L.: 2.415"	Powder: 30.6 gr Vel.: Press.:	34.0 gr 2,708	Alliant Powder <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr FP (Speer) 0.308"	Powder: Benchmark (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: 30.5 gr Vel.: 2,406 Press.: 36,400	32.5 gr 2,507 37,800 CUP	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr FP (Speer) 0.308"	Powder: BL-C(2) (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: 36.0 gr Vel.: 2,351 Press.: 24,500	39.0 gr 2,526 25,400 CUP	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr FP (Speer) 0.308"	Powder: H 335 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: 35.0 gr Vel.: 2,487 Press.: 28,800	38.0 gr 2,684 34,300 CUP	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr FP (Speer) 0.308"	Powder: H4198 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: 23.0 gr Vel.: 2,174 Press.: 27,100	25.5 gr 2,409 35,900 CUP	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr FP (Speer) 0.308"	Powder: H4895 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: 34.0 gr Vel.: 2,417 Press.: 28,600	37.0 gr 2,605 31,100 CUP	Hodgdon <input type="button" value="Info"/>
	<input type="button" value="Print"/>	110 gr FP (Speer) 0.308"	Powder: Varget (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: 34.5 gr Vel.: 2,365 Press.: 27,200	38.0 gr 2,572 31,900 CUP	Hodgdon <input type="button" value="Info"/>

	110 gr FP (Speer) 0.308"	Powder: IMR 3031 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: Vel.: Press.:	30.5 gr 2,281 22,400	32.5 gr 2,445 33,700 CUP	Hodgdon C 
	110 gr FP (Speer) 0.308"	Powder: IMR 4064 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: Vel.: Press.:	33.3 gr 2,342 31,800	35.5 gr 2,506 36,100 CUP	Hodgdon C 
	110 gr FP (Speer) 0.308"	Powder: IMR 4198 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: Vel.: Press.:	22.5 gr 2,168 27,800	24.0 gr 2,302 35,400 CUP	Hodgdon 
	110 gr FP (Speer) 0.308"	Powder: IMR 4320 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: Vel.: Press.:	34.3 gr 2,322 31,300	36.5 gr 2,435 36,100 CUP	Hodgdon 
	110 gr FP (Speer) 0.308"	Powder: IMR 4895 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: Vel.: Press.:	33.8 gr 2,290 30,500	36.0 gr 2,459 35,400 CUP	Hodgdon C 
	110 gr FP (Speer) 0.308"	Powder: 748 (Winchester) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.415"	Powder: Vel.: Press.:		36.8 gr 2,595 33,000 CUP	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: 2015 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.420"	Powder: Vel.: Press.:	29.5 gr 2,279 37,700	32.8 gr 2,468 41,900	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: 2230 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.420"	Powder: Vel.: Press.:	29.7 gr 2,322 37,300	33.0 gr 2,517 41,400	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: 2460 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.420"	Powder: Vel.: Press.:	34.4 gr 2,472 37,300	38.2 gr 2,666 41,500	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: 2520 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.420"	Powder: Vel.: Press.:	32.0 gr 2,391 36,500	35.6 gr 2,573 40,600	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: 4064 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.430"	Powder: Vel.: Press.:	34.2 gr 2,225 35,600	38.0 gr 2,529 39,600	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: 5744 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.420"	Powder: Vel.: Press.:	20.5 gr 1,950 30,300	27.3 gr 2,511 40,400	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: LT-32 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.420"	Powder: Vel.: Press.:	30.6 gr 2,386 37,700	34.0 gr 2,586 41,900	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: Big Game (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.435"	Powder: Vel.: Press.:	34.9 gr 2,179 24,100	38.8 gr 2,421 26,800	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: TAC (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.410"	Powder: Vel.: Press.:	32.2 gr 2,363 35,800	35.8 gr 2,625 39,800	Hodgdon 
	125 gr HP/FN (Sierra) 0.308"	Powder: X-Terminator (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.420"	Powder: Vel.: Press.:	29.7 gr 2,322 37,300	33.0 gr 2,517 41,400	Hodgdon 
	125 gr FN (Sierra)	Powder: BLACKOUT (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L.: 2.425"	Powder: Vel.: Press.:	28.0 gr 2,454	30.5 gr 2,661 40,925	Shooters World
	125 gr	Powder: MATCH RIFLE (Shooters	Trim Length:	Powder:	35.5 gr	40.0 gr	Shooters

	FN (Sierra)	World) Primer: Large Rifle Case: HDY	C.O.L.: 2.425"	Vel.: Press.:	2,465 2,778 37,497	World
	125 gr FN (Sierra)	Powder: AR PLUS (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L.: 2.425"	Powder: Vel.: Press.:	26.0 gr 2,137 40,650 38.0 gr 2,766	Shooters World
	130 gr FN (Speer)	Powder: Reloder 10x (Alliant Powder) Primer: CCI 200 Case: WIN	Trim Length: C.O.L.: 2.550"	Powder: Vel.: Press.:	27.4 gr 2,273	Alliant Powder
	130 gr FN (Speer)	Powder: Reloder 15 (Alliant Powder) Primer: CCI 200 Case: WIN	Trim Length: C.O.L.: 2.550"	Powder: Vel.: Press.:	32.4 gr 2,259	Alliant Powder
	130 gr FN (Speer)	Powder: Reloder 7 (Alliant Powder) Primer: CCI 200 Case: WIN	Trim Length: C.O.L.: 2.550"	Powder: Vel.: Press.:	27.9 gr 2,393	Alliant Powder
	130 gr FN (Speer)	Powder: Varmint (Alliant Powder) Primer: FED 210 Case: WIN	Trim Length: C.O.L.: 2.550"	Powder: Vel.: Press.:	33.0 gr 2,582	Alliant Powder
	130 gr FP (Speer) 0.308"	Powder: Benchmark (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	27.7 gr 2,165 33,700 29.7 gr 2,295 37,100 CUP	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: BL-C(2) (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	34.0 gr 2,305 28,500 37.5 gr 2,473 32,800 CUP	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: CFE 223 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	32.8 gr 2,378 31,500 35.7 gr 2,533 37,000	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: H 335 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	30.5 gr 2,173 27,600 34.0 gr 2,423 34,700 CUP	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: H4198 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	22.5 gr 2,082 29,200 24.5 gr 2,234 36,400 CUP	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: H4895 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	31.5 gr 2,248 27,600 35.0 gr 2,482 35,300 CUP	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: Varget (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	32.5 gr 2,312 30,200 36.0 gr 2,496 35,700 CUP	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: IMR 3031 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	29.6 gr 2,159 27,400 31.5 gr 2,323 33,500 CUP	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: IMR 4064 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	33.3 gr 2,196 27,200 35.5 gr 2,424 37,300 CUP	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: IMR 4198 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	22.0 gr 2,025 28,700 23.5 gr 2,187 36,200 CUP	Hodgdon
	130 gr FP (Speer) 0.308"	Powder: IMR 4320 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	34.0 gr 2,201 33,700 36.3 gr 2,384 37,200 CUP	Hodgdon
	130 gr FSP (Speer)	Powder: N120 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.547"	Powder: Vel.: Press.:	21.7 gr 2,024	VihtaVuori
	130 gr FSP (Speer)	Powder: N130 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.547"	Powder: Vel.: Press.:	24.5 gr 2,103	VihtaVuori

	130 gr FSP (Speer)	Powder: N133 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.547"	Powder: Vel.: Press.:	26.4 gr 2,143 2,432	30.4 gr 2,432	VihtaVuori 
	130 gr FSP (Speer)	Powder: N135 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.547"	Powder: Vel.: Press.:	27.7 gr 2,129 2,419	32.0 gr 2,419	VihtaVuori 
	135 gr FTX (HDY)	Powder: AR PLUS (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L.: 2.650"	Powder: Vel.: Press.:	26.0 gr 2,147 41,220	35.2 gr 2,642 41,220	Shooters World
	140 gr MFTX (HDY) 0.308"	Powder: Benchmark (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	24.0 gr 1,839 26,400	28.0 gr 2,160 38,800	Hodgdon 
	140 gr MFTX (HDY) 0.308"	Powder: BL-C(2) (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	29.0 gr 2,030 31,600	32.7 gr 2,239 39,900	Hodgdon 
	140 gr MFTX (HDY) 0.308"	Powder: H 335 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	25.0 gr 1,977 31,200	28.8 gr 2,224 40,600	Hodgdon 
	140 gr MFTX (HDY) 0.308"	Powder: H4895 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	26.0 gr 2,077 36,800	29.7 gr 2,273 40,300	Hodgdon 
	140 gr MFTX (HDY) 0.308"	Powder: Leverevolution (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	29.0 gr 2,175 32,400	34.0 gr 2,436 39,700	Hodgdon C 
	140 gr MFTX (HDY) 0.308"	Powder: Varget (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	27.0 gr 1,986 31,600	30.5 gr 2,225 39,900	Hodgdon C 
	140 gr MFTX (HDY) 0.308"	Powder: IMR 3031 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	25.0 gr 1,963 32,300	28.5 gr 2,216 41,600	Hodgdon 
	140 gr MFTX (HDY) 0.308"	Powder: IMR 4064 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	26.0 gr 1,909 30,600	30.0 gr 2,209 41,000	Hodgdon C 
	140 gr MFTX (HDY) 0.308"	Powder: IMR 4166 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	26.0 gr 1,826 30,300	30.0 gr 2,134 41,100	Hodgdon C 
	140 gr MFTX (HDY) 0.308"	Powder: IMR 4320 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	26.0 gr 1,814 29,900	30.0 gr 2,094 39,500	Hodgdon C 
	140 gr Monoflex (HDY)	Powder: AR PLUS (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L.: 2.570"	Powder: Vel.: Press.:	26.0 gr 2,062 41,985	33.7 gr 2,487 41,985	Shooters World
	150 gr FN (Sierra) 0.308"	Powder: 2015 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	27.5 gr 2,142 36,900	30.5 gr 2,341 40,900	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: 2230 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	27.9 gr 2,185 37,100	31.0 gr 2,375 41,200	Hodgdon 
	150 gr TSX (Barnes) 0.308"	Powder: 2460 (Accurate) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.470"	Powder: Vel.: Press.:	29.0 gr 1,931 32.3 gr	2,136	Barnes C 
	150 gr FN (Sierra) 0.308"	Powder: 2460 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	29.3 gr 2,015 36,200	32.5 gr 2,290 40,200	Hodgdon 

	150 gr FN (Sierra) 0.308"	Powder: 2495 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.520"	Powder: 27.5 gr Vel.: 1,960 Press.: 36,600	30.5 gr 2,227 40,600	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: 2520 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.520"	Powder: 30.2 gr Vel.: 2,046 Press.: 35,000	33.5 gr 2,325 38,800	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: 4064 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.520"	Powder: 29.7 gr Vel.: 1,975 Press.: 36,500	33.0 gr 2,245 40,500	Hodgdon 
	150 gr CTRN (NOS) 0.308"	Powder: 5744 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.515"	Powder: 18.5 gr Vel.: 1,714 Press.: 31,500	24.7 gr 2,228 42,000	Hodgdon 
	150 gr CTRN (NOS) 0.308"	Powder: LT-32 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.515"	Powder: 26.6 gr Vel.: 2,043 Press.: 37,000	29.5 gr 2,228 41,100	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: Big Game (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.520"	Powder: 33.5 gr Vel.: 2,070 Press.: 26,500	37.2 gr 2,300 29,400	Hodgdon 
	150 gr TSX (Barnes) 0.308"	Powder: TAC (Ramshot) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L. : 2.470"	Powder: 29.2 gr Vel.: 1,925 Press.:	32.4 gr 2,120	Barnes C 
	150 gr RN (HDY) 0.308"	Powder: TAC (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.520"	Powder: 29.7 gr Vel.: 2,125 Press.: 35,600	33.0 gr 2,361 39,600	Hodgdon 
	150 gr FNSP (Speer)	Powder: 1200-R (Alliant Powder) Primer: FED 210 Case: WIN	Trim Length: C.O.L. : 2.550"	Powder: 25.4 gr Vel.: Press.:	28.2 gr 2,251	Alliant Powder 
	150 gr TSX (Barnes) 0.308"	Powder: Reloder 10x (Alliant Powder) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L. : 2.470"	Powder: 24.9 gr Vel.: 1,835 Press.:	27.7 gr 2,017	Barnes 
	150 gr FNSP (Speer)	Powder: Reloder 10x (Alliant Powder) Primer: CCI 200 Case: WIN	Trim Length: C.O.L. : 2.550"	Powder: 25.2 gr Vel.: Press.:	28.0 gr 2,117	Alliant Powder 
	150 gr TSX (Barnes) 0.308"	Powder: Reloder 15 (Alliant Powder) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L. : 2.470"	Powder: 30.5 gr Vel.: 1,971 Press.:	33.8 gr 2,187	Barnes C 
	150 gr FNSP (Speer)	Powder: Reloder 15 (Alliant Powder) Primer: CCI 200 Case: WIN	Trim Length: C.O.L. : 2.550"	Powder: 30.6 gr Vel.: Press.:	34.0 gr 2,170	Alliant Powder 
	150 gr FNSP (Speer)	Powder: Reloder 7 (Alliant Powder) Primer: CCI 200 Case: WIN	Trim Length: C.O.L. : 2.550"	Powder: 26.1 gr Vel.: Press.:	29.0 gr 2,188	Alliant Powder 
	150 gr FNSP (Speer)	Powder: Varmint (Alliant Powder) Primer: FED 210 Case: WIN	Trim Length: C.O.L. : 2.550"	Powder: 30.5 gr Vel.: Press.:	33.9 gr 2,371	Alliant Powder 
	150 gr FN (Sierra) 0.308"	Powder: Benchmark (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: 27.0 gr Vel.: 2,042 Press.: 32,100	29.0 gr 2,183 37,200 CUP	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: BL-C(2) (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: 33.0 gr Vel.: 2,021 Press.: 21,800	37.0 gr 2,358 33,900 CUP	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: CFE 223 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: 33.9 gr Vel.: 2,274 Press.: 31,700	36.8 gr 2,409 36,700	Hodgdon 
	150 gr	Powder: H 335 (Hodgdon)	Trim Length: 2.030"	Powder: 29.7 gr	33.0 gr	Hodgdon 

	FN (Sierra) 0.308"	Primer: WIN WLR Case: WIN	C.O.L.: 2.550"	Vel.: Press.:	2,098 28,700	2,308 36,200 CUP	
	150 gr TSX (Barnes) 0.308"	Powder: H4198 (Hodgdon) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.470"	Powder: Vel.: Press.:	23.3 gr 1,801	25.9 gr 2,001	Barnes 
	150 gr FN (Sierra) 0.308"	Powder: H4198 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	21.6 gr 1,924 26,900	24.0 gr 2,110 36,800 CUP	Hodgdon 
	150 gr TSX (Barnes) 0.308"	Powder: H4895 (Hodgdon) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.470"	Powder: Vel.: Press.:	29.2 gr 1,932	32.4 gr 2,139	Barnes C 
	150 gr FN (Sierra) 0.308"	Powder: H4895 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	30.5 gr 2,138 27,900	34.0 gr 2,390 36,700 CUP	Hodgdon 
	150 gr TSX (Barnes) 0.308"	Powder: Leverevolution (Hodgdon) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.470"	Powder: Vel.: Press.:	32.7 gr 2,111	36.3 gr 2,316	Barnes C 
	150 gr FN (Sierra) 0.308"	Powder: Leverevolution (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	35.0 gr 2,314 28,700	38.5 gr 2,512 34,800 CUP	Hodgdon C 
	150 gr FN (Sierra) 0.308"	Powder: Varget (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	31.0 gr 2,172 31,100	34.5 gr 2,349 36,200 CUP	Hodgdon 
	150 gr TSX (Barnes) 0.308"	Powder: IMR 8208 XBR (Improved Military Rifle) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.470"	Powder: Vel.: Press.:	28.0 gr 1,900	31.1 gr 2,131	Barnes C 
	150 gr FN (Sierra) 0.308"	Powder: IMR 8208 XBR (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	30.0 gr 2,213 35,000	32.0 gr 2,316 36,700 CUP	Hodgdon 
	150 gr TSX (Barnes) 0.308"	Powder: IMR 3031 (Improved Military Rifle) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.470"	Powder: Vel.: Press.:	27.2 gr 1,836	30.3 gr 2,071	Barnes C 
	150 gr FN (Sierra) 0.308"	Powder: IMR 3031 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	28.7 gr 2,085 28,700	30.5 gr 2,192 36,000 CUP	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: IMR 4064 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	31.0 gr 2,106 33,300	33.3 gr 2,236 36,200 CUP	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: IMR 4166 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	29.7 gr 2,114 35,700	32.6 gr 2,262 41,300	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: IMR 4198 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	21.5 gr 1,888 27,800	23.0 gr 2,055 35,500 CUP	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: IMR 4320 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	30.5 gr 2,062 32,500	32.5 gr 2,127 36,500 CUP	Hodgdon 
	150 gr FN (Sierra) 0.308"	Powder: IMR 4895 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	31.5 gr 2,071 32,200	33.5 gr 2,213 34,300 CUP	Hodgdon 
	150 gr FSP	Powder: N120 (VihtaVuori) Primer: Large Rifle	Trim Length: 2.031" C.O.L.: 2.539"	Powder: Vel.:	19.1 gr 1,701	22.5 gr 1,946	VihtaVuori 

(Speer)	Case: REM		Press.:			
150 gr FSP (Speer)	Powder: N130 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L. : 2.539"	Powder: Vel.: Press.:	22.1 gr 1,831 2,070	25.4 gr 2,070	VihtaVuori ?
150 gr FSP (Speer)	Powder: N133 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L. : 2.539"	Powder: Vel.: Press.:	22.8 gr 1,839 2,086	26.5 gr 2,086	VihtaVuori ?
150 gr FSP (Speer)	Powder: N135 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L. : 2.539"	Powder: Vel.: Press.:	26.4 gr 1,927 2,165	29.7 gr 2,165	VihtaVuori ?
150 gr FSP (Speer)	Powder: N140 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L. : 2.539"	Powder: Vel.: Press.:	28.5 gr 1,956 2,203	31.8 gr 2,203	VihtaVuori ?
150 gr TSX (Barnes) 0.308"	Powder: 748 (Winchester) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L. : 2.470"	Powder: Vel.: Press.:	29.4 gr 1,874 2,124	32.7 gr 2,124	Barnes C ?
150 gr FN (Sierra) 0.308"	Powder: 748 (Winchester) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.:		34.5 gr 2,310 36,000 CUP	Hodgdon ?
150 gr FN (Sierra) 0.308"	Powder: 760 (Winchester) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.:		35.9 gr 2,090 30,000 CUP	Hodgdon ?
150 gr FN (Sierra)	Powder: BUFFALO RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	12.0 gr 1,152 42,000	25.7 gr 2,221 42,000	Shooters World
150 gr FN (Sierra)	Powder: BLACKOUT (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	25.0 gr 2,148 41,077	27.4 gr 2,377 41,077	Shooters World
150 gr FN (Sierra)	Powder: TACTICAL RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	30.0 gr 2,177 42,000	35.3 gr 2,462 42,000	Shooters World
150 gr FN (Sierra)	Powder: MATCH RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	30.0 gr 2,210 39,157	35.6 gr 2,531 39,157	Shooters World
150 gr FN (Sierra)	Powder: PRECISION RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	31.0 gr 2,071 41,825	37.2 gr 2,422 41,825	Shooters World
150 gr SP	Powder: AR PLUS (Shooters World) Primer: Large Rifle Case: Sellier & Bellot	Trim Length: C.O.L. : 2.520"	Powder: Vel.: Press.:	29.3 gr 2,132 45,700	31.6 gr 2,329 45,700	Shooters World
150 gr FN (Sierra)	Powder: AR PLUS (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	26.0 gr 2,066 41,590	34.5 gr 2,527 41,590	Shooters World
160 gr FTX (HDY) 0.308"	Powder: 2015 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.535"	Powder: Vel.: Press.:	24.9 gr 1,933 37,800	27.7 gr 2,095 42,000	Hodgdon ?
160 gr FTX (HDY) 0.308"	Powder: 2230 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.535"	Powder: Vel.: Press.:	27.5 gr 1,995 36,300	30.5 gr 2,128 40,300	Hodgdon ?
160 gr FTX (HDY) 0.308"	Powder: 2460 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.535"	Powder: Vel.: Press.:	27.7 gr 1,950 36,300	30.8 gr 2,145 40,400	Hodgdon ?
160 gr FTX (HDY) 0.308"	Powder: 2495 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.535"	Powder: Vel.: Press.:	27.8 gr 1,937 37,500	30.9 gr 2,148 41,700	Hodgdon ?
160 gr	Powder: 2520 (Accurate)	Trim Length: 2.030"	Powder:	29.8 gr	33.2 gr	Hodgdon ?

	FTX (HDY) 0.308"	Primer: WIN WLR Case: WIN	C.O.L.: 2.535"	Vel.: Press.: 2,144 37,400	2,316 41,600	
	160 gr FTX (HDY) 0.308"	Powder: 4064 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.535"	Powder: Vel.: Press.: 28.6 gr 1,920 33,000	31.8 gr 2,117 36,700	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: TAC (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.535"	Powder: Vel.: Press.: 28.3 gr 2,060 37,000	31.4 gr 2,233 41,100	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: Benchmark (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 26.1 gr 1,933 31,000	27.8 gr 2,045 35,400 CUP	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: BL-C(2) (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 29.1 gr 1,863 27,400	31.0 gr 2,035 35,600 CUP	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: CFE 223 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 31.6 gr 2,170 30,700	34.0 gr 2,302 36,700	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: H 335 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 28.2 gr 2,005 31,600	30.0 gr 2,131 37,100 CUP	Hodgdon 
	160 gr LFN (CPB) 0.308"	Powder: H4198 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.485"	Powder: Vel.: Press.: 15.0 gr 1,420 15,000	17.0 gr 1,616 20,600 CUP	Hodgdon 
	160 gr LFN (CPB) 0.308"	Powder: H4895 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.485"	Powder: Vel.: Press.: 17.5 gr 1,351 15,200	21.0 gr 1,562 23,100 CUP	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: H4895 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 27.8 gr 2,045 31,100	30.0 gr 2,200 35,500 CUP	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: Leverevolution (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 32.0 gr 2,221 31,200	35.5 gr 2,389 37,500 CUP	Hodgdon 
	160 gr LFN (CPB) 0.308"	Powder: Trail Boss (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.485"	Powder: Vel.: Press.: 6.5 gr 997 20,500	9.0 gr 1,195 29,100 CUP	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: Varget (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 29.8 gr 2,081 31,700	32.4 gr 2,235 35,900 CUP	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: IMR 8208 XBR (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 27.0 gr 2,045 33,900	30.0 gr 2,207 37,000 CUP	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: IMR 3031 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 26.8 gr 1,992 34,300	28.5 gr 2,094 36,800 CUP	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: IMR 4064 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.: 28.7 gr 2,000 33,700	30.5 gr 2,095 36,200 CUP	Hodgdon 
	160 gr FTX (HDY) 0.308"	Powder: IMR 4166 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.535"	Powder: Vel.: Press.: 27.8 gr 2,002 35,600	29.6 gr 2,126 41,400	Hodgdon 
	160 gr FTX	Powder: IMR 4320 (Improved Military Rifle)	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: 1,900	31.2 gr 2,056	Hodgdon 

	(HDY) 0.308"	Primer: WIN WLR Case: WIN		Press.: 30,900	36,400 CUP	
	160 gr FTX (HDY) 0.308"	Powder: IMR 4895 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.: 28.2 gr 1,912 31,700	30.0 gr 2,065 36,900 CUP	Hodgdon
	160 gr FTX (HDY) 0.308"	Powder: 748 (Winchester) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.: 29.8 gr 1,994 31,500	31.7 gr 2,112 36,400 CUP	Hodgdon
	160 gr FTX (HDY)	Powder: BUFFALO RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.535"	Powder: Vel.: Press.: 12.0 gr 1,194	24.2 gr 2,138 40,780	Shooters World
	160 gr FTX (HDY)	Powder: TACTICAL RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.535"	Powder: Vel.: Press.: 30.0 gr 2,186	32.2 gr 2,333 40,950	Shooters World
	160 gr FTX (HDY)	Powder: PRECISION RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.: 29.8 gr 2,032	34.8 gr 2,329 41,765	Shooters World
	160 gr FTX (HDY)	Powder: AR PLUS (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.535"	Powder: Vel.: Press.: 26.0 gr 2,066	33.0 gr 2,442 41,030	Shooters World
	170 gr FN (Sierra) 0.308"	Powder: 2015 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.520"	Powder: Vel.: Press.: 25.7 gr 1,992 36,500	28.5 gr 2,189 40,400	Hodgdon
	170 gr L RN FP (Laser Cast, Oregon Trail Bullet Company) 0.308"	Powder: 2015 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.: 24.3 gr 1,930 35,500	27.0 gr 2,121 39,400	Hodgdon
	170 gr PART (NOS) 0.308"	Powder: 2230 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.545"	Powder: Vel.: Press.: 25.6 gr 1,925 36,400	28.5 gr 2,110 40,500	Hodgdon
	170 gr L RN FP GC (True Shot, Oregon Trail Bullet Company) 0.308"	Powder: 2230 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.520"	Powder: Vel.: Press.: 26.2 gr 2,089 37,700	29.1 gr 2,234 41,900	Hodgdon
	170 gr PART (NOS) 0.308"	Powder: 2460 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.545"	Powder: Vel.: Press.: 27.2 gr 1,864 35,900	30.2 gr 2,118 39,900	Hodgdon
	170 gr FN (Sierra) 0.308"	Powder: 2495 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.520"	Powder: Vel.: Press.: 29.0 gr 1,919 37,300	32.2 gr 2,142 41,500	Hodgdon
	170 gr L RN FP (Laser Cast, Oregon Trail Bullet Company) 0.308"	Powder: 2495 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.: 24.8 gr 1,771 31,700	27.5 gr 2,013 35,100	Hodgdon
	170 gr FN (Sierra) 0.308"	Powder: 2520 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.520"	Powder: Vel.: Press.: 28.4 gr 1,874 34,600	31.5 gr 2,129 38,400	Hodgdon
	170 gr L RN FP (Laser Cast, Oregon Trail Bullet Company) 0.308"	Powder: 2520 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.: 25.7 gr 1,807 26,400	28.5 gr 2,053 29,300	Hodgdon
	170 gr	Powder: 4064 (Accurate)	Trim Length: 2.030"	Powder: 27.0 gr	30.0 gr	Hodgdon

	PART (NOS) 0.308"	Primer: WIN WLR Case: WIN	C.O.L.: 2.545"	Vel.: Press.:	1,757 35,900	1,997 39,900	
	170 gr L RN FP (Laser Cast, Oregon Trail Bullet Company) 0.308"	Powder: 4064 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	27.0 gr 1,777 25,700	30.0 gr 2,020 28,600	Hodgdon
	170 gr FN (Sierra) 0.308"	Powder: 5744 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	18.9 gr 1,724 32,400	24.2 gr 2,127 41,500	Hodgdon
	170 gr L RN FP (Laser Cast, Oregon Trail Bullet Company) 0.310"	Powder: 5744 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	19.8 gr 1,791 29,500	22.0 gr 2,035 32,800	Hodgdon
	170 gr L RN FP GC (True Shot, Oregon Trail Bullet Company) 0.309"	Powder: 5744 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	18.7 gr 1,795 31,800	24.3 gr 2,197 41,300	Hodgdon
	170 gr FN (Sierra) 0.308"	Powder: LT-32 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	25.4 gr 1,941 37,100	28.3 gr 2,095 41,300	Hodgdon
	170 gr L RN FP GC (True Shot, Oregon Trail Bullet Company) 0.308"	Powder: LT-32 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	25.7 gr 2,057 36,900	28.6 gr 2,215 41,000	Hodgdon
	170 gr FN (HDY) 0.308"	Powder: Big Game (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.530"	Powder: Vel.: Press.:	31.5 gr 1,990 29,700	35.0 gr 2,175 33,000	Hodgdon
	170 gr L RN FP (Laser Cast, Oregon Trail Bullet Company) 0.308"	Powder: Big Game (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	28.6 gr 1,799 20,300	31.8 gr 1,999 22,600	Hodgdon
	170 gr FN (Sierra) 0.308"	Powder: TAC (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	27.5 gr 1,962 33,400	30.5 gr 2,180 37,000	Hodgdon
	170 gr L RN FP GC (True Shot, Oregon Trail Bullet Company) 0.308"	Powder: TAC (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	25.1 gr 1,859 26,500	27.9 gr 2,065 29,500	Hodgdon
	170 gr L RN FP GC (True Shot, Oregon Trail Bullet Company) 0.308"	Powder: X-Terminator (Ramshot) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.520"	Powder: Vel.: Press.:	26.2 gr 2,089 37,700	29.1 gr 2,234 41,900	Hodgdon
	170 gr FN (Speer)	Powder: 1200-R (Alliant Powder) Primer: FED 210 Case: WIN	Trim Length: C.O.L.: 2.550"	Powder: Vel.: Press.:	23.9 gr 	26.5 gr 2,116	Alliant Powder
	170 gr FN (Speer)	Powder: Reloder 10X (Alliant Powder) Primer: CCI 200 Case: WIN	Trim Length: C.O.L.: 2.550"	Powder: Vel.: Press.:	23.9 gr 	26.5 gr 1,972	Alliant Powder
	170 gr FN (Speer)	Powder: Varmint (Alliant Powder) Primer: FED 210 Case: WIN	Trim Length: C.O.L.: 2.550"	Powder: Vel.: Press.:	29.8 gr 	33.1 gr 2,240	Alliant Powder
	170 gr	Powder: Benchmark (Hodgdon)	Trim Length: 2.030"	Powder:	25.3 gr	27.9 gr	Hodgdon

	FP (Sierra) 0.308"	Primer: WIN WLR Case: WIN	C.O.L.: 2.550"	Vel.: Press.:	1,894 32,200	2,001 36,100 CUP	
	170 gr FP (Sierra) 0.308"	Powder: BL-C(2) (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	32.5 gr 2,048 27,900	36.0 gr 2,227 34,700 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: CFE 223 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.540"	Powder: Vel.: Press.:	32.2 gr 2,115 30,600	35.0 gr 2,258 36,800	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: H 335 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	27.5 gr 1,934 29,000	30.5 gr 2,086 36,300 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: H4198 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	20.5 gr 1,764 27,300	22.5 gr 1,918 32,600 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: H4895 (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	27.5 gr 1,947 28,200	30.5 gr 2,138 35,200 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: Leverevolution (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	33.0 gr 2,145 28,900	36.3 gr 2,332 35,400 CUP	Hodgdon C 
	170 gr FP (Sierra) 0.308"	Powder: Varget (Hodgdon) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	29.5 gr 1,976 30,200	33.0 gr 2,168 36,500 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: IMR 8208 XBR (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	27.8 gr 2,052 36,400	30.9 gr 2,181 37,500 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: IMR 3031 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	27.5 gr 1,959 27,500	29.2 gr 2,085 35,800 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: IMR 4064 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	29.8 gr 1,991 30,700	31.7 gr 2,090 35,300 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: IMR 4166 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	28.8 gr 1,977 36,400	30.7 gr 2,087 40,600	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: IMR 4198 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	21.0 gr 1,800 27,400	22.3 gr 1,896 32,100 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: IMR 4320 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	30.0 gr 1,976 35,400	32.5 gr 2,068 36,300 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: IMR 4895 (Improved Military Rifle) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L.: 2.550"	Powder: Vel.: Press.:	29.8 gr 1,938 30,500	31.7 gr 2,068 35,300 CUP	Hodgdon 
	170 gr FSP (Speer)	Powder: N130 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.539"	Powder: Vel.: Press.:	20.7 gr 1,692	24.7 gr 1,962	VihtaVuori 
	170 gr FSP (Speer)	Powder: N133 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.539"	Powder: Vel.: Press.:	21.9 gr 1,678	25.8 gr 1,931	VihtaVuori 
	170 gr FSP (Speer)	Powder: N135 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L.: 2.539"	Powder: Vel.: Press.:	24.4 gr 1,759	27.7 gr 1,981	VihtaVuori 

	170 gr FSP (Speer)	Powder: N140 (VihtaVuori) Primer: Large Rifle Case: REM	Trim Length: 2.031" C.O.L. : 2.539"	Powder: Vel.: Press.:	25.5 gr 1,747 29.2 gr 2,002	VihtaVuori 
	170 gr FP (Sierra) 0.308"	Powder: 748 (Winchester) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.:	32.0 gr 2,145 36,000 CUP	Hodgdon 
	170 gr FP (Sierra) 0.308"	Powder: 760 (Winchester) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.:	33.6 gr 1,975 30,000 CUP	Hodgdon 
	170 gr HCFN (Speer)	Powder: BUFFALO RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	12.0 gr 1,167 24.2 gr 2,060 41,940	Shooters World 
	170 gr FN (Sierra)	Powder: BLACKOUT (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	24.0 gr 2,011 26.2 gr 2,193 40,669	Shooters World 
	170 gr HCFN (Speer)	Powder: BLACKOUT (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	24.0 gr 2,040 25.9 gr 2,212 41,342	Shooters World 
	170 gr HCFN (Speer)	Powder: TACTICAL RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	29.0 gr 2,097 31.5 gr 2,237 41,045	Shooters World 
	170 gr HCFN (Speer)	Powder: MATCH RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	30.3 gr 2,180 34.2 gr 2,375 41,105	Shooters World 
	170 gr HCFN (Speer)	Powder: PRECISION RIFLE (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	29.5 gr 1,957 34.6 gr 2,251 41,840	Shooters World 
	170 gr FN (Sierra)	Powder: AR PLUS (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	26.0 gr 1,990 30.5 gr 2,254 41,120	Shooters World 
	170 gr HCFN (Speer)	Powder: AR PLUS (Shooters World) Primer: Large Rifle Case: HDY	Trim Length: C.O.L. : 2.550"	Powder: Vel.: Press.:	26.0 gr 1,999 31.5 gr 2,317 41,530	Shooters World 
	173 gr L FN GC (Lyman) 0.309"	Powder: 2460 (Accurate) Primer: WIN WLR Case: WIN	Trim Length: 2.030" C.O.L. : 2.550"	Powder: Vel.: Press.:	24.8 gr 1,775 25,500 27.5 gr 2,017 28,300	Hodgdon 
	190 gr Barnes Originals (Barnes) 0.308"	Powder: 2520 (Accurate) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L. : 2.525"	Powder: Vel.: Press.:	29.1 gr 1,887 32.3 gr 2,084	Barnes 
	190 gr Barnes Originals (Barnes) 0.308"	Powder: TAC (Ramshot) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L. : 2.525"	Powder: Vel.: Press.:	27.9 gr 1,920 31.0 gr 2,072	Barnes 
	190 gr Barnes Originals (Barnes) 0.308"	Powder: Reloder 15 (Alliant Powder) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L. : 2.525"	Powder: Vel.: Press.:	28.7 gr 1,833 31.9 gr 2,056	Barnes 
	190 gr Barnes Originals (Barnes) 0.308"	Powder: CFE 223 (Hodgdon) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L. : 2.525"	Powder: Vel.: Press.:	29.0 gr 1,895 32.2 gr 2,113	Barnes 
	190 gr Barnes Originals (Barnes) 0.308"	Powder: H4895 (Hodgdon) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L. : 2.525"	Powder: Vel.: Press.:	26.7 gr 1,833 29.7 gr 2,046	Barnes 

	190 gr Barnes Originals (Barnes) 0.308"	Powder: Leverevolution (Hodgdon) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.525"	Powder: 30.4 gr Vel.: 1,984 Press.:	33.8 gr 2,167	Barnes 
	190 gr Barnes Originals (Barnes) 0.308"	Powder: Varget (Hodgdon) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.525"	Powder: 27.6 gr Vel.: 1,835 Press.:	30.7 gr 2,060	Barnes 
	190 gr Barnes Originals (Barnes) 0.308"	Powder: IMR 3031 (Improved Military Rifle) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.525"	Powder: 25.2 gr Vel.: 1,782 Press.:	28.0 gr 1,978	Barnes 
	190 gr Barnes Originals (Barnes) 0.308"	Powder: IMR 4320 (Improved Military Rifle) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.525"	Powder: 28.1 gr Vel.: 1,825 Press.:	31.2 gr 2,016	Barnes 
	190 gr Barnes Originals (Barnes) 0.308"	Powder: 748 (Winchester) Primer: REM 9½ Case: REM	Trim Length: 2.030" C.O.L.: 2.525"	Powder: 28.9 gr Vel.: 1,844 Press.:	32.2 gr 2,055	Barnes 
	100 gr Plinker SPRN (Speer) 0.308"	Powder: 2200 (Accurate) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.345"	Powder: 32.9 gr Vel.: 2,760 Press.:	35.8 gr 2,927	Speer
	100 gr Plinker SPRN (Speer) 0.308"	Powder: LT-32 (Accurate) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.345"	Powder: 32.1 gr Vel.: 2,621 Press.:	35.7 gr 2,872	Speer C
	100 gr Plinker SPRN (Speer) 0.308"	Powder: 1200-R (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.345"	Powder: 29.5 gr Vel.: 2,642 Press.:	32.1 gr 2,787	Speer
	100 gr Plinker SPRN (Speer) 0.308"	Powder: Reloder 10x (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.345"	Powder: 31.2 gr Vel.: 2,641 Press.:	33.5 gr 2,769	Speer
	130 gr SPFN Hot-Cor (Speer) 0.308"	Powder: AR-Comp (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 32.4 gr Vel.: 2,359 Press.:	36.0 gr 2,594	Speer C
	130 gr SPFN Hot-Cor (Speer) 0.308"	Powder: Varmint (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 32.9 gr Vel.: 2,363 Press.:	35.7 gr 2,516	Speer
	130 gr SPFN Hot-Cor (Speer) 0.308"	Powder: CFE 223 (Hodgdon) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 37.8 gr Vel.: 2,411 Press.:	42.0 gr 2,643	Speer C
	150 gr SPFN Hot-Cor (Speer) 0.308"	Powder: 2000-MR (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 36.8 gr Vel.: 2,298 Press.:	40.9 gr 2,533	Speer C
	150 gr SPFN Hot-Cor (Speer) 0.308"	Powder: AR-Comp (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 31.2 gr Vel.: 2,266 Press.:	33.8 gr 2,425	Speer C
	150 gr SPFN Hot-Cor (Speer) 0.308"	Powder: Varmint (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 30.2 gr Vel.: 2,168 Press.:	33.4 gr 2,355	Speer

	150 gr SPFN Hot-Cor (Speer) 0.308"	Powder: CFE 223 (Hodgdon) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 36.3 gr Vel.: 2,318 Press.:	40.0 gr 2,516	Speer C
	150 gr SPFN Hot-Cor (Speer) 0.308"	Powder: Leverevolution (Hodgdon) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 34.6 gr Vel.: 2,295 Press.:	38.2 gr 2,516	Speer C
	170 gr SPFN Hot-Cor (Speer) 0.308"	Powder: 2000-MR (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 34.1 gr Vel.: 2,133 Press.:	37.5 gr 2,318	Speer C
	170 gr SPFN Hot-Cor (Speer) 0.308"	Powder: AR-Comp (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 27.5 gr Vel.: 1,982 Press.:	30.4 gr 2,165	Speer
	170 gr SPFN Hot-Cor (Speer) 0.308"	Powder: Reloder 15 (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 28.5 gr Vel.: 1,875 Press.:	31.7 gr 2,122	Speer
	170 gr SPFN Hot-Cor (Speer) 0.308"	Powder: Varmint (Alliant Powder) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 28.5 gr Vel.: 2,020 Press.:	30.7 gr 2,143	Speer
	170 gr SPFN Hot-Cor (Speer) 0.308"	Powder: CFE 223 (Hodgdon) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 32.9 gr Vel.: 2,102 Press.:	36.2 gr 2,290	Speer
	170 gr SPFN Hot-Cor (Speer) 0.308"	Powder: Leverevolution (Hodgdon) Primer: FED 210 Case: FED	Trim Length: 2.030" C.O.L.: 2.550"	Powder: 32.4 gr Vel.: 2,111 Press.:	35.7 gr 2,303	Speer