

357 MAGNUM (RIFLE)

RIFLE:	Rossi Model 92	BULLET DIAMETER:	0.357"
BARREL:	16", 1 in 16" Twist	MAXIMUM C.O.L.:	1.590"
CASE:	Hornady/Frontier	MAX. CASE LENGTH:	1.290"
PRIMER:	Winchester WSPM	CASE TRIM LENGTH:	1.280"

There's a certain appeal to the idea of reloading one cartridge for both rifle and pistol. A good many shooters have purchased a pair of Ruger 44 Magnums, the Super Blackhawk pistol and the Ruger Carbine, to simplify their reloading. Marlin, Browning and several other manufacturers have met this demand for 357 Magnum rifles and are producing lever-actions, pumps, and single shots for this "pistol cartridge."

The logic that developed a following for the "dual chambering strategy" is disdained by many others. Why, some have wondered, buy two firearms of the same chambering and thereby compromise the true shooting requirements a reloader may have? Why not simply go for two different cartridges in two different firearms for two entirely different types of shooting? Why settle for being effective with one gun and only marginally effective with its counterpart? But wait; there are some real advantages of 357 Magnum chambered rifles.

With the development of FTX® bullets and LEVERevolution® ammunition the possibility to use more aerodynamic pointed bullets in tubular magazines now exists, and the potential of the 357 Magnum in carbines such as the Rossi Model 1892 is greatly increased. FTX® bullets also greatly improve terminal ballistics across a wide range of velocities. FTX® bullets redefine performance standards in lever guns.

When loading FTX® bullets, case trim lengths and cartridge overall lengths will be specified by individual cartridge and bullet in the data chart.

125 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:0.140
0.357"

125 gr. FP XTP®

B.C.: 0.148 C.O.L.: 1.590"
Item No. 35730

125 gr. HP XTP®

B.C.: 0.151 C.O.L.: 1.590"
Item No. 35710

VELOCITY (FPS – feet per second)

POWDER	1500	1600	1700	1800	1900	2000
Alliant 2400	11.2 gr.	12.6 gr.	14.1 gr.	15.5 gr.		
H110	10.4 gr.	12.2 gr.	14.0 gr.	15.8 gr.	17.6 gr.	19.4 gr.
WIN 296	11.8 gr.	13.4 gr.	15.0 gr.	16.7 gr.	18.3 gr.	20.0 gr.

Hornady ballistics tables are available at hornady.com/ballistics

140 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:0.157
0.357"

140 gr. FTX®

B.C.: 0.160 C.O.L.: 1.590"
Item No. 35745

CASE TRIM LENGTH: 1.240"

The data below was developed with FTX® bullets. Due to the longer ogive it is critical that cartridge cases be trimmed to the length specified.

VELOCITY (FPS – feet per second)

POWDER	1250	1300	1350	1400	1450	1500	1550	1600	1650
VIHT N-105	9.0 gr.	9.2 gr.	9.4 gr.	9.6 gr.	9.9 gr.	10.1 gr.	10.3 gr.		
Accurate No. 7	9.7 gr.	10.0 gr.	10.2 gr.	10.5 gr.	10.7 gr.	11.0 gr.			
Accurate No. 9				11.4 gr.	11.8 gr.	12.2 gr.	12.7 gr.	13.1 gr.	13.5 gr.
ENFORCER	11.6 gr.	12.0 gr.	12.3 gr.	12.6 gr.	13.0 gr.	13.3 gr.	13.7 gr.	14.0 gr.	14.3 gr.

Hornady ballistics tables are available at hornady.com/ballistics

140 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:0.157
0.357"

140 gr. HP XTP®

B.C.: 0.169 C.O.L.: 1.590"
Item No. 35740

VELOCITY (FPS – feet per second)

POWDER	1400	1500	1600	1700	1800	1900
VIHT N-110	11.4 gr.	12.4 gr.	13.4 gr.	14.3 gr.		
Alliant 2400	10.8 gr.	12.1 gr.	13.4 gr.	14.7 gr.		
IMR 4227	12.5 gr.	13.2 gr.	14.0 gr.	14.8 gr.		
H110	11.5 gr.	12.9 gr.	14.2 gr.	15.6 gr.	17.0 gr.	18.3 gr.
WIN 296	11.1 gr.	12.7 gr.	14.4 gr.	16.0 gr.	17.6 gr.	19.2 gr.

Hornady ballistics tables are available at hornady.com/ballistics

140 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.157
0.358"



140 gr. COWBOY™

B.C.: 0.127 C.O.L.: 1.450"
Item No. 10078

VELOCITY (FPS – feet per second)

POWDER	850	900	950	1000	1050	1100
TITEGROUP	2.8 gr.	3.1 gr.	3.4 gr.	3.7 gr.	4.0 gr.	4.3 gr.
CLAYS	2.7 gr.	3.1 gr.	3.5 gr.	3.8 gr.	4.2 gr.	
AMERICAN SELECT	3.2 gr.	3.5 gr.	3.8 gr.	4.2 gr.	4.5 gr.	
UNIQUE	3.7 gr.	4.0 gr.	4.2 gr.	4.5 gr.	4.7 gr.	5.0 gr.

Hornady ballistics tables are available at hornady.com/ballistics

158-160 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:

0.177-0.179
0.357"



158 gr. FP XTP®

B.C.: 0.199 C.O.L.: 1.590"
Item No. 35780



158 gr. HP XTP®

B.C.: 0.206 C.O.L.: 1.590"
Item No. 35750



160 gr. CL-SIL (Discontinued)


B.C.: 0.181 C.O.L.: 1.590"
Item No. 3572

VELOCITY (FPS – feet per second)

POWDER	1200	1300	1400	1500	1600	1650
Alliant 2400	9.3 gr.	10.4 gr.	11.5 gr.	12.7 gr.	13.8 gr.	
Accurate No. 9	9.8 gr.	10.6 gr.	11.5 gr.			
H110	8.6 gr.	10.1 gr.	11.6 gr.	13.2 gr.	14.7 gr.	15.5 gr.
VIHT N-110	10.0 gr.	10.9 gr.	11.7 gr.	12.6 gr.	13.4 gr.	
WIN 296	10.2 gr.	11.4 gr.	12.7 gr.	13.9 gr.	15.1 gr.	15.7 gr.
IMR 4227	12.0 gr.	12.9 gr.	13.8 gr.	14.3 gr.		

Hornady ballistics tables are available at hornady.com/ballistics

158 GRAIN BULLETS


SECTIONAL DENSITY:
DIAMETER:0.176
0.358"**158 gr. LRN**B.C.: 0.159 C.O.L.: 1.590"
Item No. 10508**158 gr. SWC HP**B.C.: 0.139 C.O.L.: 1.590"
Item No. 10428**158 gr. SWC**B.C.: 0.135 C.O.L.: 1.590"
Item No. 10408

VELOCITY (FPS – feet per second)

POWDER	850	900	950	1000	1050	1100
TITEGROUP	3.1 gr.	3.3 gr.	3.6 gr.	3.9 gr.	4.2 gr.	
CLAYS	2.8 gr.	3.3 gr.	3.8 gr.	4.3 gr.		
AMERICAN SELECT	3.4 gr.	3.7 gr.	4.0 gr.	4.4 gr.		
UNIQUE	3.7 gr.	4.1 gr.	4.4 gr.	4.7 gr.	5.0 gr.	5.3 gr.

Hornady ballistics tables are available at hornady.com/ballistics

180 GRAIN BULLETS

SECTIONAL DENSITY:
DIAMETER:0.202
0.357"**180 gr. HP XTP®**B.C.: 0.230 C.O.L.: 1.590"
Item No. 35771**180 gr. CL-SIL**B.C.: 0.232 C.O.L.: 1.590"
Item No. 3577

VELOCITY (FPS – feet per second)

POWDER	1000	1100	1200	1300	1400	1450
Alliant 2400	7.2 gr.	8.4 gr.	9.6 gr.	10.8 gr.	12.0 gr.	12.7 gr.
Accurate No. 9	8.4 gr.	9.3 gr.	10.2 gr.			
VIHT N-110	8.7 gr.	9.5 gr.	10.3 gr.	11.1 gr.	11.9 gr.	
H110	7.9 gr.	9.1 gr.	10.4 gr.	11.6 gr.	12.9 gr.	
WIN 296	8.6 gr.	9.8 gr.	11.1 gr.	12.3 gr.	13.5 gr.	
IMR 4227	10.2 gr.	11.2 gr.	12.3 gr.			

Hornady ballistics tables are available at hornady.com/ballistics