



38 Special +P

.357"	38 JHP	38 GDHP SB
Weight (grains)	110	110
Ballistic Coefficient	0.113	0.117
Sectional Density	0.123	0.123
COAL Tested	1.455"	1.455"
Speer Part No.	4007	4009

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Power Pistol	Speer	CCI 500	7.0	1123	7.4	1192
Vihtavuori 3N37	Speer	CCI 500	6.9	1071	7.3	1150
Accurate No. 5	Speer	CCI 500	7.5	1099	7.9	1143
Alliant Unique	Speer	CCI 500	5.9	1090	6.3	1117
Hodgdon H. Universal	Speer	CCI 500	5.7	1028	6.1	1100
Alliant Bullseye	Speer	CCI 500	4.8	1027	5.2	1098
Hodgdon Hi-Skor 700-X	Speer	CCI 500	4.7	1017	5.1	1085
Hodgdon TITEGROUP	Speer	CCI 500	4.7	1013	5.1	1082
Winchester 231	Speer	CCI 500	5.2	1008	5.6	1059
Alliant American Select	Speer	CCI 500	4.4	894	4.8	967

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load



38 Special +P

.357"	38 JHP	38 GDHP SB
Weight (grains)	110	110
Ballistic Coefficient	0.113	0.117
Sectional Density	0.123	0.123
COAL Tested	1.455"	1.455"
Speer Part No.	4007	4009

SHORT BARREL VELOCITIES
Test Firearm: S&W M15 2"

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Unique	Speer	CCI 500	5.9	929	6.3	976
Hodgdon H. Universal	Speer	CCI 500	5.7	895	6.1	976
Accurate No. 5	Speer	CCI 500	7.5	915	7.9	969
Alliant Power Pistol	Speer	CCI 500	7.0	911	7.4	967
Vihtavuori 3N37	Speer	CCI 500	6.9	903	7.3	958
Hodgdon Hi-Skor 700-X	Speer	CCI 500	4.7	878	5.1	954
Hodgdon TITEGROUP	Speer	CCI 500	4.7	875	5.1	945
Winchester 231	Speer	CCI 500	5.2	884	5.6	944
Alliant Bullseye	Speer	CCI 500	4.8	873	5.2	941
Alliant American Select	Speer	CCI 500	DNR	—	4.8	879

DNR — do not reduce

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load



38 Special +P

.357"	38 GDHP	38 JHP	38 TMJ® FN
Weight (grains)	125	125	125
Ballistic Coefficient	0.140	0.129	0.146
Sectional Density	0.140	0.140	0.140
COAL Tested	1.440"	1.455"	1.435"
Speer Part No.	4012	4013	4015

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Vihtavuori 3N37	Speer	CCI 500	6.8	1037	7.2	1098
Alliant Unique	Speer	CCI 500	5.7	980	6.0	1082
Alliant Power Pistol	Speer	CCI 500	6.1	986	6.8	1082
Hodgdon H. Universal	Speer	CCI 500	5.6	976	5.9	1058
Accurate No. 5	Speer	CCI 500	7.5	927	7.8	1030
Alliant Bullseye	Speer	CCI 500	4.5	914	4.8	1021
IMR PB	Speer	CCI 500	4.9	927	5.4	1021
Winchester WSF	Speer	CCI 500	5.3	934	5.8	1021
Accurate No. 2 Improved	Speer	CCI 500	5.4	994	5.7	1014
Hodgdon Hi-Skor 700-X	Speer	CCI 500	4.6	905	4.9	1013
Hodgdon TITEGROUP	Speer	CCI 500	4.4	933	4.9	1012
Alliant American Select	Speer	CCI 500	DNR	—	4.7	931

DNR — do not reduce

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load



38 Special +P

.357"	38
Weight (grains)	135
Ballistic Coefficient	0.141
Sectional Density	0.151
COAL Tested	1.450"
Speer Part No.	4014

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Power Pistol	Speer	CCI 500	6.0	983	6.4	1065
Accurate No. 5	Speer	CCI 500	6.6	1000	7.0	1052
Accurate No. 7	Speer	CCI 500	7.8	964	8.2	1030
Hodgdon HS-6	Speer	CCI 500	6.8	944	7.2	1027
Vihtavuori 3N37	Speer	CCI 500	6.0	969	6.4	1007
Alliant Unique	Speer	CCI 500	4.8	867	5.2	988
Hodgdon H. Universal	Speer	CCI 500	5.0	937	5.2	977
IMR PB	Speer	CCI 500	DNR	—	4.7	936

DNR — do not reduce

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load



38 Special +P

.357"	38
Weight (grains)	GDHP SB
Ballistic Coefficient	135
Sectional Density	0.141
COAL Tested	0.151
Speer Part No.	1.450"
	4014

SHORT BARREL VELOCITIES
Test Firearm: S&W M15 2"

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Accurate No. 7	Speer	CCI 500	7.8	838	8.2	882
Accurate No. 5	Speer	CCI 500	6.6	819	7.0	878
Hodgdon HS-6	Speer	CCI 500	6.8	780	7.2	856
Alliant Power Pistol	Speer	CCI 500	6.0	797	6.4	845
Alliant Unique	Speer	CCI 500	4.8	768	5.2	834
Hodgdon H. Universal	Speer	CCI 500	5.0	785	5.2	825
Vihavuori 3N37	Speer	CCI 500	6.0	760	6.4	823
IMR PB	Speer	CCI 500	DNR	—	4.7	788

DNR — do not reduce

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load



38 Special +P

0.358"	35 LSWC	35 LSWC HP	35 LRN
Weight (grains)	158	158	158
Ballistic Coefficient	0.123	0.121	0.170
Sectional Density	0.176	0.176	0.176
COAL Tested	1.440"	1.455"	1.510"
Speer Part No.	4624	4628	4648

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Power Pistol	Speer	CCI 500	5.4	948	6.0	1037
Hodgdon Hi-Skor 700-X	Speer	CCI 500	3.8	877	4.4	980
Accurate No. 5	Speer	CCI 500	6.2	922	6.6	978
Hodgdon HS-6	Speer	CCI 500	6.3	914	6.7	971
Hodgdon H. Universal	Speer	CCI 500	4.6	902	5.0	971
IMR PB	Speer	CCI 500	4.2	858	4.6	962
Winchester 231	Speer	CCI 500	4.3	863	4.7	935
Alliant Unique	Speer	CCI 500	4.7	815	5.2	919
Hodgdon HP-38	Speer	CCI 500	4.1	855	4.5	918
Vihtavuori N350	Speer	CCI 500	5.0	818	5.4	901
Winchester WSF	Speer	CCI 500	4.3	830	4.7	892
Alliant Bullseye	Speer	CCI 500	3.5	814	3.9	874
Alliant Red Dot	Speer	CCI 500	3.4	793	3.8	846
Accurate No. 2 Improved	Speer	CCI 500	4.0	781	4.3	843

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load