

.223 Remington - Published Manufacturer Loading Data

Shellholders:	Hornady #16	Lee #4	Lyman #26	RCBS #10
Recipe Type: ☒ Rifle ☐ Pistol ☐ Reduced Load				
Bullet Weight: ☒ ALL ☒ 30 gr ☒ 34 gr ☒ 35 gr ☒ 36 gr ☒ 40 gr ☒ 42 gr ☒ 43 gr ☒ 45 gr ☐ --			GR.: 30 gr Bullet Type: VG (Barnes) Diameter: 0.224" Powder: 2015 (Accurate) Primer: WIN WSR Case: WIN Trim Length: 1.750" C.O.L.: 2.088" Starting Powder: 22.9 gr Starting Velocity: 3,450 Starting Pressure: 44,900 Max Powder: 25.4 gr Max Velocity: 3,771 Max Pressure: 49,900 Source: Hodgdon ⓘ	
Powder: ☒ ALL ☒ Accurate 2015 ☒ Accurate 2200 ☒ Accurate 2230 ☒ Accurate 2460 ☒ Accurate 2495 ☒ Accurate 2520 ☒ Accurate 5744 ☒ Accurate LT-30 ☐ . -- --			GR.: 30 gr Bullet Type: VG (Barnes) Diameter: 0.224" Powder: 2200 (Accurate) Primer: WIN WSR Case: WIN Trim Length: 1.750" C.O.L.: 2.100" Starting Powder: 24.9 gr Starting Velocity: 3,833 Starting Pressure: 49,300 Max Powder: 27.7 gr Max Velocity: 4,189 Max Pressure: 54,800 Source: Hodgdon ⓘ	
Recipe Source: ☒ ALL ☒ Alliant Powder ☒ Barnes ☒ Campro ☒ Hodgdon ☒ Shooters World ☒ Speer ☒ VihtaVuori			GR.: 30 gr Bullet Type: VG (Barnes) Diameter: 0.224" Powder: 2230 (Accurate) Primer: WIN WSR Case: WIN Trim Length: 1.750" C.O.L.: 2.088" Starting Powder: 26.1 gr Starting Velocity: 3,687 Starting Pressure: 46,400 Max Powder: 29.0 gr Max Velocity: 4,029 Max Pressure: 51,600 Source: Hodgdon ⓘ	
			GR.: 30 gr Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224" Powder: 2460 (Accurate) Primer: REM 7½ Case: REM Trim Length: 1.750" C.O.L.: 2.115" Starting Powder: 27.4 gr Starting Velocity: 3,947 Starting Pressure: Max Powder: 29.4 gr Max Velocity: 4,180 Max Pressure: Source: Barnes ⓘ	
			GR.: 30 gr Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224" Powder: TAC (Ramshot) Primer: REM 7½ Case: REM Trim Length: 1.750" C.O.L.: 2.115" Starting Powder: 29.0 gr Starting Velocity: 3,921 Starting Pressure: Max Powder: 31.0 gr Max Velocity: 4,075 Max Pressure: Source: Barnes ⓘ	



GR.: 30 gr
Bullet Type: VG (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.088"
Starting Powder: 26.1 gr
Starting Velocity: 3,687
Starting Pressure: 46,400
Max Powder: 29.0 gr
Max Velocity: 4,029
Max Pressure: 51,600
Source: [Hodgdon](#)



GR.: 30 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.115"
Starting Powder: 24.0 gr
Starting Velocity: 3,831
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 4,129
Max Pressure:
Source: [Barnes](#)



GR.: 30 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.115"
Starting Powder: 26.2 gr
Starting Velocity: 3,789
Starting Pressure:
Max Powder: 28.2 gr
Max Velocity: 4,091
Max Pressure:
Source: [Barnes](#)



GR.: 30 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.115"
Starting Powder: 26.2 gr
Starting Velocity: 3,770
Starting Pressure:
Max Powder: 28.2 gr
Max Velocity: 4,014
Max Pressure:
Source: [Barnes](#)



GR.: 30 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.115"
Starting Powder: 21.2 gr
Starting Velocity: 3,713
Starting Pressure:
Max Powder: 23.2 gr
Max Velocity: 4,133
Max Pressure:
Source: [Barnes](#)



GR.: 34 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.125"
Starting Powder: 23.9 gr
Starting Velocity: 3,489
Starting Pressure: 48,600
Max Powder: 26.5 gr
Max Velocity: 3,813
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 34 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.125"
Starting Powder: 24.3 gr
Starting Velocity: 3,682
Starting Pressure: 48,400
Max Powder: 27.0 gr
Max Velocity: 4,024
Max Pressure: 53,700
Source: [Hodgdon](#)



GR.: 34 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.125"
Starting Powder: 26.6 gr
Starting Velocity: 3,665
Starting Pressure: 48,200
Max Powder: 29.5 gr
Max Velocity: 4,006
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 34 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.125"
Starting Powder: 25.7 gr
Starting Velocity: 3,570
Starting Pressure: 46,400
Max Powder: 28.6 gr
Max Velocity: 3,902
Max Pressure: 51,500
Source: [Hodgdon](#)



GR.: 34 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.125"
Starting Powder: 27.4 gr
Starting Velocity: 3,636
Starting Pressure: 49,500
Max Powder: 30.4 gr
Max Velocity: 3,974
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 34 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.125"
Starting Powder: 26.6 gr
Starting Velocity: 3,665
Starting Pressure: 48,200
Max Powder: 29.5 gr
Max Velocity: 4,006
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.2 gr
Starting Velocity: 3,635
Starting Pressure: 49,200
Max Powder: 25.8 gr
Max Velocity: 3,936
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 25.8 gr
Starting Velocity: 3,626
Starting Pressure: 49,200
Max Powder: 28.7 gr
Max Velocity: 3,947
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.8 gr
Starting Velocity: 3,501
Starting Pressure: 45,000
Max Powder: 27.6 gr
Max Velocity: 3,822
Max Pressure: 50,000
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 26.5 gr
Starting Velocity: 3,449
Starting Pressure: 41,600
Max Powder: 29.5 gr
Max Velocity: 3,746
Max Pressure: 46,200
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 5744 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.130"
Starting Powder: 19.2 gr
Starting Velocity: 3,169
Starting Pressure: 48,900
Max Powder: 21.1 gr
Max Velocity: 3,602
Max Pressure: 53,700
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 25.8 gr
Starting Velocity: 3,529
Starting Pressure: 49,200
Max Powder: 28.7 gr
Max Velocity: 3,862
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 25.8 gr
Starting Velocity: 3,626
Starting Pressure: 49,200
Max Powder: 28.7 gr
Max Velocity: 3,947
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 24.5 gr
Starting Velocity: 3,555
Starting Pressure: 42,700
Max Powder: 27.2 gr
Max Velocity: 3,851
Max Pressure: 52,900
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 26.6 gr
Starting Velocity: 3,430
Starting Pressure: 39,900
Max Powder: 29.5 gr
Max Velocity: 3,740
Max Pressure: 50,100
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 24.3 gr
Starting Velocity: 3,610
Starting Pressure: 43,800
Max Powder: 25.8 gr
Max Velocity: 3,771
Max Pressure: 50,600
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 25.7 gr
Starting Velocity: 3,647
Starting Pressure: 44,600
Max Powder: 27.9 gr
Max Velocity: 3,885
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 20.4 gr
Starting Velocity: 3,599
Starting Pressure: 45,100
Max Powder: 21.7 gr
Max Velocity: 3,780
Max Pressure: 52,000
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 24.3 gr
Starting Velocity: 3,522
Starting Pressure: 39,600
Max Powder: 27.0 gr
Max Velocity: 3,891
Max Pressure: 53,000
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 25.2 gr
Starting Velocity: 3,424
Starting Pressure: 38,500
Max Powder: 28.0 gr
Max Velocity: 3,751
Max Pressure: 49,300
Source: [Hodgdon](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 25.2 gr
Starting Velocity: 3,560
Starting Pressure: 41,100
Max Powder: 28.0 gr
Max Velocity: 3,891
Max Pressure: 53,400
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 23.4 gr
Starting Velocity: 3,423
Starting Pressure: 40,000
Max Powder: 26.0 gr
Max Velocity: 3,771
Max Pressure: 51,600
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 20.4 gr
Starting Velocity: 3,651
Starting Pressure: 47,600
Max Powder: 21.7 gr
Max Velocity: 3,804
Max Pressure: 52,100
Source: [Hodgdon](#) [E](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 25.5 gr
Starting Velocity: 3,313
Starting Pressure: 39,500
Max Powder: 28.0 gr
Max Velocity: 3,620
Max Pressure: 49,800
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 35 gr
Bullet Type: BT LF (NOS) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 24.3 gr
Starting Velocity: 3,263
Starting Pressure: 36,400
Max Powder: 27.0 gr
Max Velocity: 3,620
Max Pressure: 47,700
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 23.0 gr
Starting Velocity: 3,454
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,755
Max Pressure:
Source: [Barnes](#)



GR.: 36 gr
Bullet Type: VG (Barnes) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 23.8 gr
Starting Velocity: 3,518
Starting Pressure: 49,400
Max Powder: 26.4 gr
Max Velocity: 3,863
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: VG (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 25.6 gr
Starting Velocity: 3,510
Starting Pressure: 47,700
Max Powder: 28.5 gr
Max Velocity: 3,820
Max Pressure: 53,100
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: VG (Barnes) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.1 gr
Starting Velocity: 3,425
Starting Pressure: 49,300
Max Powder: 23.5 gr
Max Velocity: 3,735
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 27.5 gr
Starting Velocity: 3,681
Starting Pressure:
Max Powder: 29.5 gr
Max Velocity: 3,876
Max Pressure:
Source: [Barnes](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 25.0 gr
Starting Velocity: 3,504
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,777
Max Pressure:
Source: [Barnes](#)



GR.: 36 gr
Bullet Type: VG (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 25.6 gr
Starting Velocity: 3,510
Starting Pressure: 47,700
Max Powder: 28.5 gr
Max Velocity: 3,820
Max Pressure: 53,100
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 23.6 gr
Starting Velocity: 3,456
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,811
Max Pressure:
Source: [Barnes](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: Reloder 10X (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 22.8 gr
Starting Velocity: 3,361
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,731
Max Pressure:
Source: [Barnes](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: Reloder 7 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 22.0 gr
Starting Velocity: 3,488
Starting Pressure:
Max Powder: 24.0 gr
Max Velocity: 3,774
Max Pressure:
Source: [Barnes](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.4 gr
Starting Velocity: 3,508
Starting Pressure: 44,100
Max Powder: 26.0 gr
Max Velocity: 3,702
Max Pressure: 50,800
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 25.0 gr
Starting Velocity: 3,514
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,800
Max Pressure:
Source: [Barnes](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 26.8 gr
Starting Velocity: 3,345
Starting Pressure: 40,400
Max Powder: 28.5 gr
Max Velocity: 3,500
Max Pressure: 46,000
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.2 gr
Starting Velocity: 3,523
Starting Pressure: 44,300
Max Powder: 25.7 gr
Max Velocity: 3,721
Max Pressure: 52,700
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 25.9 gr
Starting Velocity: 3,552
Starting Pressure:
Max Powder: 28.7 gr
Max Velocity: 3,845
Max Pressure:
Source: [Barnes](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 26.0 gr
Starting Velocity: 3,647
Starting Pressure: 48,300
Max Powder: 27.7 gr
Max Velocity: 3,790
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.1 gr
Starting Velocity: 3,511
Starting Pressure: 36,800
Max Powder: 22.5 gr
Max Velocity: 3,723
Max Pressure: 51,800
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.5 gr
Starting Velocity: 3,487
Starting Pressure: 36,500
Max Powder: 27.3 gr
Max Velocity: 3,755
Max Pressure: 49,200
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.8 gr
Starting Velocity: 3,278
Starting Pressure: 37,000
Max Powder: 27.5 gr
Max Velocity: 3,593
Max Pressure: 47,300
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.4 gr
Starting Velocity: 3,548
Starting Pressure: 44,500
Max Powder: 27.0 gr
Max Velocity: 3,728
Max Pressure: 50,600
Source: [Hodgdon](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 25.5 gr
Starting Velocity: 3,507
Starting Pressure:
Max Powder: 28.3 gr
Max Velocity: 3,864
Max Pressure:
Source: [Barnes](#) [C](#) [e](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.3 gr
Starting Velocity: 3,398
Starting Pressure: 41,600
Max Powder: 24.8 gr
Max Velocity: 3,600
Max Pressure: 48,200
Source: [Hodgdon](#) [C](#) [e](#)



GR.: 36 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 20.5 gr
Starting Velocity: 3,473
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 3,796
Max Pressure:
Source: [Barnes](#) [e](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.2 gr
Starting Velocity: 3,579
Starting Pressure: 43,500
Max Powder: 22.5 gr
Max Velocity: 3,834
Max Pressure: 52,500
Source: [Hodgdon](#) [e](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.2 gr
Starting Velocity: 3,289
Starting Pressure: 39,700
Max Powder: 28.0 gr
Max Velocity: 3,653
Max Pressure: 52,200
Source: [Hodgdon](#) [C](#) [e](#)



GR.: 36 gr
Bullet Type: VG FB (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.8 gr
Starting Velocity: 3,289
Starting Pressure: 39,700
Max Powder: 27.0 gr
Max Velocity: 3,606
Max Pressure: 50,100
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 23.3 gr
Starting Velocity: 3,227
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,591
Max Pressure:
Source: [Barnes](#)



GR.: 40 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 22.5 gr
Starting Velocity: 3,220
Starting Pressure: 47,800
Max Powder: 25.0 gr
Max Velocity: 3,519
Max Pressure: 53,100
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.9 gr
Starting Velocity: 3,288
Starting Pressure: 49,400
Max Powder: 25.4 gr
Max Velocity: 3,593
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 3,256
Starting Pressure: 49,500
Max Powder: 25.2 gr
Max Velocity: 3,558
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 3,261
Starting Pressure: 49,000
Max Powder: 25.2 gr
Max Velocity: 3,564
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.224"
Starting Powder: 22.6 gr
Starting Velocity: 3,386
Starting Pressure: 49,200
Max Powder: 25.1 gr
Max Velocity: 3,700
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.1 gr
Starting Velocity: 3,419
Starting Pressure: 48,600
Max Powder: 25.7 gr
Max Velocity: 3,737
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.2 gr
Starting Velocity: 3,384
Starting Pressure: 49,400
Max Powder: 24.7 gr
Max Velocity: 3,679
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.9 gr
Starting Velocity: 3,386
Starting Pressure: 48,400
Max Powder: 25.4 gr
Max Velocity: 3,701
Max Pressure: 53,700
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.9 gr
Starting Velocity: 3,400
Starting Pressure: 48,900
Max Powder: 25.4 gr
Max Velocity: 3,716
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 23.9 gr
Starting Velocity: 3,451
Starting Pressure: 48,900
Max Powder: 26.5 gr
Max Velocity: 3,772
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.3 gr
Starting Velocity: 3,480
Starting Pressure: 49,300
Max Powder: 27.0 gr
Max Velocity: 3,803
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.3 gr
Starting Velocity: 3,435
Starting Pressure: 48,400
Max Powder: 27.0 gr
Max Velocity: 3,754
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.5 gr
Starting Velocity: 3,435
Starting Pressure: 49,000
Max Powder: 27.2 gr
Max Velocity: 3,721
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.3 gr
Starting Velocity: 3,459
Starting Pressure: 49,200
Max Powder: 27.0 gr
Max Velocity: 3,780
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.224"
Starting Powder: 25.0 gr
Starting Velocity: 3,463
Starting Pressure: 49,500
Max Powder: 27.8 gr
Max Velocity: 3,785
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.7 gr
Starting Velocity: 3,428
Starting Pressure: 48,200
Max Powder: 27.4 gr
Max Velocity: 3,746
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.8 gr
Starting Velocity: 3,413
Starting Pressure: 48,200
Max Powder: 27.5 gr
Max Velocity: 3,710
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 25.0 gr
Starting Velocity: 3,406
Starting Pressure: 47,200
Max Powder: 27.8 gr
Max Velocity: 3,722
Max Pressure: 52,500
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 25.0 gr
Starting Velocity: 3,451
Starting Pressure: 49,000
Max Powder: 27.8 gr
Max Velocity: 3,772
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 25.8 gr
Starting Velocity: 3,345
Starting Pressure: 43,800
Max Powder: 28.7 gr
Max Velocity: 3,628
Max Pressure: 48,700
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 5744 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 18.5 gr
Starting Velocity: 3,025
Starting Pressure: 49,200
Max Powder: 20.6 gr
Max Velocity: 3,439
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.0 gr
Starting Velocity: 3,356
Starting Pressure: 49,400
Max Powder: 23.4 gr
Max Velocity: 3,676
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.5 gr
Starting Velocity: 3,377
Starting Pressure: 49,200
Max Powder: 23.9 gr
Max Velocity: 3,699
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.8 gr
Starting Velocity: 3,276
Starting Pressure: 49,200
Max Powder: 23.2 gr
Max Velocity: 3,602
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.9 gr
Starting Velocity: 3,387
Starting Pressure: 49,200
Max Powder: 25.4 gr
Max Velocity: 3,735
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.4 gr
Starting Velocity: 3,304
Starting Pressure: 49,300
Max Powder: 24.9 gr
Max Velocity: 3,628
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.216"
Starting Powder: 24.6 gr
Starting Velocity: 3,389
Starting Pressure: 48,800
Max Powder: 27.3 gr
Max Velocity: 3,704
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.9 gr
Starting Velocity: 3,419
Starting Pressure: 49,300
Max Powder: 27.7 gr
Max Velocity: 3,737
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.8 gr
Starting Velocity: 3,310
Starting Pressure: 49,300
Max Powder: 27.5 gr
Max Velocity: 3,667
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 25.2 gr
Starting Velocity: 3,405
Starting Pressure: 49,000
Max Powder: 28.0 gr
Max Velocity: 3,721
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.8 gr
Starting Velocity: 3,399
Starting Pressure: 48,500
Max Powder: 27.6 gr
Max Velocity: 3,715
Max Pressure: 53,900
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [REM 7.4](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 24.2 gr
Starting Velocity: 3,361
Starting Pressure:
Max Powder: 26.8 gr
Max Velocity: 3,702
Max Pressure:
Source: [Barnes](#)



GR.: 40 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 23.9 gr
Starting Velocity: 3,451
Starting Pressure: 48,900
Max Powder: 26.5 gr
Max Velocity: 3,772
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.3 gr
Starting Velocity: 3,480
Starting Pressure: 49,300
Max Powder: 27.0 gr
Max Velocity: 3,803
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.3 gr
Starting Velocity: 3,435
Starting Pressure: 48,400
Max Powder: 27.0 gr
Max Velocity: 3,754
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BTLF (NOS) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.5 gr
Starting Velocity: 3,435
Starting Pressure: 49,000
Max Powder: 27.2 gr
Max Velocity: 3,721
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.3 gr
Starting Velocity: 3,459
Starting Pressure: 49,200
Max Powder: 27.0 gr
Max Velocity: 3,780
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 23.2 gr
Starting Velocity: 3,411
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,714
Max Pressure:
Source: [Barnes](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter:
Powder: 1200-R (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.155"
Starting Powder: 24.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 26.8 gr
Max Velocity: 3,805
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 22.5 gr
Starting Velocity: 3,330
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,648
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 40 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length:
[C.O.L.](#): 2.060"
Starting Powder: 22.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,481
Max Pressure:
Source: [Alliant Powder](#)



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: Reloder 7 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 22.0 gr
Starting Velocity: 3,380
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 3,676
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 40 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length:
[C.O.L.](#): 2.060"
Starting Powder: 18.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 20.5 gr
Max Velocity: 3,011
Max Pressure:
Source: [Alliant Powder](#)



GR.: 40 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: Varmint (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.250"
Starting Powder: 25.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 27.9 gr
Max Velocity: 3,700
Max Pressure:
Source: [Alliant Powder](#)



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 25.0 gr
Starting Velocity: 3,345
Starting Pressure:
Max Powder: 27.7 gr
Max Velocity: 3,748
Max Pressure:
Source: [Barnes](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 25.3 gr
Starting Velocity: 3,404
Starting Pressure: 39,600
Max Powder: 27.3 gr
Max Velocity: 3,666
Max Pressure: 51,000 CUP
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 26.5 gr
Starting Velocity: 3,368
Starting Pressure: 35,400
Max Powder: 28.5 gr
Max Velocity: 3,612
Max Pressure: 45,400 CUP
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 27.5 gr
Starting Velocity: 3,457
Starting Pressure: 40,600
Max Powder: 29.0 gr
Max Velocity: 3,667
Max Pressure: 48,200
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 24.1 gr
Starting Velocity: 3,335
Starting Pressure:
Max Powder: 26.8 gr
Max Velocity: 3,717
Max Pressure:
Source: [Barnes](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 23.5 gr
Starting Velocity: 3,376
Starting Pressure: 34,600
Max Powder: 25.5 gr
Max Velocity: 3,574
Max Pressure: 48,000 CUP
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 24.8 gr
Starting Velocity: 3,376
Starting Pressure:
Max Powder: 27.5 gr
Max Velocity: 3,702
Max Pressure:
Source: [Barnes](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 26.0 gr
Starting Velocity: 3,299
Starting Pressure: 34,400
Max Powder: 28.0 gr
Max Velocity: 3,572
Max Pressure: 44,600 CUP
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 20.5 gr
Starting Velocity: 3,147
Starting Pressure: 29,400
Max Powder: 22.5 gr
Max Velocity: 3,601
Max Pressure: 49,600 CUP
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 25.0 gr
Starting Velocity: 3,204
Starting Pressure: 32,100
Max Powder: 27.5 gr
Max Velocity: 3,573
Max Pressure: 44,500 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 25.0 gr
Starting Velocity: 3,310
Starting Pressure: 34,400
Max Powder: 28.0 gr
Max Velocity: 3,674
Max Pressure: 47,200 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 25.3 gr
Starting Velocity: 3,392
Starting Pressure:
Max Powder: 28.1 gr
Max Velocity: 3,774
Max Pressure:
Source: [Barnes](#) [C](#) [E](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 25.0 gr
Starting Velocity: 3,433
Starting Pressure: 41,500
Max Powder: 26.7 gr
Max Velocity: 3,659
Max Pressure: 50,400
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 23.5 gr
Starting Velocity: 3,291
Starting Pressure: 42,600
Max Powder: 25.2 gr
Max Velocity: 3,498
Max Pressure: 46,200
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 19.5 gr
Starting Velocity: 3,269
Starting Pressure: 42,500
Max Powder: 22.2 gr
Max Velocity: 3,652
Max Pressure: 53,400
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 26.0 gr
Starting Velocity: 3,267
Starting Pressure: 43,500
Max Powder: 27.7 gr
Max Velocity: 3,456
Max Pressure: 48,900
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.280"
Starting Powder: 24.9 gr
Starting Velocity: 3,164
Starting Pressure: 35,200
Max Powder: 26.5 gr
Max Velocity: 3,390
Max Pressure: 44,200
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 19.8 gr
Starting Velocity: 3,346
Starting Pressure:
Max Powder: 22.4 gr
Max Velocity: 3,678
Max Pressure:
Source: [VihtaVuori](#)



GR.: 40 gr
Bullet Type: Spire Point (Speer) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.075"
Starting Powder: 19.0 gr
Starting Velocity: 3,159
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,668
Max Pressure:
Source: [VihtaVuori](#)



GR.: 40 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 21.8 gr
Starting Velocity: 3,396
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 3,711
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 40 gr
Bullet Type: Spire Point (Speer) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.075"
Starting Powder: 22.5 gr
Starting Velocity: 3,386
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,763
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 40 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 24.7 gr
Starting Velocity: 3,517
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,681
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 40 gr
Bullet Type: Spire Point (Speer) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.075"
Starting Powder: 23.8 gr
Starting Velocity: 3,402
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,625
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ 🔍



GR.: 40 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 24.2 gr
Starting Velocity: 3,376
Starting Pressure:
Max Powder: 26.9 gr
Max Velocity: 3,747
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 40 gr
Bullet Type: VARMIN-A-TOR (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 26.4 gr
Starting Velocity: 3,275
Starting Pressure:
Max Powder: 29.4 gr
Max Velocity: 3,684
Max Pressure:
Source: [Barnes](#)



GR.: 40 gr
Bullet Type: V-MAX (HDV) Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 22.5 gr
Starting Velocity: 2,778
Starting Pressure:
Max Powder: 28.5 gr
Max Velocity: 3,678
Max Pressure: 50,500
Source: [ShootersWorld](#)



GR.: 42 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.4 gr
Starting Velocity: 3,395
Starting Pressure: 49,200
Max Powder: 24.9 gr
Max Velocity: 3,676
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 42 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.3 gr
Starting Velocity: 3,437
Starting Pressure: 49,000
Max Powder: 28.1 gr
Max Velocity: 3,730
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 42 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.0 gr
Starting Velocity: 3,296
Starting Pressure: 49,400
Max Powder: 23.3 gr
Max Velocity: 3,604
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 42 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.4 gr
Starting Velocity: 3,306
Starting Pressure: 49,400
Max Powder: 24.9 gr
Max Velocity: 3,620
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 42 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.6 gr
Starting Velocity: 3,331
Starting Pressure: 48,500
Max Powder: 28.4 gr
Max Velocity: 3,648
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 42 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.3 gr
Starting Velocity: 3,437
Starting Pressure: 49,000
Max Powder: 28.1 gr
Max Velocity: 3,730
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter:
Powder: 1200-R (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.155"
Starting Powder: 21.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 3,584
Max Pressure:
Source: [Alliant Powder](#)



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.5 gr
Starting Velocity: 3,225
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,496
Max Pressure:
Source: [Barnes](#)



GR.: 45 gr
Bullet Type: SPT (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.222"
Starting Powder: 21.8 gr
Starting Velocity: 3,088
Starting Pressure: 49,500
Max Powder: 24.2 gr
Max Velocity: 3,375
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.6 gr
Starting Velocity: 3,247
Starting Pressure: 49,100
Max Powder: 25.1 gr
Max Velocity: 3,549
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: BAND-S (Barnes) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.3 gr
Starting Velocity: 3,343
Starting Pressure: 49,200
Max Powder: 25.9 gr
Max Velocity: 3,654
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SPT (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.0 gr
Starting Velocity: 3,219
Starting Pressure: 48,800
Max Powder: 24.4 gr
Max Velocity: 3,518
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.208"
Starting Powder: 24.1 gr
Starting Velocity: 3,276
Starting Pressure: 49,100
Max Powder: 26.8 gr
Max Velocity: 3,580
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: BAND-S (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.216"
Starting Powder: 24.3 gr
Starting Velocity: 3,309
Starting Pressure: 49,200
Max Powder: 27.0 gr
Max Velocity: 3,616
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SPT (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.222"
Starting Powder: 23.2 gr
Starting Velocity: 3,296
Starting Pressure: 49,500
Max Powder: 25.8 gr
Max Velocity: 3,602
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.224"
Starting Powder: 24.3 gr
Starting Velocity: 3,186
Starting Pressure: 48,800
Max Powder: 27.0 gr
Max Velocity: 3,540
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 24.8 gr
Starting Velocity: 3,289
Starting Pressure: 49,200
Max Powder: 27.5 gr
Max Velocity: 3,594
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.3 gr
Starting Velocity: 3,363
Starting Pressure:
Max Powder: 28.1 gr
Max Velocity: 3,651
Max Pressure:
Source: [Barnes](#)



GR.: 45 gr
Bullet Type: SPT (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.6 gr
Starting Velocity: 3,260
Starting Pressure: 48,900
Max Powder: 26.2 gr
Max Velocity: 3,563
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: BAND-S (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.216"
Starting Powder: 24.5 gr
Starting Velocity: 3,255
Starting Pressure: 49,000
Max Powder: 27.2 gr
Max Velocity: 3,557
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.208"
Starting Powder: 24.5 gr
Starting Velocity: 3,210
Starting Pressure: 48,400
Max Powder: 27.2 gr
Max Velocity: 3,508
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7.4](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 26.0 gr
Starting Velocity: 3,333
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,549
Max Pressure:
Source: [Barnes](#)



GR.: 45 gr
Bullet Type: SPT (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.222"
Starting Powder: 24.3 gr
Starting Velocity: 3,276
Starting Pressure: 49,200
Max Powder: 27.0 gr
Max Velocity: 3,580
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.224"
Starting Powder: 24.7 gr
Starting Velocity: 3,177
Starting Pressure: 48,600
Max Powder: 27.4 gr
Max Velocity: 3,530
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 3,212
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,489
Max Pressure:
Source: [Barnes](#)



GR.: 45 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.208"
Starting Powder: 24.1 gr
Starting Velocity: 3,276
Starting Pressure: 49,100
Max Powder: 26.8 gr
Max Velocity: 3,580
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: BAND-S (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.216"
Starting Powder: 24.3 gr
Starting Velocity: 3,309
Starting Pressure: 49,200
Max Powder: 27.0 gr
Max Velocity: 3,616
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SPT (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.222"
Starting Powder: 23.2 gr
Starting Velocity: 3,296
Starting Pressure: 49,500
Max Powder: 25.8 gr
Max Velocity: 3,602
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.224"
Starting Powder: 24.3 gr
Starting Velocity: 3,186
Starting Pressure: 48,800
Max Powder: 27.0 gr
Max Velocity: 3,540
Max Pressure: 54,200
Source: [Hodgdon](#) ⓘ



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.9 gr
Starting Velocity: 3,266
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,579
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 45 gr
Bullet Type: SP (Speer) Diameter:
Powder: 1200-R (Alliant Powder)
Primer: [FED 205m](#)
Case: IMI
Trim Length:
[C.O.L.](#): 2.155"
Starting Powder: 22.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 3,537
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Reloder 10X (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.2 gr
Starting Velocity: 3,229
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 3,516
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 45 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 10X (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length:
[C.O.L.](#): 2.155"
Starting Powder: 21.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.0 gr
Max Velocity: 3,292
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 45 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length:
[C.O.L.](#): 2.155"
Starting Powder: 18.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 20.0 gr
Max Velocity: 3,059
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 3,185
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,521
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 25.3 gr
Starting Velocity: 3,327
Starting Pressure: 41,100
Max Powder: 27.3 gr
Max Velocity: 3,554
Max Pressure: 51,100 CUP
Source: [Hodgdon](#) ⓘ



GR.: 45 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.5 gr
Starting Velocity: 3,130
Starting Pressure: 39,600
Max Powder: 25.0 gr
Max Velocity: 3,410
Max Pressure: 51,000
Source: [Hodgdon](#) ⓘ



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 27.0 gr
Starting Velocity: 3,289
Starting Pressure:
Max Powder: 29.0 gr
Max Velocity: 3,520
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 26.5 gr
Starting Velocity: 3,266
Starting Pressure: 36,000
Max Powder: 28.5 gr
Max Velocity: 3,559
Max Pressure: 48,000 CUP
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 27.5 gr
Starting Velocity: 3,358
Starting Pressure: 40,800
Max Powder: 29.0 gr
Max Velocity: 3,536
Max Pressure: 47,200
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 23.0 gr
Starting Velocity: 3,164
Starting Pressure: 36,000
Max Powder: 25.0 gr
Max Velocity: 3,424
Max Pressure: 47,400 CUP
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.0 gr
Starting Velocity: 3,088
Starting Pressure: 38,900
Max Powder: 24.6 gr
Max Velocity: 3,399
Max Pressure: 50,800
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 24.0 gr
Starting Velocity: 3,280
Starting Pressure: 41,500
Max Powder: 26.2 gr
Max Velocity: 3,456
Max Pressure: 51,000 CUP
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.0 gr
Starting Velocity: 3,172
Starting Pressure: 42,000
Max Powder: 25.3 gr
Max Velocity: 3,428
Max Pressure: 50,700
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 20.0 gr
Starting Velocity: 3,009
Starting Pressure: 28,800
Max Powder: 22.0 gr
Max Velocity: 3,472
Max Pressure: 49,100 CUP
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 19.0 gr
Starting Velocity: 3,097
Starting Pressure: 40,200
Max Powder: 21.8 gr
Max Velocity: 3,414
Max Pressure: 51,400
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 25.0 gr
Starting Velocity: 3,211
Starting Pressure: 33,800
Max Powder: 27.5 gr
Max Velocity: 3,454
Max Pressure: 43,400 CUP
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 25.0 gr
Starting Velocity: 3,071
Starting Pressure: 30,200
Max Powder: 28.0 gr
Max Velocity: 3,477
Max Pressure: 43,700 CUP
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.8 gr
Starting Velocity: 3,286
Starting Pressure:
Max Powder: 27.6 gr
Max Velocity: 3,615
Max Pressure:
Source: [Barnes](#) [C](#) [e](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 24.5 gr
Starting Velocity: 3,287
Starting Pressure: 41,700
Max Powder: 26.8 gr
Max Velocity: 3,550
Max Pressure: 52,000
Source: [Hodgdon](#) [C](#) [e](#)



GR.: 45 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.0 gr
Starting Velocity: 3,124
Starting Pressure: 38,800
Max Powder: 26.0 gr
Max Velocity: 3,491
Max Pressure: 52,100
Source: [Hodgdon](#) [C](#) [e](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 22.7 gr
Starting Velocity: 3,065
Starting Pressure: 37,700
Max Powder: 25.2 gr
Max Velocity: 3,374
Max Pressure: 45,800
Source: [Hodgdon](#) [C](#) [e](#)



GR.: 45 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 21.0 gr
Starting Velocity: 2,981
Starting Pressure: 37,000
Max Powder: 24.0 gr
Max Velocity: 3,400
Max Pressure: 52,300
Source: [Hodgdon](#) [C](#) [e](#)



GR.: 45 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 20.0 gr
Starting Velocity: 3,126
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 3,479
Max Pressure:
Source: [Barnes](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 19.5 gr
Starting Velocity: 3,205
Starting Pressure: 44,600
Max Powder: 22.1 gr
Max Velocity: 3,495
Max Pressure: 52,000
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 19.0 gr
Starting Velocity: 3,108
Starting Pressure: 41,000
Max Powder: 21.0 gr
Max Velocity: 3,395
Max Pressure: 52,400
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.240"
Starting Powder: 25.5 gr
Starting Velocity: 3,158
Starting Pressure: 40,300
Max Powder: 27.8 gr
Max Velocity: 3,342
Max Pressure: 46,300
Source: [Hodgdon](#)



GR.: 45 gr
Bullet Type: Spitzer (Speer) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.126"
Starting Powder: 19.3 gr
Starting Velocity: 3,061
Starting Pressure:
Max Powder: 22.8 gr
Max Velocity: 3,517
Max Pressure:
Source: [VihtaVuori](#)



GR.: 45 gr
Bullet Type: Spitzer (Speer) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.126"
Starting Powder: 22.2 gr
Starting Velocity: 3,251
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,583
Max Pressure:
Source: [VihtaVuori](#)



GR.: 45 gr
Bullet Type: Spitzer (Speer) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.126"
Starting Powder: 23.3 gr
Starting Velocity: 3,238
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,579
Max Pressure:
Source: [VihtaVuori](#)



GR.: 45 gr
Bullet Type: Spitzer (Speer) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.126"
Starting Powder: 25.3 gr
Starting Velocity: 3,314
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,392
Max Pressure:
Source: [VihtaVuori](#)



GR.: 50 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.184"
Starting Powder: 20.8 gr
Starting Velocity: 2,855
Starting Pressure: 48,400
Max Powder: 23.1 gr
Max Velocity: 3,120
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,933
Starting Pressure: 48,700
Max Powder: 23.3 gr
Max Velocity: 3,206
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SPSX (HDY) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.2 gr
Starting Velocity: 2,943
Starting Pressure: 49,400
Max Powder: 23.6 gr
Max Velocity: 3,216
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (HDY) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.226"
Starting Powder: 21.3 gr
Starting Velocity: 2,937
Starting Pressure: 48,600
Max Powder: 23.7 gr
Max Velocity: 3,210
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.6 gr
Starting Velocity: 2,984
Starting Pressure: 49,500
Max Powder: 24.0 gr
Max Velocity: 3,261
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.6 gr
Starting Velocity: 2,964
Starting Pressure: 48,400
Max Powder: 24.0 gr
Max Velocity: 3,239
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.187"
Starting Powder: 21.4 gr
Starting Velocity: 2,965
Starting Pressure: 48,200
Max Powder: 23.8 gr
Max Velocity: 3,240
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.195"
Starting Powder: 21.2 gr
Starting Velocity: 3,013
Starting Pressure: 49,300
Max Powder: 23.6 gr
Max Velocity: 3,293
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 3,025
Starting Pressure: 48,600
Max Powder: 23.3 gr
Max Velocity: 3,306
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (HDV) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.5 gr
Starting Velocity: 3,063
Starting Pressure: 49,200
Max Powder: 23.9 gr
Max Velocity: 3,348
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 3,111
Starting Pressure: 48,600
Max Powder: 24.6 gr
Max Velocity: 3,400
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.187"
Starting Powder: 20.7 gr
Starting Velocity: 3,056
Starting Pressure: 47,900
Max Powder: 23.0 gr
Max Velocity: 3,340
Max Pressure: 53,300
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.184"
Starting Powder: 22.7 gr
Starting Velocity: 3,082
Starting Pressure: 49,300
Max Powder: 25.2 gr
Max Velocity: 3,368
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VG (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.0 gr
Starting Velocity: 3,007
Starting Pressure: 48,900
Max Powder: 25.5 gr
Max Velocity: 3,341
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 3,122
Starting Pressure: 49,400
Max Powder: 24.6 gr
Max Velocity: 3,412
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SPSX (HDV) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.1 gr
Starting Velocity: 3,093
Starting Pressure: 49,300
Max Powder: 24.5 gr
Max Velocity: 3,380
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.2 gr
Starting Velocity: 3,115
Starting Pressure: 48,100
Max Powder: 24.7 gr
Max Velocity: 3,404
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (HDY) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.226"
Starting Powder: 22.4 gr
Starting Velocity: 3,128
Starting Pressure: 49,300
Max Powder: 24.9 gr
Max Velocity: 3,419
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.5 gr
Starting Velocity: 3,134
Starting Pressure: 49,100
Max Powder: 26.2 gr
Max Velocity: 3,413
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.9 gr
Starting Velocity: 3,143
Starting Pressure: 48,700
Max Powder: 25.4 gr
Max Velocity: 3,435
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.187"
Starting Powder: 22.5 gr
Starting Velocity: 3,114
Starting Pressure: 49,000
Max Powder: 25.0 gr
Max Velocity: 3,403
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.0 gr
Starting Velocity: 3,142
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,381
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.0 gr
Starting Velocity: 3,142
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,381
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.195"
Starting Powder: 23.4 gr
Starting Velocity: 3,110
Starting Pressure: 49,200
Max Powder: 26.0 gr
Max Velocity: 3,399
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 3,040
Starting Pressure: 49,500
Max Powder: 24.6 gr
Max Velocity: 3,350
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SPSX (HDV) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 22.1 gr
Starting Velocity: 3,066
Starting Pressure: 48,100
Max Powder: 24.5 gr
Max Velocity: 3,351
Max Pressure: 53,400
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 22.7 gr
Starting Velocity: 3,129
Starting Pressure: 49,400
Max Powder: 25.2 gr
Max Velocity: 3,420
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.7 gr
Starting Velocity: 3,178
Starting Pressure: 48,700
Max Powder: 26.4 gr
Max Velocity: 3,428
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.4 gr
Starting Velocity: 3,069
Starting Pressure: 49,100
Max Powder: 26.0 gr
Max Velocity: 3,382
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.187"
Starting Powder: 22.9 gr
Starting Velocity: 3,092
Starting Pressure: 49,200
Max Powder: 25.4 gr
Max Velocity: 3,379
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [REM 7.4](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 26.0 gr
Starting Velocity: 3,069
Starting Pressure:
Max Powder: 29.0 gr
Max Velocity: 3,383
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 25.4 gr
Starting Velocity: 3,199
Starting Pressure: 49,000
Max Powder: 28.3 gr
Max Velocity: 3,490
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.8 gr
Starting Velocity: 3,149
Starting Pressure: 48,500
Max Powder: 27.5 gr
Max Velocity: 3,441
Max Pressure: 53,900
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.187"
Starting Powder: 24.3 gr
Starting Velocity: 3,142
Starting Pressure: 48,300
Max Powder: 27.0 gr
Max Velocity: 3,434
Max Pressure: 53,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VARM (Barnes) Diameter: 0.224"
Powder: 5744 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 17.8 gr
Starting Velocity: 2,743
Starting Pressure: 47,900
Max Powder: 19.7 gr
Max Velocity: 3,117
Max Pressure: 53,000
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: GMX (HDY) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.165"
Starting Powder: 19.2 gr
Starting Velocity: 2,882
Starting Pressure: 49,500
Max Powder: 21.4 gr
Max Velocity: 3,153
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.3 gr
Starting Velocity: 3,053
Starting Pressure: 49,400
Max Powder: 22.6 gr
Max Velocity: 3,332
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: GMX (HDT) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.165"
Starting Powder: 20.6 gr
Starting Velocity: 2,893
Starting Pressure: 49,200
Max Powder: 22.9 gr
Max Velocity: 3,179
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.8 gr
Starting Velocity: 3,112
Starting Pressure: 49,400
Max Powder: 24.2 gr
Max Velocity: 3,399
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.184"
Starting Powder: 23.1 gr
Starting Velocity: 3,030
Starting Pressure: 49,300
Max Powder: 25.7 gr
Max Velocity: 3,311
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VG (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.3 gr
Starting Velocity: 2,964
Starting Pressure: 47,800
Max Powder: 25.9 gr
Max Velocity: 3,293
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.4 gr
Starting Velocity: 2,965
Starting Pressure:
Max Powder: 26.4 gr
Max Velocity: 3,332
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.4 gr
Starting Velocity: 3,065
Starting Pressure:
Max Powder: 26.4 gr
Max Velocity: 3,372
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.4 gr
Starting Velocity: 3,065
Starting Pressure:
Max Powder: 26.4 gr
Max Velocity: 3,372
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 3,065
Starting Pressure: 49,000
Max Powder: 25.2 gr
Max Velocity: 3,350
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.5 gr
Starting Velocity: 3,103
Starting Pressure: 49,500
Max Powder: 25.0 gr
Max Velocity: 3,391
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (HDY) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.226"
Starting Powder: 23.0 gr
Starting Velocity: 3,074
Starting Pressure: 47,900
Max Powder: 25.6 gr
Max Velocity: 3,360
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SPSX (HDT) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.165"
Starting Powder: 23.0 gr
Starting Velocity: 3,057
Starting Pressure: 49,200
Max Powder: 25.5 gr
Max Velocity: 3,341
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.3 gr
Starting Velocity: 3,130
Starting Pressure: 48,700
Max Powder: 27.0 gr
Max Velocity: 3,412
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.8 gr
Starting Velocity: 3,137
Starting Pressure: 49,200
Max Powder: 26.4 gr
Max Velocity: 3,428
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.187"
Starting Powder: 23.1 gr
Starting Velocity: 3,088
Starting Pressure: 48,300
Max Powder: 25.7 gr
Max Velocity: 3,375
Max Pressure: 53,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.184"
Starting Powder: 22.7 gr
Starting Velocity: 3,082
Starting Pressure: 49,300
Max Powder: 25.2 gr
Max Velocity: 3,368
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VG (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.0 gr
Starting Velocity: 3,007
Starting Pressure: 48,900
Max Powder: 25.5 gr
Max Velocity: 3,341
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 3,122
Starting Pressure: 49,400
Max Powder: 24.6 gr
Max Velocity: 3,412
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SPSX (HDY) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.1 gr
Starting Velocity: 3,093
Starting Pressure: 49,300
Max Powder: 24.5 gr
Max Velocity: 3,380
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.2 gr
Starting Velocity: 3,115
Starting Pressure: 48,100
Max Powder: 24.7 gr
Max Velocity: 3,404
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (HDY) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.226"
Starting Powder: 22.4 gr
Starting Velocity: 3,128
Starting Pressure: 49,300
Max Powder: 24.9 gr
Max Velocity: 3,419
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.4 gr
Starting Velocity: 3,134
Starting Pressure: 48,800
Max Powder: 26.2 gr
Max Velocity: 3,413
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.9 gr
Starting Velocity: 3,143
Starting Pressure: 48,700
Max Powder: 25.4 gr
Max Velocity: 3,435
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.187"
Starting Powder: 22.5 gr
Starting Velocity: 3,114
Starting Pressure: 49,000
Max Powder: 25.0 gr
Max Velocity: 3,403
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.9 gr
Starting Velocity: 3,045
Starting Pressure:
Max Powder: 24.3 gr
Max Velocity: 3,346
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.9 gr
Starting Velocity: 3,045
Starting Pressure:
Max Powder: 24.3 gr
Max Velocity: 3,346
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: SP (Sierra) Diameter:
Powder: 1200-R (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.: 2.250"](#)
Starting Powder: 21.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 3,394
Max Pressure:
Source: [Alliant Powder](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.: 2.200"](#)
Starting Powder: 21.1 gr
Starting Velocity: 2,967
Starting Pressure:
Max Powder: 23.4 gr
Max Velocity: 3,231
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.: 2.180"](#)
Starting Powder: 22.9 gr
Starting Velocity: 3,109
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,408
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.: 2.180"](#)
Starting Powder: 22.9 gr
Starting Velocity: 3,109
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,408
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.: 2.200"](#)
Starting Powder: 19.2 gr
Starting Velocity: 2,810
Starting Pressure:
Max Powder: 22.2 gr
Max Velocity: 3,202
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 20.4 gr
Starting Velocity: 2,958
Starting Pressure:
Max Powder: 22.4 gr
Max Velocity: 3,246
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 20.4 gr
Starting Velocity: 2,958
Starting Pressure:
Max Powder: 22.4 gr
Max Velocity: 3,246
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: BT (NOS) Diameter:
Powder: Reloder 10x (Alliant Powder)
Primer: [WIN WSR](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.200"
Starting Powder: 21.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 3,389
Max Pressure:
Source: [Alliant Powder](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.7 gr
Starting Velocity: 3,010
Starting Pressure:
Max Powder: 26.4 gr
Max Velocity: 3,294
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 25.3 gr
Starting Velocity: 3,142
Starting Pressure:
Max Powder: 28.1 gr
Max Velocity: 3,466
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 25.3 gr
Starting Velocity: 3,142
Starting Pressure:
Max Powder: 28.1 gr
Max Velocity: 3,466
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: V Max (HDV) Diameter:
Powder: Varmint (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.250"
Starting Powder: 23.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 26.3 gr
Max Velocity: 3,377
Max Pressure:
Source: [Alliant Powder](#)



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.5 gr
Starting Velocity: 3,057
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 3,370
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.5 gr
Starting Velocity: 3,057
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 3,370
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 24.0 gr
Starting Velocity: 3,139
Starting Pressure: 38,600
Max Powder: 26.5 gr
Max Velocity: 3,396
Max Pressure: 50,400 CUP
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 26.0 gr
Starting Velocity: 3,187
Starting Pressure: 34,200
Max Powder: 28.0 gr
Max Velocity: 3,428
Max Pressure: 47,100 CUP
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.3 gr
Starting Velocity: 3,081
Starting Pressure:
Max Powder: 28.1 gr
Max Velocity: 3,390
Max Pressure:
Source: [Barnes](#) [C](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 27.0 gr
Starting Velocity: 3,241
Starting Pressure: 41,500
Max Powder: 28.5 gr
Max Velocity: 3,505
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 22.0 gr
Starting Velocity: 3,018
Starting Pressure: 36,500
Max Powder: 24.0 gr
Max Velocity: 3,301
Max Pressure: 49,300 CUP
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.4 gr
Starting Velocity: 2,800
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 3,210
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.8 gr
Starting Velocity: 3,045
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,310
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.8 gr
Starting Velocity: 3,045
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,310
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 24.0 gr
Starting Velocity: 3,166
Starting Pressure: 43,000
Max Powder: 26.0 gr
Max Velocity: 3,393
Max Pressure: 51,700 CUP
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 19.5 gr
Starting Velocity: 3,023
Starting Pressure: 32,400
Max Powder: 21.5 gr
Max Velocity: 3,223
Max Pressure: 45,900 CUP
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.8 gr
Starting Velocity: 2,973
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,293
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 25.0 gr
Starting Velocity: 3,200
Starting Pressure: 38,300
Max Powder: 27.5 gr
Max Velocity: 3,468
Max Pressure: 51,300 CUP
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.8 gr
Starting Velocity: 2,997
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,288
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 26.5 gr
Starting Velocity: 3,242
Starting Pressure: 40,800
Max Powder: 27.5 gr
Max Velocity: 3,383
Max Pressure: 44,800 CUP
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 23.5 gr
Starting Velocity: 3,111
Starting Pressure: 40,500
Max Powder: 25.8 gr
Max Velocity: 3,407
Max Pressure: 53,300
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 23.5 gr
Starting Velocity: 3,169
Starting Pressure: 44,600
Max Powder: 25.0 gr
Max Velocity: 3,268
Max Pressure: 46,900
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 23.9 gr
Starting Velocity: 3,026
Starting Pressure: 43,200
Max Powder: 26.2 gr
Max Velocity: 3,267
Max Pressure: 51,600
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 19.8 gr
Starting Velocity: 3,094
Starting Pressure: 42,800
Max Powder: 21.9 gr
Max Velocity: 3,352
Max Pressure: 52,100
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 24.8 gr
Starting Velocity: 3,006
Starting Pressure: 39,400
Max Powder: 27.5 gr
Max Velocity: 3,270
Max Pressure: 48,900
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.2 gr
Starting Velocity: 2,857
Starting Pressure:
Max Powder: 25.2 gr
Max Velocity: 3,229
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.0 gr
Starting Velocity: 3,041
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,314
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.0 gr
Starting Velocity: 3,041
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,314
Max Pressure:
Source: [Barnes](#) [C](#) [i](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 25.2 gr
Starting Velocity: 3,118
Starting Pressure: 43,300
Max Powder: 26.7 gr
Max Velocity: 3,211
Max Pressure: 45,200
Source: [Hodgdon](#) [C](#) [i](#)



GR.: 50 gr
Bullet Type: TNT-HP (Speer) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 19.3 gr
Starting Velocity: 2,989
Starting Pressure:
Max Powder: 22.7 gr
Max Velocity: 3,399
Max Pressure:
Source: [VihtaVuori](#) [i](#)



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.201"
Starting Powder: 19.1 gr
Starting Velocity: 2,877
Starting Pressure:
Max Powder: 21.5 gr
Max Velocity: 3,179
Max Pressure:
Source: [VihtaVuori](#) [i](#)



GR.: 50 gr
Bullet Type: Naturalis N566 (Lapua) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.205"
Starting Powder: 18.1 gr
Starting Velocity: 2,825
Starting Pressure:
Max Powder: 21.6 gr
Max Velocity: 3,238
Max Pressure:
Source: [VihtaVuori](#) [i](#)



GR.: 50 gr
Bullet Type: Blitzking (Sierra) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.1 gr
Starting Velocity: 3,091
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,356
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: TNT-HP (Speer) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 22.1 gr
Starting Velocity: 3,107
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,432
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.165"
Starting Powder: 19.9 gr
Starting Velocity: 2,972
Starting Pressure:
Max Powder: 21.8 gr
Max Velocity: 3,261
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.201"
Starting Powder: 20.8 gr
Starting Velocity: 2,959
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 3,255
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Naturalis N566 (Lapua) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.205"
Starting Powder: 20.7 gr
Starting Velocity: 2,927
Starting Pressure:
Max Powder: 24.1 gr
Max Velocity: 3,337
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Blitzking (Sierra) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.3 gr
Starting Velocity: 3,176
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 3,448
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: TNT-HP (Speer) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 24.1 gr
Starting Velocity: 3,248
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,533
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ ⓘ



GR.: 50 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.165"
Starting Powder: 20.8 gr
Starting Velocity: 3,005
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 3,343
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.201"
Starting Powder: 21.9 gr
Starting Velocity: 2,976
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,297
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Naturalis N566 (Lapua) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.205"
Starting Powder: 21.9 gr
Starting Velocity: 2,972
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,366
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Blitzking (Sierra) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 24.2 gr
Starting Velocity: 3,199
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,471
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: TNT-HP (Speer) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 25.5 gr
Starting Velocity: 3,278
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,340
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ ⓘ



GR.: 50 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.165"
Starting Powder: 23.1 gr
Starting Velocity: 3,120
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,422
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.201"
Starting Powder: 23.5 gr
Starting Velocity: 2,963
Starting Pressure:
Max Powder: 26.9 gr
Max Velocity: 3,317
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ ⓘ



GR.: 50 gr
Bullet Type: Blitzking (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 25.5 gr
Starting Velocity: 3,120
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,333
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ ⓘ



GR.: 50 gr
Bullet Type: Naturalis N566 (Lapua) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.205"
Starting Powder: 21.0 gr
Starting Velocity: 2,913
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 3,301
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Blitzking (Sierra) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.1 gr
Starting Velocity: 3,114
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 3,406
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.165"
Starting Powder: 22.2 gr
Starting Velocity: 3,048
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,399
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 50 gr
Bullet Type: Varmint Grenade (Barnes) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.201"
Starting Powder: 23.6 gr
Starting Velocity: 2,920
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,278
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 50 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.6 gr
Starting Velocity: 3,045
Starting Pressure:
Max Powder: 26.6 gr
Max Velocity: 3,283
Max Pressure:
Source: [Barnes](#) ⓘ ⓘ



GR.: 50 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.6 gr
Starting Velocity: 3,045
Starting Pressure:
Max Powder: 26.6 gr
Max Velocity: 3,283
Max Pressure:
Source: [Barnes](#)



GR.: 50 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,200
Max Pressure: 40,000 CUP
Source: [Hodgdon](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter:
Powder: TACTICAL RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 22.0 gr
Starting Velocity: 3,000
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,471
Max Pressure: 54,932
Source: [ShootersWorld](#)



GR.: 50 gr
Bullet Type: BK (Sierra) Diameter:
Powder: AR PLUS (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 22.0 gr
Starting Velocity: 3,019
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,427
Max Pressure: 54,545
Source: [ShootersWorld](#)



GR.: 51 gr
Bullet Type: HPCE (Lapua) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 19.0 gr
Starting Velocity: 2,982
Starting Pressure:
Max Powder: 21.1 gr
Max Velocity: 3,251
Max Pressure:
Source: [VihtaVuori](#)



GR.: 51 gr
Bullet Type: HPCE (Lapua) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 20.8 gr
Starting Velocity: 3,051
Starting Pressure:
Max Powder: 23.3 gr
Max Velocity: 3,340
Max Pressure:
Source: [VihtaVuori](#)



GR.: 51 gr
Bullet Type: HPCE (Lapua) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 22.4 gr
Starting Velocity: 3,094
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,389
Max Pressure:
Source: [VihtaVuori](#)



GR.: 51 gr
Bullet Type: HPCE (Lapua) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.8 gr
Starting Velocity: 3,140
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,392
Max Pressure:
Source: [VihtaVuori](#)



GR.: 51 gr
Bullet Type: HPCE (Lapua) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.6 gr
Starting Velocity: 3,159
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,451
Max Pressure:
Source: [VihtaVuori](#)



GR.: 52 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.2 gr
Starting Velocity: 2,895
Starting Pressure: 49,300
Max Powder: 23.5 gr
Max Velocity: 3,180
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: HPBT CC (NOS) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.226"
Starting Powder: 21.2 gr
Starting Velocity: 2,906
Starting Pressure: 48,700
Max Powder: 23.6 gr
Max Velocity: 3,176
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: HPBT CC (NOS) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.236"
Starting Powder: 21.4 gr
Starting Velocity: 3,011
Starting Pressure: 48,100
Max Powder: 23.8 gr
Max Velocity: 3,291
Max Pressure: 53,400
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 3,088
Starting Pressure: 49,500
Max Powder: 24.6 gr
Max Velocity: 3,375
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: HPBT CC (NOS) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.226"
Starting Powder: 22.1 gr
Starting Velocity: 3,059
Starting Pressure: 48,000
Max Powder: 24.6 gr
Max Velocity: 3,343
Max Pressure: 53,400
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.9 gr
Starting Velocity: 3,040
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,361
Max Pressure:
Source: [Barnes](#)



GR.: 52 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.255"
Starting Powder: 21.8 gr
Starting Velocity: 3,003
Starting Pressure: 49,100
Max Powder: 24.2 gr
Max Velocity: 3,282
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: HPBT CC (NOS) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.236"
Starting Powder: 22.7 gr
Starting Velocity: 2,992
Starting Pressure: 49,400
Max Powder: 25.2 gr
Max Velocity: 3,310
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.4 gr
Starting Velocity: 3,052
Starting Pressure: 49,400
Max Powder: 26.0 gr
Max Velocity: 3,335
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: HPBT CC (NOS) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.226"
Starting Powder: 24.7 gr
Starting Velocity: 3,100
Starting Pressure: 48,700
Max Powder: 27.4 gr
Max Velocity: 3,388
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: HPBT CC (NOS) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.237"
Starting Powder: 20.0 gr
Starting Velocity: 3,009
Starting Pressure: 48,900
Max Powder: 22.2 gr
Max Velocity: 3,257
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: HPBT CC (NOS) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.237"
Starting Powder: 21.4 gr
Starting Velocity: 3,039
Starting Pressure: 49,400
Max Powder: 23.8 gr
Max Velocity: 3,324
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.6 gr
Starting Velocity: 2,974
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,320
Max Pressure:
Source: [Barnes](#)



GR.: 52 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.2 gr
Starting Velocity: 2,983
Starting Pressure: 48,400
Max Powder: 24.7 gr
Max Velocity: 3,260
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: HPBT CC (NOS) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.226"
Starting Powder: 22.5 gr
Starting Velocity: 3,003
Starting Pressure: 47,900
Max Powder: 25.0 gr
Max Velocity: 3,282
Max Pressure: 53,300
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 3,088
Starting Pressure: 49,500
Max Powder: 24.6 gr
Max Velocity: 3,375
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 52 gr
Bullet Type: HPBT CC (NOS) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.226"
Starting Powder: 22.1 gr
Starting Velocity: 3,059
Starting Pressure: 48,000
Max Powder: 24.6 gr
Max Velocity: 3,343
Max Pressure: 53,400
Source: [Hodgdon](#) ⓘ



GR.: 52 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: 1200-R (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.250"
Starting Powder: 20.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 3,320
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.9 gr
Starting Velocity: 3,060
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,363
Max Pressure:
Source: [Barnes](#) ⓘ



GR.: 52 gr
Bullet Type: A-Max (HDY) Diameter:
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.230"
Starting Powder: 22.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 3,417
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 52 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.250"
Starting Powder: 22.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.2 gr
Max Velocity: 3,434
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.1 gr
Starting Velocity: 2,964
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,263
Max Pressure:
Source: [Barnes](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter:
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length:
[C.O.L.](#): 2.200"
Starting Powder: 20.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 3,179
Max Pressure:
Source: [Alliant Powder](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter:
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length:
[C.O.L.](#): 2.200"
Starting Powder: 18.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 20.5 gr
Max Velocity: 2,931
Max Pressure:
Source: [Alliant Powder](#)



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.1 gr
Starting Velocity: 3,043
Starting Pressure:
Max Powder: 27.8 gr
Max Velocity: 3,447
Max Pressure:
Source: [Barnes](#)



GR.: 52 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: Varmint (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.250"
Starting Powder: 23.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,358
Max Pressure:
Source: [Alliant Powder](#)



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.1 gr
Starting Velocity: 2,868
Starting Pressure:
Max Powder: 27.9 gr
Max Velocity: 3,316
Max Pressure:
Source: [Barnes](#) [C](#) [i](#)



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.3 gr
Starting Velocity: 3,017
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,309
Max Pressure:
Source: [Barnes](#) [i](#)



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.6 gr
Starting Velocity: 3,042
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,385
Max Pressure:
Source: [Barnes](#) [i](#)



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.1 gr
Starting Velocity: 2,914
Starting Pressure:
Max Powder: 26.7 gr
Max Velocity: 3,308
Max Pressure:
Source: [Barnes](#) [C](#) [i](#)



GR.: 52 gr
Bullet Type: FB Target (Berger Bullets) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 18.5 gr
Starting Velocity: 2,940
Starting Pressure:
Max Powder: 20.4 gr
Max Velocity: 3,189
Max Pressure:
Source: [VihtaVuori](#) [i](#)



GR.: 52 gr
Bullet Type: Tactic (Los) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.193"
Starting Powder: 18.7 gr
Starting Velocity: 2,963
Starting Pressure:
Max Powder: 20.2 gr
Max Velocity: 3,212
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 52 gr
Bullet Type: FB Target (Berger Bullets) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.8 gr
Starting Velocity: 3,022
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 3,271
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 52 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.1 gr
Starting Velocity: 2,972
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,310
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 52 gr
Bullet Type: Tactic (Los) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.193"
Starting Powder: 20.1 gr
Starting Velocity: 3,028
Starting Pressure:
Max Powder: 22.4 gr
Max Velocity: 3,297
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 52 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 21.1 gr
Starting Velocity: 3,071
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 3,373
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 52 gr
Bullet Type: FB Target (Berger Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.5 gr
Starting Velocity: 3,077
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,360
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 52 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.0 gr
Starting Velocity: 3,048
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,343
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 52 gr
Bullet Type: Tactic (Lose) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.193"
Starting Powder: 21.9 gr
Starting Velocity: 3,094
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 3,383
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 52 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 22.5 gr
Starting Velocity: 3,110
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,389
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 52 gr
Bullet Type: FB Target (Berger Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.9 gr
Starting Velocity: 3,136
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 3,402
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 52 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 24.1 gr
Starting Velocity: 3,054
Starting Pressure:
Max Powder: 26.7 gr
Max Velocity: 3,373
Max Pressure:
Source: [VihtaVuori](#)



GR.: 52 gr
Bullet Type: Tactic (Los) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.193"
Starting Powder: 23.5 gr
Starting Velocity: 3,150
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,386
Max Pressure:
Source: [VihtaVuori](#)



GR.: 52 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.8 gr
Starting Velocity: 3,140
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,409
Max Pressure:
Source: [VihtaVuori](#)



GR.: 52 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 25.0 gr
Starting Velocity: 2,982
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,146
Max Pressure:
Source: [VihtaVuori](#)



GR.: 52 gr
Bullet Type: FB Target (Berger Bullets) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 3,041
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 3,369
Max Pressure:
Source: [VihtaVuori](#)



GR.: 52 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.6 gr
Starting Velocity: 3,068
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,369
Max Pressure:
Source: [VihtaVuori](#)



GR.: 52 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.5 gr
Starting Velocity: 2,905
Starting Pressure:
Max Powder: 27.2 gr
Max Velocity: 3,307
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.202"
Starting Powder: 20.4 gr
Starting Velocity: 2,750
Starting Pressure: 49,500
Max Powder: 22.7 gr
Max Velocity: 3,050
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.5 gr
Starting Velocity: 3,043
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,296
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.213"
Starting Powder: 20.7 gr
Starting Velocity: 2,936
Starting Pressure: 48,900
Max Powder: 23.0 gr
Max Velocity: 3,209
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.202"
Starting Powder: 22.3 gr
Starting Velocity: 3,015
Starting Pressure: 49,200
Max Powder: 24.8 gr
Max Velocity: 3,295
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.213"
Starting Powder: 22.9 gr
Starting Velocity: 3,013
Starting Pressure: 48,600
Max Powder: 25.4 gr
Max Velocity: 3,293
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.9 gr
Starting Velocity: 3,013
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,319
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.202"
Starting Powder: 25.0 gr
Starting Velocity: 3,044
Starting Pressure: 47,400
Max Powder: 27.8 gr
Max Velocity: 3,327
Max Pressure: 52,700
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (HDT) Diameter: 0.224"
Powder: 5744 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.225"
Starting Powder: 16.8 gr
Starting Velocity: 2,626
Starting Pressure: 48,400
Max Powder: 18.7 gr
Max Velocity: 2,985
Max Pressure: 53,900
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 19.6 gr
Starting Velocity: 2,922
Starting Pressure: 49,400
Max Powder: 21.7 gr
Max Velocity: 3,186
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.0 gr
Starting Velocity: 2,923
Starting Pressure: 49,300
Max Powder: 23.3 gr
Max Velocity: 3,214
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.202"
Starting Powder: 22.9 gr
Starting Velocity: 2,977
Starting Pressure: 49,100
Max Powder: 25.4 gr
Max Velocity: 3,254
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7.4](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.0 gr
Starting Velocity: 3,051
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,307
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.202"
Starting Powder: 22.3 gr
Starting Velocity: 3,015
Starting Pressure: 49,200
Max Powder: 24.8 gr
Max Velocity: 3,295
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.5 gr
Starting Velocity: 2,960
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,239
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.3 gr
Starting Velocity: 3,052
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,315
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.3 gr
Starting Velocity: 3,037
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,334
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 3,102
Starting Pressure: 39,900
Max Powder: 26.0 gr
Max Velocity: 3,308
Max Pressure: 49,800 CUP
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 25.5 gr
Starting Velocity: 3,102
Starting Pressure:
Max Powder: 27.5 gr
Max Velocity: 3,335
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 26.0 gr
Starting Velocity: 3,090
Starting Pressure: 36,600
Max Powder: 28.0 gr
Max Velocity: 3,328
Max Pressure: 47,600 CUP
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 25.5 gr
Starting Velocity: 3,054
Starting Pressure:
Max Powder: 28.3 gr
Max Velocity: 3,404
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 27.0 gr
Starting Velocity: 3,245
Starting Pressure: 45,900
Max Powder: 28.5 gr
Max Velocity: 3,415
Max Pressure: 52,900
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.5 gr
Starting Velocity: 2,912
Starting Pressure: 39,200
Max Powder: 23.5 gr
Max Velocity: 3,183
Max Pressure: 48,900 CUP
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 3,060
Starting Pressure: 44,100
Max Powder: 26.0 gr
Max Velocity: 3,300
Max Pressure: 52,000 CUP
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 19.5 gr
Starting Velocity: 2,986
Starting Pressure: 34,200
Max Powder: 21.5 gr
Max Velocity: 3,188
Max Pressure: 46,700 CUP
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.5 gr
Starting Velocity: 2,970
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,292
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.0 gr
Starting Velocity: 3,166
Starting Pressure: 37,400
Max Powder: 27.0 gr
Max Velocity: 3,383
Max Pressure: 48,600 CUP
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.5 gr
Starting Velocity: 3,026
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,247
Max Pressure:
Source: [Barnes](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 3,026
Starting Pressure: 38,400
Max Powder: 27.0 gr
Max Velocity: 3,389
Max Pressure: 47,900 CUP
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.0 gr
Starting Velocity: 3,032
Starting Pressure: 41,400
Max Powder: 25.4 gr
Max Velocity: 3,310
Max Pressure: 53,400
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.0 gr
Starting Velocity: 2,959
Starting Pressure: 40,700
Max Powder: 24.5 gr
Max Velocity: 3,260
Max Pressure: 53,300
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 2,964
Starting Pressure: 41,600
Max Powder: 25.7 gr
Max Velocity: 3,178
Max Pressure: 45,600
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.4 gr
Starting Velocity: 2,936
Starting Pressure: 44,300
Max Powder: 25.6 gr
Max Velocity: 3,174
Max Pressure: 52,500
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 19.0 gr
Starting Velocity: 2,972
Starting Pressure: 43,800
Max Powder: 21.4 gr
Max Velocity: 3,268
Max Pressure: 48,200
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 2,929
Starting Pressure: 40,400
Max Powder: 27.5 gr
Max Velocity: 3,273
Max Pressure: 52,300
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.5 gr
Starting Velocity: 3,012
Starting Pressure: 43,900
Max Powder: 26.4 gr
Max Velocity: 3,238
Max Pressure: 52,300
Source: [Hodgdon](#)



GR.: 53 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.256"
Starting Powder: 20.8 gr
Starting Velocity: 3,025
Starting Pressure:
Max Powder: 22.7 gr
Max Velocity: 3,274
Max Pressure:
Source: [VihtaVuori](#)



GR.: 53 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.256"
Starting Powder: 22.8 gr
Starting Velocity: 3,077
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 3,337
Max Pressure:
Source: [VihtaVuori](#)



GR.: 53 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.256"
Starting Powder: 23.9 gr
Starting Velocity: 3,133
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,376
Max Pressure:
Source: [VihtaVuori](#)



GR.: 53 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.256"
Starting Powder: 22.8 gr
Starting Velocity: 3,084
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 3,314
Max Pressure:
Source: [VihtaVuori](#)



GR.: 53 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,200
Max Pressure: 43,500 CUP
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: CFE 223 (Hodgdon)
Primer: [Small Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 26.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 27.8 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 55 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: H 335 (Hodgdon)
Primer: [Small Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 23.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 55 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: Varget (Hodgdon)
Primer: [Small Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 25.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 27.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 55 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: IMR 3031 (Improved Military Rifle)
Primer: [Small Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 21.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 55 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: IMR 4895 (Improved Military Rifle)
Primer: [Small Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 25.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 55 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: NI30 (VihtaVuori)
Primer: [Small Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 21.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 55 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: NI33 (VihtaVuori)
Primer: [Small Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 55 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: NI35 (VihtaVuori)
Primer: [Small Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 23.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 55 gr
Bullet Type: Plated SPITZER BT FMJ (CamPro) Diameter:
Powder: 748 (Winchester)
Primer: [Small Rifle](#)
Case:
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 25.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity:
Max Pressure:
Source: [Campro](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.183"
Starting Powder: 19.8 gr
Starting Velocity: 2,685
Starting Pressure: 49,400
Max Powder: 22.0 gr
Max Velocity: 2,966
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.244"
Starting Powder: 20.9 gr
Starting Velocity: 2,795
Starting Pressure: 49,300
Max Powder: 23.2 gr
Max Velocity: 3,075
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SPSX (HDV) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.195"
Starting Powder: 20.3 gr
Starting Velocity: 2,750
Starting Pressure: 47,700
Max Powder: 22.5 gr
Max Velocity: 3,005
Max Pressure: 53,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.3 gr
Starting Velocity: 2,735
Starting Pressure: 49,300
Max Powder: 22.5 gr
Max Velocity: 3,025
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FMJBT (HDY) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 20.9 gr
Starting Velocity: 2,804
Starting Pressure: 49,300
Max Powder: 23.2 gr
Max Velocity: 3,105
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.9 gr
Starting Velocity: 2,804
Starting Pressure: 48,600
Max Powder: 23.2 gr
Max Velocity: 3,065
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.160"
Starting Powder: 21.0 gr
Starting Velocity: 2,804
Starting Pressure: 48,700
Max Powder: 23.3 gr
Max Velocity: 3,064
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.162"
Starting Powder: 20.6 gr
Starting Velocity: 2,800
Starting Pressure: 49,400
Max Powder: 22.9 gr
Max Velocity: 3,095
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 19.0 gr
Starting Velocity: 2,745
Starting Pressure: 48,600
Max Powder: 21.1 gr
Max Velocity: 2,977
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 20.0 gr
Starting Velocity: 2,798
Starting Pressure: 48,300
Max Powder: 22.2 gr
Max Velocity: 3,058
Max Pressure: 53,700
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,898
Starting Pressure: 48,800
Max Powder: 23.3 gr
Max Velocity: 3,167
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FMJBT (HDV) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 20.4 gr
Starting Velocity: 2,936
Starting Pressure: 48,900
Max Powder: 22.7 gr
Max Velocity: 3,202
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (HDV) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 20.5 gr
Starting Velocity: 2,846
Starting Pressure: 47,900
Max Powder: 22.8 gr
Max Velocity: 3,110
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.1 gr
Starting Velocity: 2,904
Starting Pressure: 47,700
Max Powder: 23.4 gr
Max Velocity: 3,174
Max Pressure: 53,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 20.6 gr
Starting Velocity: 2,890
Starting Pressure: 48,700
Max Powder: 22.9 gr
Max Velocity: 3,159
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.9 gr
Starting Velocity: 2,934
Starting Pressure: 48,900
Max Powder: 23.2 gr
Max Velocity: 3,207
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: NTP (SinterFire, Inc.) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.7 gr
Starting Velocity: 2,859
Starting Pressure: 49,100
Max Powder: 21.9 gr
Max Velocity: 3,157
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.162"
Starting Powder: 19.8 gr
Starting Velocity: 2,890
Starting Pressure: 48,900
Max Powder: 22.0 gr
Max Velocity: 3,175
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.183"
Starting Powder: 21.7 gr
Starting Velocity: 2,905
Starting Pressure: 49,400
Max Powder: 24.1 gr
Max Velocity: 3,195
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.3 gr
Starting Velocity: 2,946
Starting Pressure: 49,400
Max Powder: 25.9 gr
Max Velocity: 3,186
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.244"
Starting Powder: 21.3 gr
Starting Velocity: 2,965
Starting Pressure: 49,500
Max Powder: 23.7 gr
Max Velocity: 3,240
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.2 gr
Starting Velocity: 2,936
Starting Pressure: 48,800
Max Powder: 23.5 gr
Max Velocity: 3,209
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SPSX (HDY) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.195"
Starting Powder: 21.4 gr
Starting Velocity: 2,949
Starting Pressure: 48,700
Max Powder: 23.8 gr
Max Velocity: 3,223
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FMJBT (HDY) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.4 gr
Starting Velocity: 2,976
Starting Pressure: 49,000
Max Powder: 24.9 gr
Max Velocity: 3,278
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 2,983
Starting Pressure: 49,200
Max Powder: 24.5 gr
Max Velocity: 3,260
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.215"
Starting Powder: 22.1 gr
Starting Velocity: 3,028
Starting Pressure: 49,400
Max Powder: 24.5 gr
Max Velocity: 3,309
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.160"
Starting Powder: 22.2 gr
Starting Velocity: 3,007
Starting Pressure: 49,300
Max Powder: 24.7 gr
Max Velocity: 3,286
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: NTP (SinterFire, Inc.) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.5 gr
Starting Velocity: 2,997
Starting Pressure: 49,500
Max Powder: 25.0 gr
Max Velocity: 3,285
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.203"
Starting Powder: 21.6 gr
Starting Velocity: 2,948
Starting Pressure: 48,500
Max Powder: 24.0 gr
Max Velocity: 3,222
Max Pressure: 53,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.6 gr
Starting Velocity: 2,941
Starting Pressure:
Max Powder: 23.6 gr
Max Velocity: 3,188
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.6 gr
Starting Velocity: 2,941
Starting Pressure:
Max Powder: 23.6 gr
Max Velocity: 3,188
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.6 gr
Starting Velocity: 2,941
Starting Pressure:
Max Powder: 23.6 gr
Max Velocity: 3,188
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.190"
Starting Powder: 22.0 gr
Starting Velocity: 2,887
Starting Pressure: 48,000
Max Powder: 24.4 gr
Max Velocity: 3,155
Max Pressure: 53,300
Source: [Hodgdon](#) ●



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.0 gr
Starting Velocity: 2,893
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,208
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.0 gr
Starting Velocity: 2,893
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,208
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.9 gr
Starting Velocity: 2,886
Starting Pressure: 48,900
Max Powder: 23.2 gr
Max Velocity: 3,154
Max Pressure: 54,300
Source: [Hodgdon](#) [●](#)



GR.: 55 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.8 gr
Starting Velocity: 2,914
Starting Pressure: 49,500
Max Powder: 24.2 gr
Max Velocity: 3,185
Max Pressure: 55,000
Source: [Hodgdon](#) [●](#)



GR.: 55 gr
Bullet Type: FMJBT (HDY) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.6 gr
Starting Velocity: 3,029
Starting Pressure: 49,100
Max Powder: 25.1 gr
Max Velocity: 3,293
Max Pressure: 54,600
Source: [Hodgdon](#) [●](#)



GR.: 55 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.9 gr
Starting Velocity: 2,990
Starting Pressure: 49,400
Max Powder: 25.4 gr
Max Velocity: 3,268
Max Pressure: 54,900
Source: [Hodgdon](#) [●](#)



GR.: 55 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.1 gr
Starting Velocity: 2,967
Starting Pressure: 48,900
Max Powder: 24.6 gr
Max Velocity: 3,243
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 23.0 gr
Starting Velocity: 3,010
Starting Pressure: 50,000
Max Powder: 25.5 gr
Max Velocity: 3,290
Max Pressure: 55,500
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: NTP (SinterFire, Inc.) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 3,019
Starting Pressure: 49,400
Max Powder: 25.2 gr
Max Velocity: 3,302
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.203"
Starting Powder: 21.9 gr
Starting Velocity: 2,936
Starting Pressure: 49,500
Max Powder: 24.3 gr
Max Velocity: 3,209
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2495 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.5 gr
Starting Velocity: 2,832
Starting Pressure: 47,800
Max Powder: 25.0 gr
Max Velocity: 3,111
Max Pressure: 53,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.183"
Starting Powder: 24.1 gr
Starting Velocity: 2,959
Starting Pressure: 48,700
Max Powder: 26.8 gr
Max Velocity: 3,234
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.244"
Starting Powder: 22.7 gr
Starting Velocity: 2,931
Starting Pressure: 48,600
Max Powder: 25.2 gr
Max Velocity: 3,203
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.0 gr
Starting Velocity: 2,934
Starting Pressure: 48,700
Max Powder: 25.6 gr
Max Velocity: 3,207
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FMJBT (HDY) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.3 gr
Starting Velocity: 3,053
Starting Pressure: 49,400
Max Powder: 27.0 gr
Max Velocity: 3,345
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.0 gr
Starting Velocity: 3,000
Starting Pressure: 49,500
Max Powder: 26.7 gr
Max Velocity: 3,311
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.215"
Starting Powder: 24.0 gr
Starting Velocity: 3,012
Starting Pressure: 48,700
Max Powder: 26.7 gr
Max Velocity: 3,292
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.160"
Starting Powder: 24.1 gr
Starting Velocity: 2,985
Starting Pressure: 49,400
Max Powder: 26.8 gr
Max Velocity: 3,295
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: NTP (SinterFire, Inc.) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.3 gr
Starting Velocity: 3,024
Starting Pressure: 46,800
Max Powder: 27.1 gr
Max Velocity: 3,304
Max Pressure: 52,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.203"
Starting Powder: 22.7 gr
Starting Velocity: 2,952
Starting Pressure: 48,200
Max Powder: 25.2 gr
Max Velocity: 3,226
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SPT (Sierra) Diameter: 0.224"
Powder: 5744 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 16.8 gr
Starting Velocity: 2,612
Starting Pressure: 49,400
Max Powder: 18.7 gr
Max Velocity: 2,968
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: GMX (HDY) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 17.4 gr
Starting Velocity: 2,645
Starting Pressure: 49,200
Max Powder: 19.3 gr
Max Velocity: 2,879
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.4 gr
Starting Velocity: 2,860
Starting Pressure: 49,300
Max Powder: 21.5 gr
Max Velocity: 3,114
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: VARMGT (NOS) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.6 gr
Starting Velocity: 2,907
Starting Pressure: 49,300
Max Powder: 21.7 gr
Max Velocity: 3,147
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: GMX (HDY) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 18.6 gr
Starting Velocity: 2,699
Starting Pressure: 49,100
Max Powder: 20.6 gr
Max Velocity: 2,932
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.8 gr
Starting Velocity: 2,924
Starting Pressure: 49,500
Max Powder: 23.1 gr
Max Velocity: 3,175
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.183"
Starting Powder: 22.5 gr
Starting Velocity: 2,887
Starting Pressure: 48,500
Max Powder: 25.0 gr
Max Velocity: 3,155
Max Pressure: 53,900
Source: [Hodgdon](#) 



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.6 gr
Starting Velocity: 2,725
Starting Pressure:
Max Powder: 25.1 gr
Max Velocity: 3,112
Max Pressure:
Source: [Barnes](#)  



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.6 gr
Starting Velocity: 2,725
Starting Pressure:
Max Powder: 25.1 gr
Max Velocity: 3,112
Max Pressure:
Source: [Barnes](#)  



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.4 gr
Starting Velocity: 2,877
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,178
Max Pressure:
Source: [Barnes](#) 



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.4 gr
Starting Velocity: 2,877
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,178
Max Pressure:
Source: [Barnes](#)  



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.4 gr
Starting Velocity: 2,877
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,178
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.244"
Starting Powder: 22.1 gr
Starting Velocity: 2,927
Starting Pressure: 49,300
Max Powder: 24.5 gr
Max Velocity: 3,199
Max Pressure: 54,700
Source: [Hodgdon](#) ●



GR.: 55 gr
Bullet Type: SPSX (HDY) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.195"
Starting Powder: 21.6 gr
Starting Velocity: 2,879
Starting Pressure: 49,000
Max Powder: 24.0 gr
Max Velocity: 3,146
Max Pressure: 54,500
Source: [Hodgdon](#) ●



GR.: 55 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.2 gr
Starting Velocity: 2,909
Starting Pressure: 47,400
Max Powder: 24.7 gr
Max Velocity: 3,179
Max Pressure: 52,700
Source: [Hodgdon](#) ●



GR.: 55 gr
Bullet Type: FMJBT (HDY) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.2 gr
Starting Velocity: 3,018
Starting Pressure: 49,400
Max Powder: 25.8 gr
Max Velocity: 3,293
Max Pressure: 54,900
Source: [Hodgdon](#) ●



GR.: 55 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.1 gr
Starting Velocity: 2,987
Starting Pressure: 49,500
Max Powder: 25.7 gr
Max Velocity: 3,265
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.215"
Starting Powder: 23.0 gr
Starting Velocity: 3,002
Starting Pressure: 49,500
Max Powder: 25.5 gr
Max Velocity: 3,261
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.160"
Starting Powder: 23.2 gr
Starting Velocity: 3,000
Starting Pressure: 49,400
Max Powder: 25.8 gr
Max Velocity: 3,279
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: WTP (SinterFire, Inc.) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.244"
Starting Powder: 23.1 gr
Starting Velocity: 2,929
Starting Pressure: 48,700
Max Powder: 25.7 gr
Max Velocity: 3,254
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.162"
Starting Powder: 22.3 gr
Starting Velocity: 2,931
Starting Pressure: 47,800
Max Powder: 24.8 gr
Max Velocity: 3,203
Max Pressure: 53,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.183"
Starting Powder: 21.8 gr
Starting Velocity: 2,914
Starting Pressure: 49,500
Max Powder: 24.2 gr
Max Velocity: 3,185
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.3 gr
Starting Velocity: 2,946
Starting Pressure: 49,400
Max Powder: 25.9 gr
Max Velocity: 3,186
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.244"
Starting Powder: 21.3 gr
Starting Velocity: 2,965
Starting Pressure: 49,500
Max Powder: 23.7 gr
Max Velocity: 3,240
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.2 gr
Starting Velocity: 2,936
Starting Pressure: 48,800
Max Powder: 23.5 gr
Max Velocity: 3,209
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SPSX (HDY) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.195"
Starting Powder: 21.4 gr
Starting Velocity: 2,949
Starting Pressure: 48,700
Max Powder: 23.8 gr
Max Velocity: 3,223
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FMJBT (HDY) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.4 gr
Starting Velocity: 2,976
Starting Pressure: 49,000
Max Powder: 24.9 gr
Max Velocity: 3,278
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: BT (NOS) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 2,983
Starting Pressure: 49,200
Max Powder: 24.5 gr
Max Velocity: 3,260
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.160"
Starting Powder: 22.2 gr
Starting Velocity: 3,007
Starting Pressure: 49,300
Max Powder: 24.7 gr
Max Velocity: 3,286
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.215"
Starting Powder: 22.2 gr
Starting Velocity: 3,028
Starting Pressure: 49,500
Max Powder: 24.7 gr
Max Velocity: 3,309
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: NTP (SinterFire, Inc.) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.5 gr
Starting Velocity: 2,997
Starting Pressure: 49,500
Max Powder: 25.0 gr
Max Velocity: 3,285
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: VNX (Mid-South Shooter's Supply) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.162"
Starting Powder: 21.6 gr
Starting Velocity: 2,943
Starting Pressure: 47,900
Max Powder: 24.0 gr
Max Velocity: 3,216
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: 1200-R (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.240"
Starting Powder: 20.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 22.9 gr
Max Velocity: 3,228
Max Pressure:
Source: [Alliant Powder](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 25.3 gr
Starting Velocity: 2,809
Starting Pressure:
Max Powder: 28.1 gr
Max Velocity: 3,140
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 25.3 gr
Starting Velocity: 2,809
Starting Pressure:
Max Powder: 28.1 gr
Max Velocity: 3,140
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 20.2 gr
Starting Velocity: 2,787
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 3,039
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 20.2 gr
Starting Velocity: 2,787
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 3,039
Max Pressure:
Source: [Barnes](#) ▲ 🔍



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.3 gr
Starting Velocity: 2,913
Starting Pressure:
Max Powder: 23.7 gr
Max Velocity: 3,181
Max Pressure:
Source: [Barnes](#) ▲ 🔍



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.3 gr
Starting Velocity: 2,913
Starting Pressure:
Max Powder: 23.7 gr
Max Velocity: 3,181
Max Pressure:
Source: [Barnes](#) ▲ 🔍



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.3 gr
Starting Velocity: 2,913
Starting Pressure:
Max Powder: 23.7 gr
Max Velocity: 3,181
Max Pressure:
Source: [Barnes](#) ▲ 🔍



GR.: 55 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.240"
Starting Powder: 23.0 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,359
Max Pressure:
Source: [Alliant Powder](#) 🔍



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 19.6 gr
Starting Velocity: 2,798
Starting Pressure:
Max Powder: 21.6 gr
Max Velocity: 3,068
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 19.6 gr
Starting Velocity: 2,798
Starting Pressure:
Max Powder: 21.6 gr
Max Velocity: 3,068
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 19.6 gr
Starting Velocity: 2,798
Starting Pressure:
Max Powder: 21.6 gr
Max Velocity: 3,068
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: SP (Speer) Diameter:
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length:
[C.O.L.](#): 2.175"
Starting Powder: 20.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,159
Max Pressure:
Source: [Alliant Powder](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.9 gr
Starting Velocity: 2,812
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,087
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.9 gr
Starting Velocity: 2,812
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,087
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.4 gr
Starting Velocity: 2,838
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,176
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.4 gr
Starting Velocity: 2,838
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,176
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.1 gr
Starting Velocity: 2,969
Starting Pressure:
Max Powder: 26.8 gr
Max Velocity: 3,272
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.1 gr
Starting Velocity: 2,969
Starting Pressure:
Max Powder: 26.8 gr
Max Velocity: 3,272
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.1 gr
Starting Velocity: 2,969
Starting Pressure:
Max Powder: 26.8 gr
Max Velocity: 3,272
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: V Max (HDV) Diameter:
Powder: Varmint (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.250"
Starting Powder: 22.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 3,231
Max Pressure:
Source: [Alliant Powder](#) [●](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 20.0 gr
Starting Velocity: 2,885
Starting Pressure: 47,600
Max Powder: 22.2 gr
Max Velocity: 3,066
Max Pressure: 52,200
Source: [Hodgdon](#) [●](#)



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 21.0 gr
Starting Velocity: 2,903
Starting Pressure: 42,600
Max Powder: 23.4 gr
Max Velocity: 3,128
Max Pressure: 51,000
Source: [Hodgdon](#) [●](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 3,113
Starting Pressure: 42,600
Max Powder: 25.6 gr
Max Velocity: 3,264
Max Pressure: 50,000 CUP
Source: [Hodgdon](#) [●](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.4 gr
Starting Velocity: 2,888
Starting Pressure: 41,900
Max Powder: 26.0 gr
Max Velocity: 3,135
Max Pressure: 50,300
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.5 gr
Starting Velocity: 2,752
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,102
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.5 gr
Starting Velocity: 2,752
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,102
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.5 gr
Starting Velocity: 2,874
Starting Pressure:
Max Powder: 27.3 gr
Max Velocity: 3,211
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.5 gr
Starting Velocity: 2,874
Starting Pressure:
Max Powder: 27.3 gr
Max Velocity: 3,211
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.5 gr
Starting Velocity: 2,874
Starting Pressure:
Max Powder: 27.3 gr
Max Velocity: 3,211
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 24.0 gr
Starting Velocity: 2,937
Starting Pressure: 40,800
Max Powder: 27.0 gr
Max Velocity: 3,220
Max Pressure: 51,500
Source: [Hodgdon](#) [●](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.5 gr
Starting Velocity: 3,069
Starting Pressure: 37,200
Max Powder: 27.5 gr
Max Velocity: 3,313
Max Pressure: 48,500 CUP
Source: [Hodgdon](#) [●](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 24.5 gr
Starting Velocity: 2,906
Starting Pressure:
Max Powder: 27.3 gr
Max Velocity: 3,227
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 24.5 gr
Starting Velocity: 2,906
Starting Pressure:
Max Powder: 27.3 gr
Max Velocity: 3,227
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 24.7 gr
Starting Velocity: 3,065
Starting Pressure: 44,600
Max Powder: 27.4 gr
Max Velocity: 3,317
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 25.2 gr
Starting Velocity: 2,998
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,325
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 25.2 gr
Starting Velocity: 2,998
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,325
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 25.2 gr
Starting Velocity: 2,998
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,325
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 26.0 gr
Starting Velocity: 3,133
Starting Pressure: 43,300
Max Powder: 27.8 gr
Max Velocity: 3,329
Max Pressure: 51,300
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FMJ (HDY) Diameter: 0.224"
Powder: Clays (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 3.2 gr
Max Velocity: 1,060
Max Pressure: 3,700 CUP
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.0 gr
Starting Velocity: 2,953
Starting Pressure: 48,600
Max Powder: 22.4 gr
Max Velocity: 3,063
Max Pressure: 51,300
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 21.0 gr
Starting Velocity: 2,894
Starting Pressure: 42,800
Max Powder: 23.1 gr
Max Velocity: 3,113
Max Pressure: 51,700
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.0 gr
Starting Velocity: 2,841
Starting Pressure: 38,600
Max Powder: 23.0 gr
Max Velocity: 3,106
Max Pressure: 48,900 CUP
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 20.9 gr
Starting Velocity: 2,720
Starting Pressure:
Max Powder: 23.2 gr
Max Velocity: 3,028
Max Pressure:
Source: [Barnes](#)



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 20.9 gr
Starting Velocity: 2,720
Starting Pressure:
Max Powder: 23.2 gr
Max Velocity: 3,028
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.3 gr
Starting Velocity: 2,920
Starting Pressure: 48,900
Max Powder: 22.7 gr
Max Velocity: 3,063
Max Pressure: 53,000
Source: [Hodgdon](#) ●



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.2 gr
Starting Velocity: 2,869
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 3,145
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.2 gr
Starting Velocity: 2,869
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 3,145
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.2 gr
Starting Velocity: 2,869
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 3,145
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 21.4 gr
Starting Velocity: 2,969
Starting Pressure: 47,000
Max Powder: 22.8 gr
Max Velocity: 3,099
Max Pressure: 51,800
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.0 gr
Starting Velocity: 3,018
Starting Pressure: 40,800
Max Powder: 25.3 gr
Max Velocity: 3,203
Max Pressure: 49,300 CUP
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 18.0 gr
Starting Velocity: 2,852
Starting Pressure: 42,700
Max Powder: 20.4 gr
Max Velocity: 3,084
Max Pressure: 51,400
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 19.0 gr
Starting Velocity: 2,841
Starting Pressure: 34,800
Max Powder: 21.0 gr
Max Velocity: 3,150
Max Pressure: 47,600 CUP
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.0 gr
Starting Velocity: 2,910
Starting Pressure: 43,700
Max Powder: 22.6 gr
Max Velocity: 3,110
Max Pressure: 51,500
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.0 gr
Starting Velocity: 2,941
Starting Pressure: 40,600
Max Powder: 24.6 gr
Max Velocity: 3,226
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.0 gr
Starting Velocity: 3,176
Starting Pressure: 39,700
Max Powder: 26.0 gr
Max Velocity: 3,315
Max Pressure: 49,000 CUP
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FMJ (HDV) Diameter: 0.224"
Powder: Tite Group (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 3.1 gr
Max Velocity: 1,064
Max Pressure: 4,000 CUP
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FMJ (HDV) Diameter: 0.224"
Powder: Trail Boss (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 4.0 gr
Max Velocity: 1,074
Max Pressure:
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.8 gr
Starting Velocity: 2,996
Starting Pressure: 47,600
Max Powder: 24.0 gr
Max Velocity: 3,134
Max Pressure: 53,300
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.5 gr
Starting Velocity: 2,990
Starting Pressure: 45,200
Max Powder: 25.1 gr
Max Velocity: 3,149
Max Pressure: 51,700
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.5 gr
Starting Velocity: 3,174
Starting Pressure: 41,300
Max Powder: 27.5 gr
Max Velocity: 3,384
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.5 gr
Starting Velocity: 2,949
Starting Pressure: 47,600
Max Powder: 23.0 gr
Max Velocity: 3,105
Max Pressure: 52,900
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.0 gr
Starting Velocity: 3,024
Starting Pressure: 42,100
Max Powder: 25.3 gr
Max Velocity: 3,268
Max Pressure: 53,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 20.0 gr
Starting Velocity: 2,878
Starting Pressure: 46,800
Max Powder: 21.3 gr
Max Velocity: 3,024
Max Pressure: 52,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.6 gr
Starting Velocity: 2,907
Starting Pressure: 41,100
Max Powder: 24.6 gr
Max Velocity: 3,233
Max Pressure: 52,500
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.2 gr
Starting Velocity: 2,871
Starting Pressure: 43,900
Max Powder: 23.5 gr
Max Velocity: 3,116
Max Pressure: 52,500
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 21.0 gr
Starting Velocity: 2,711
Starting Pressure: 37,100
Max Powder: 23.0 gr
Max Velocity: 2,945
Max Pressure: 44,800
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.0 gr
Starting Velocity: 2,867
Starting Pressure: 40,300
Max Powder: 25.7 gr
Max Velocity: 3,201
Max Pressure: 52,600
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.9 gr
Starting Velocity: 2,845
Starting Pressure: 45,600
Max Powder: 25.5 gr
Max Velocity: 3,096
Max Pressure: 53,800
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.2 gr
Starting Velocity: 2,975
Starting Pressure: 44,900
Max Powder: 26.2 gr
Max Velocity: 3,195
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 18.8 gr
Starting Velocity: 2,885
Starting Pressure: 41,600
Max Powder: 20.4 gr
Max Velocity: 3,122
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.1 gr
Starting Velocity: 2,805
Starting Pressure: 41,900
Max Powder: 24.6 gr
Max Velocity: 3,078
Max Pressure: 52,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 23.0 gr
Starting Velocity: 2,796
Starting Pressure: 39,300
Max Powder: 25.5 gr
Max Velocity: 3,100
Max Pressure: 51,100
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.5 gr
Starting Velocity: 2,874
Starting Pressure: 41,300
Max Powder: 26.1 gr
Max Velocity: 3,146
Max Pressure: 50,700
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 21.5 gr
Starting Velocity: 2,837
Starting Pressure: 43,000
Max Powder: 23.9 gr
Max Velocity: 3,107
Max Pressure: 52,300
Source: [Hodgdon](#) [C](#) [A](#) [E](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.8 gr
Starting Velocity: 2,915
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,171
Max Pressure:
Source: [Barnes](#) [C](#) [A](#) [E](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.8 gr
Starting Velocity: 2,915
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,171
Max Pressure:
Source: [Barnes](#) [C](#) [A](#) [E](#)



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.8 gr
Starting Velocity: 2,915
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,171
Max Pressure:
Source: [Barnes](#) [C](#) [A](#) [E](#)



GR.: 55 gr
Bullet Type: (SinterFire, Inc.) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.0 gr
Starting Velocity: 2,827
Starting Pressure: 40,500
Max Powder: 24.6 gr
Max Velocity: 3,106
Max Pressure: 50,700
Source: [Hodgdon](#) [C](#) [A](#) [E](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.0 gr
Starting Velocity: 2,843
Starting Pressure: 39,500
Max Powder: 26.2 gr
Max Velocity: 3,219
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 55 gr
Bullet Type: FMJBT (HDY) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 18.7 gr
Starting Velocity: 2,917
Starting Pressure:
Max Powder: 20.7 gr
Max Velocity: 3,150
Max Pressure:
Source: [VihtaVuori](#)



GR.: 55 gr
Bullet Type: Soft Point (Lapua) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 16.8 gr
Starting Velocity: 2,690
Starting Pressure:
Max Powder: 20.2 gr
Max Velocity: 3,081
Max Pressure:
Source: [VihtaVuori](#)



GR.: 55 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N120 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 18.7 gr
Starting Velocity: 2,874
Starting Pressure:
Max Powder: 20.8 gr
Max Velocity: 3,127
Max Pressure:
Source: [VihtaVuori](#)



GR.: 55 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.7 gr
Starting Velocity: 2,877
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,196
Max Pressure:
Source: [VihtaVuori](#)



GR.: 55 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.4 gr
Starting Velocity: 2,812
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,166
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: FMJBT (HDV) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 21.8 gr
Starting Velocity: 3,136
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,323
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: Soft Point (Lapua) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 18.7 gr
Starting Velocity: 2,812
Starting Pressure:
Max Powder: 21.9 gr
Max Velocity: 3,146
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 20.5 gr
Starting Velocity: 2,936
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 3,232
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.165"
Starting Powder: 18.2 gr
Starting Velocity: 2,772
Starting Pressure:
Max Powder: 20.5 gr
Max Velocity: 3,068
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.4 gr
Starting Velocity: 2,933
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 3,251
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.5 gr
Starting Velocity: 2,782
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,222
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: FMJBT (HDV) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 22.1 gr
Starting Velocity: 3,045
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,301
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: Soft Point (Lapua) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 21.0 gr
Starting Velocity: 2,874
Starting Pressure:
Max Powder: 24.1 gr
Max Velocity: 3,215
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 22.1 gr
Starting Velocity: 2,989
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,278
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.165"
Starting Powder: 20.1 gr
Starting Velocity: 2,864
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 3,163
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.8 gr
Starting Velocity: 2,956
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,271
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: FMJBT (HDV) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.3 gr
Starting Velocity: 3,077
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,337
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.5 gr
Starting Velocity: 2,900
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,212
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: Soft Point (Lapua) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 22.1 gr
Starting Velocity: 2,949
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 3,294
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ ⓘ



GR.: 55 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.3 gr
Starting Velocity: 3,041
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,278
Max Pressure:
Source: [VihtaVuori](#)



GR.: 55 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.165"
Starting Powder: 20.8 gr
Starting Velocity: 2,884
Starting Pressure:
Max Powder: 23.9 gr
Max Velocity: 3,219
Max Pressure:
Source: [VihtaVuori](#)



GR.: 55 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 24.7 gr
Starting Velocity: 2,917
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,166
Max Pressure:
Source: [VihtaVuori](#)



GR.: 55 gr
Bullet Type: FMJBT (HDY) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 24.7 gr
Starting Velocity: 3,051
Starting Pressure:
Max Powder: 26.8 gr
Max Velocity: 3,343
Max Pressure:
Source: [VihtaVuori](#)



GR.: 55 gr
Bullet Type: V-Max (HDY) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 25.3 gr
Starting Velocity: 2,900
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,045
Max Pressure:
Source: [VihtaVuori](#)



GR.: 55 gr
Bullet Type: Soft Point (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 24.2 gr
Starting Velocity: 3,002
Starting Pressure:
Max Powder: 26.9 gr
Max Velocity: 3,327
Max Pressure:
Source: [VihtaVuori](#) [C](#) [A](#) [P](#)



GR.: 55 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 24.8 gr
Starting Velocity: 3,009
Starting Pressure:
Max Powder: 27.3 gr
Max Velocity: 3,294
Max Pressure:
Source: [VihtaVuori](#) [C](#) [A](#) [P](#)



GR.: 55 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.1 gr
Starting Velocity: 2,969
Starting Pressure:
Max Powder: 25.2 gr
Max Velocity: 3,268
Max Pressure:
Source: [VihtaVuori](#) [P](#)



GR.: 55 gr
Bullet Type: V-Max (HDY) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.0 gr
Starting Velocity: 2,927
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 3,261
Max Pressure:
Source: [VihtaVuori](#) [P](#)



GR.: 55 gr
Bullet Type: FMJBT (HDY) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.1 gr
Starting Velocity: 3,087
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,353
Max Pressure:
Source: [VihtaVuori](#) [P](#)



GR.: 55 gr
Bullet Type: Soft Point (Lapua) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.224"
Starting Powder: 22.2 gr
Starting Velocity: 2,923
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,264
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: FMJ (Lapua) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.3 gr
Starting Velocity: 3,054
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 3,330
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: Classic Hunter (Fox Bullets) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.165"
Starting Powder: 20.8 gr
Starting Velocity: 2,867
Starting Pressure:
Max Powder: 23.3 gr
Max Velocity: 3,199
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 55 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 22.5 gr
Starting Velocity: 2,862
Starting Pressure: 39,200
Max Powder: 25.0 gr
Max Velocity: 3,104
Max Pressure: 48,500
Source: [Hodgdon](#) ⓘ



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.8 gr
Starting Velocity: 2,742
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,061
Max Pressure:
Source: [Barnes](#) ⓘ ⓘ ⓘ



GR.: 55 gr
Bullet Type: MPG (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 22.8 gr
Starting Velocity: 2,742
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,061
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [🔍](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.8 gr
Starting Velocity: 2,923
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,174
Max Pressure:
Source: [Barnes](#) [▲](#) [🔍](#)



GR.: 55 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.8 gr
Starting Velocity: 2,923
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,174
Max Pressure:
Source: [Barnes](#) [▲](#) [🔍](#)



GR.: 55 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.180"
Starting Powder: 23.8 gr
Starting Velocity: 2,923
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,174
Max Pressure:
Source: [Barnes](#) [▲](#) [🔍](#)



GR.: 55 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 26.3 gr
Max Velocity: 3,150
Max Pressure: 39,000 CUP
Source: [Hodgdon](#) [🔍](#)



GR.: 55 gr
Bullet Type: FMJ Diameter:
Powder: TACTICAL RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 17.5 gr
Starting Velocity: 2,509
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,241
Max Pressure: 54,699
Source: [ShootersWorld](#)



GR.: 55 gr
Bullet Type: FMJ Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 24.0 gr
Starting Velocity: 2,940
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,311
Max Pressure: 53,500
Source: [ShootersWorld](#)



GR.: 55 gr
Bullet Type: FMJ (HDY) Diameter:
Powder: AR PLUS (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 17.5 gr
Starting Velocity: 2,514
Starting Pressure:
Max Powder: 24.3 gr
Max Velocity: 3,283
Max Pressure: 54,430
Source: [ShootersWorld](#)



GR.: 60 gr
Bullet Type: PART (NOS) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.205"
Starting Powder: 19.4 gr
Starting Velocity: 2,628
Starting Pressure: 48,600
Max Powder: 21.5 gr
Max Velocity: 2,872
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.232"
Starting Powder: 20.3 gr
Starting Velocity: 2,691
Starting Pressure: 49,500
Max Powder: 22.6 gr
Max Velocity: 2,941
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: PART (NOS) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.220"
Starting Powder: 19.3 gr
Starting Velocity: 2,713
Starting Pressure: 49,100
Max Powder: 21.4 gr
Max Velocity: 2,965
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.232"
Starting Powder: 20.2 gr
Starting Velocity: 2,738
Starting Pressure: 48,000
Max Powder: 22.4 gr
Max Velocity: 2,992
Max Pressure: 53,300
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.0 gr
Starting Velocity: 2,795
Starting Pressure: 49,500
Max Powder: 23.3 gr
Max Velocity: 3,082
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: PART (NOS) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.205"
Starting Powder: 21.2 gr
Starting Velocity: 2,836
Starting Pressure: 48,900
Max Powder: 23.6 gr
Max Velocity: 3,099
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.232"
Starting Powder: 20.9 gr
Starting Velocity: 2,815
Starting Pressure: 48,700
Max Powder: 23.2 gr
Max Velocity: 3,077
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: PART (NOS) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.205"
Starting Powder: 21.2 gr
Starting Velocity: 2,792
Starting Pressure: 48,500
Max Powder: 23.6 gr
Max Velocity: 3,051
Max Pressure: 53,900
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.232"
Starting Powder: 21.2 gr
Starting Velocity: 2,793
Starting Pressure: 48,600
Max Powder: 23.6 gr
Max Velocity: 3,053
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: PART (NOS) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.205"
Starting Powder: 23.0 gr
Starting Velocity: 2,856
Starting Pressure: 49,100
Max Powder: 25.6 gr
Max Velocity: 3,121
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.232"
Starting Powder: 22.5 gr
Starting Velocity: 2,826
Starting Pressure: 48,800
Max Powder: 25.0 gr
Max Velocity: 3,089
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.0 gr
Starting Velocity: 2,810
Starting Pressure: 49,500
Max Powder: 24.4 gr
Max Velocity: 3,090
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: PART (NOS) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.205"
Starting Powder: 22.3 gr
Starting Velocity: 2,845
Starting Pressure: 49,500
Max Powder: 24.8 gr
Max Velocity: 3,109
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.232"
Starting Powder: 22.1 gr
Starting Velocity: 2,838
Starting Pressure: 48,700
Max Powder: 24.6 gr
Max Velocity: 3,102
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.0 gr
Starting Velocity: 2,795
Starting Pressure: 49,500
Max Powder: 23.3 gr
Max Velocity: 3,082
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: PART (NOS) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.205"
Starting Powder: 21.2 gr
Starting Velocity: 2,836
Starting Pressure: 48,900
Max Powder: 23.6 gr
Max Velocity: 3,099
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: HP (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.232"
Starting Powder: 20.9 gr
Starting Velocity: 2,815
Starting Pressure: 48,700
Max Powder: 23.2 gr
Max Velocity: 3,077
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.0 gr
Starting Velocity: 2,913
Starting Pressure: 42,500
Max Powder: 24.6 gr
Max Velocity: 3,086
Max Pressure: 49,900 CUP
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 25.0 gr
Starting Velocity: 2,948
Starting Pressure: 44,900
Max Powder: 27.0 gr
Max Velocity: 3,137
Max Pressure: 51,900 CUP
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 25.0 gr
Starting Velocity: 3,007
Starting Pressure: 46,000
Max Powder: 26.7 gr
Max Velocity: 3,176
Max Pressure: 53,400
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.0 gr
Starting Velocity: 2,873
Starting Pressure: 40,300
Max Powder: 23.5 gr
Max Velocity: 3,063
Max Pressure: 49,800 CUP
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,910
Starting Pressure: 43,700
Max Powder: 24.0 gr
Max Velocity: 3,075
Max Pressure: 50,600 CUP
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 18.0 gr
Starting Velocity: 2,747
Starting Pressure: 42,500
Max Powder: 20.0 gr
Max Velocity: 2,953
Max Pressure: 47,600 CUP
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 24.0 gr
Starting Velocity: 2,918
Starting Pressure: 37,600
Max Powder: 26.0 gr
Max Velocity: 3,174
Max Pressure: 50,100 CUP
Source: [Hodgdon](#) [C](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 25.0 gr
Starting Velocity: 2,924
Starting Pressure: 40,400
Max Powder: 27.0 gr
Max Velocity: 3,159
Max Pressure: 51,900 CUP
Source: [Hodgdon](#) [C](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.5 gr
Starting Velocity: 2,857
Starting Pressure: 43,500
Max Powder: 23.6 gr
Max Velocity: 3,057
Max Pressure: 51,700
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.0 gr
Starting Velocity: 2,815
Starting Pressure: 42,500
Max Powder: 22.5 gr
Max Velocity: 3,008
Max Pressure: 51,700
Source: [Hodgdon](#)



GR.: 60 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.0 gr
Starting Velocity: 2,837
Starting Pressure: 42,500
Max Powder: 24.7 gr
Max Velocity: 3,055
Max Pressure: 52,600
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 60 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.0 gr
Starting Velocity: 2,777
Starting Pressure: 45,800
Max Powder: 24.2 gr
Max Velocity: 2,985
Max Pressure: 53,100
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 60 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 18.3 gr
Starting Velocity: 2,795
Starting Pressure: 42,500
Max Powder: 19.5 gr
Max Velocity: 2,945
Max Pressure: 52,000
Source: [Hodgdon](#) [E](#)



GR.: 60 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.7 gr
Starting Velocity: 2,860
Starting Pressure: 45,400
Max Powder: 25.3 gr
Max Velocity: 3,006
Max Pressure: 52,100
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 60 gr
Bullet Type: V-MAX (HDY) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.7 gr
Starting Velocity: 2,884
Starting Pressure: 45,000
Max Powder: 25.2 gr
Max Velocity: 3,052
Max Pressure: 52,700
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 60 gr
Bullet Type: HP (HDV) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 20.5 gr
Starting Velocity: 2,867
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 3,173
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 60 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.5 gr
Starting Velocity: 2,782
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 3,107
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 60 gr
Bullet Type: HP (HDV) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 22.1 gr
Starting Velocity: 2,913
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 3,209
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 60 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.0 gr
Starting Velocity: 2,822
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,140
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 60 gr
Bullet Type: HP (HDV) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.1 gr
Starting Velocity: 2,930
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,202
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 60 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.9 gr
Starting Velocity: 2,818
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,068
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 60 gr
Bullet Type: HP (HDV) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 25.0 gr
Starting Velocity: 2,936
Starting Pressure:
Max Powder: 26.8 gr
Max Velocity: 3,166
Max Pressure:
Source: [VihtaVuori](#) ⓘ ▲ ⓘ



GR.: 60 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.4 gr
Starting Velocity: 2,822
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 3,156
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 60 gr
Bullet Type: FB Varmint (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 24.8 gr
Starting Velocity: 2,897
Starting Pressure:
Max Powder: 27.2 gr
Max Velocity: 3,219
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter:
Powder: TACTICAL RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 17.5 gr
Starting Velocity: 2,360
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 3,097
Max Pressure: 54,643
Source: [ShootersWorld](#)



GR.: 60 gr
Bullet Type: V-MAX (HDV) Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 23.0 gr
Starting Velocity: 2,862
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,123
Max Pressure: 54,051
Source: [ShootersWorld](#)



GR.: 60 gr
Bullet Type: VMAX Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.250"
Starting Powder: 18.0 gr
Starting Velocity: 2,281
Starting Pressure:
Max Powder: 25.2 gr
Max Velocity: 3,113
Max Pressure: 54,673
Source: [ShootersWorld](#)



GR.: 60 gr
Bullet Type: V-Max (HDV) Diameter:
Powder: AR PLUS (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 17.5 gr
Starting Velocity: 2,509
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,115
Max Pressure: 54,763
Source: [ShootersWorld](#)



GR.: 62 gr
Bullet Type: MIL M855 Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.4 gr
Starting Velocity: 2,660
Starting Pressure: 49,100
Max Powder: 22.7 gr
Max Velocity: 2,916
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 20.0 gr
Starting Velocity: 2,795
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 3,018
Max Pressure:
Source: [Barnes](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 20.0 gr
Starting Velocity: 2,795
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 3,018
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 20.0 gr
Starting Velocity: 2,795
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 3,018
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.255"
Starting Powder: 20.5 gr
Starting Velocity: 2,669
Starting Pressure: 49,300
Max Powder: 22.8 gr
Max Velocity: 2,935
Max Pressure: 54,900
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: MIL M855 Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.5 gr
Starting Velocity: 2,750
Starting Pressure: 49,500
Max Powder: 21.7 gr
Max Velocity: 3,011
Max Pressure: 55,000
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.255"
Starting Powder: 19.5 gr
Starting Velocity: 2,741
Starting Pressure: 49,500
Max Powder: 21.6 gr
Max Velocity: 3,010
Max Pressure: 54,900
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: MIL M855 Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.4 gr
Starting Velocity: 2,785
Starting Pressure: 48,700
Max Powder: 23.8 gr
Max Velocity: 3,050
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.255"
Starting Powder: 22.1 gr
Starting Velocity: 2,833
Starting Pressure: 48,700
Max Powder: 24.5 gr
Max Velocity: 3,100
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: MIL M855 Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 2,741
Starting Pressure: 48,800
Max Powder: 24.6 gr
Max Velocity: 3,046
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.4 gr
Starting Velocity: 2,818
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 3,119
Max Pressure:
Source: [Barnes](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.4 gr
Starting Velocity: 2,818
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 3,119
Max Pressure:
Source: [Barnes](#)



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.4 gr
Starting Velocity: 2,818
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 3,119
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.255"
Starting Powder: 22.7 gr
Starting Velocity: 2,861
Starting Pressure: 49,200
Max Powder: 25.2 gr
Max Velocity: 3,132
Max Pressure: 54,600
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: MIL M855 Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.9 gr
Starting Velocity: 2,855
Starting Pressure: 48,900
Max Powder: 26.5 gr
Max Velocity: 3,127
Max Pressure: 54,400
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.255"
Starting Powder: 24.1 gr
Starting Velocity: 2,864
Starting Pressure: 47,300
Max Powder: 26.8 gr
Max Velocity: 3,140
Max Pressure: 52,600
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 17.8 gr
Starting Velocity: 2,659
Starting Pressure: 49,200
Max Powder: 19.8 gr
Max Velocity: 2,895
Max Pressure: 54,700
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.1 gr
Starting Velocity: 2,716
Starting Pressure: 49,500
Max Powder: 21.2 gr
Max Velocity: 2,944
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: MIL M855 Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.5 gr
Starting Velocity: 2,800
Starting Pressure: 49,500
Max Powder: 25.0 gr
Max Velocity: 3,078
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.255"
Starting Powder: 22.5 gr
Starting Velocity: 2,804
Starting Pressure: 48,900
Max Powder: 25.0 gr
Max Velocity: 3,066
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,787
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,055
Max Pressure:
Source: [Barnes](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,787
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,055
Max Pressure:
Source: [Barnes](#)



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,787
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,055
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: MIL M855 Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.4 gr
Starting Velocity: 2,778
Starting Pressure: 48,700
Max Powder: 23.8 gr
Max Velocity: 3,050
Max Pressure: 54,100
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.255"
Starting Powder: 22.1 gr
Starting Velocity: 2,833
Starting Pressure: 48,700
Max Powder: 24.5 gr
Max Velocity: 3,100
Max Pressure: 54,000
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.2 gr
Starting Velocity: 2,802
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,082
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.2 gr
Starting Velocity: 2,802
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,082
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.2 gr
Starting Velocity: 2,802
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,082
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,876
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,066
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,876
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,066
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,876
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,066
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 62 gr
Bullet Type: FMJ (Speer) Diameter:
Powder: Reloder 15 (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length:
[C.O.L.](#): 2.255"
Starting Powder: 22.5 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 2,832
Max Pressure:
Source: [Alliant Powder](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,860
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,154
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,860
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,154
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,860
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,154
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.8 gr
Starting Velocity: 2,755
Starting Pressure: 45,400
Max Powder: 22.7 gr
Max Velocity: 2,948
Max Pressure: 52,800
Source: [Hodgdon](#) [●](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,825
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,046
Max Pressure:
Source: [Barnes](#) [▲](#) [●](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,825
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,046
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,825
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,046
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.5 gr
Starting Velocity: 2,772
Starting Pressure: 45,100
Max Powder: 24.2 gr
Max Velocity: 2,949
Max Pressure: 52,500
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 24.2 gr
Starting Velocity: 2,838
Starting Pressure:
Max Powder: 26.9 gr
Max Velocity: 3,163
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 24.2 gr
Starting Velocity: 2,838
Starting Pressure:
Max Powder: 26.9 gr
Max Velocity: 3,163
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 24.2 gr
Starting Velocity: 2,838
Starting Pressure:
Max Powder: 26.9 gr
Max Velocity: 3,163
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 62 gr
Bullet Type: TAC-XBT (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 25.3 gr
Starting Velocity: 3,059
Starting Pressure: 47,900
Max Powder: 27.0 gr
Max Velocity: 3,200
Max Pressure: 53,200
Source: [Hodgdon](#) [●](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.8 gr
Starting Velocity: 2,884
Starting Pressure: 44,100
Max Powder: 25.9 gr
Max Velocity: 3,110
Max Pressure: 53,700
Source: [Hodgdon](#) [●](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.5 gr
Starting Velocity: 2,717
Starting Pressure: 45,400
Max Powder: 21.2 gr
Max Velocity: 2,904
Max Pressure: 52,300
Source: [Hodgdon](#) [●](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.3 gr
Starting Velocity: 2,678
Starting Pressure: 47,500
Max Powder: 21.4 gr
Max Velocity: 2,887
Max Pressure: 53,600
Source: [Hodgdon](#) [●](#)



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,876
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,034
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,876
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,034
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,876
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,034
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,740
Starting Pressure: 42,300
Max Powder: 23.0 gr
Max Velocity: 3,004
Max Pressure: 53,000
Source: [Hodgdon](#) ●



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,807
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,021
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 62 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,807
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,021
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 62 gr
Bullet Type: Tipped TSX (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [REM 7 1/2](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,807
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,021
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 2,773
Starting Pressure: 44,700
Max Powder: 24.1 gr
Max Velocity: 2,974
Max Pressure: 52,600
Source: [Hodgdon](#) [●](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.4 gr
Starting Velocity: 2,787
Starting Pressure: 43,400
Max Powder: 23.2 gr
Max Velocity: 2,999
Max Pressure: 53,000
Source: [Hodgdon](#) [●](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.3 gr
Starting Velocity: 2,700
Starting Pressure: 43,500
Max Powder: 22.0 gr
Max Velocity: 2,940
Max Pressure: 53,100
Source: [Hodgdon](#) [●](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.9 gr
Starting Velocity: 2,671
Starting Pressure: 42,200
Max Powder: 23.6 gr
Max Velocity: 2,928
Max Pressure: 53,200
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.4 gr
Starting Velocity: 2,626
Starting Pressure: 44,000
Max Powder: 23.8 gr
Max Velocity: 2,890
Max Pressure: 53,000
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 2,729
Starting Pressure: 45,200
Max Powder: 24.4 gr
Max Velocity: 2,920
Max Pressure: 52,700
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.4 gr
Starting Velocity: 2,782
Starting Pressure: 46,900
Max Powder: 24.1 gr
Max Velocity: 2,956
Max Pressure: 53,400
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: TT SX BT (Barnes) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 19.9 gr
Starting Velocity: 2,694
Starting Pressure:
Max Powder: 22.2 gr
Max Velocity: 2,966
Max Pressure:
Source: [VihtaVuori](#)



GR.: 62 gr
Bullet Type: TAC-X BT (Barnes) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.7 gr
Starting Velocity: 2,730
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 2,966
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 62 gr
Bullet Type: TAC-X BT (Barnes) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,618
Starting Pressure:
Max Powder: 25.2 gr
Max Velocity: 3,054
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 62 gr
Bullet Type: TTSX BT (Barnes) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 21.1 gr
Starting Velocity: 2,736
Starting Pressure:
Max Powder: 23.3 gr
Max Velocity: 3,022
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 62 gr
Bullet Type: FMJBT (Speer) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 2,795
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 3,091
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 62 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,572
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 2,972
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 62 gr
Bullet Type: TAC-X BT (Barnes) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.5 gr
Starting Velocity: 2,694
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,031
Max Pressure:
Source: [VihtaVuori](#)



GR.: 62 gr
Bullet Type: TTSX BT (Barnes) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 24.2 gr
Starting Velocity: 2,779
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 2,976
Max Pressure:
Source: [VihtaVuori](#)



GR.: 62 gr
Bullet Type: FMJBT (Speer) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 25.0 gr
Starting Velocity: 2,956
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,094
Max Pressure:
Source: [VihtaVuori](#)



GR.: 62 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.5 gr
Starting Velocity: 2,638
Starting Pressure:
Max Powder: 26.7 gr
Max Velocity: 3,015
Max Pressure:
Source: [VihtaVuori](#)



GR.: 62 gr
Bullet Type: TTSX BT (Barnes) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 21.5 gr
Starting Velocity: 2,746
Starting Pressure:
Max Powder: 23.3 gr
Max Velocity: 3,035
Max Pressure:
Source: [VihtaVuori](#)



GR.: 62 gr
Bullet Type: TAC-X BT (Barnes) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.6 gr
Starting Velocity: 2,694
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 3,100
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 62 gr
Bullet Type: FMJBT (Speer) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 2,825
Starting Pressure:
Max Powder: 24.1 gr
Max Velocity: 3,127
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 62 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.1 gr
Starting Velocity: 2,661
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 2,982
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 62 gr
Bullet Type: TAC-X BT (Barnes) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.9 gr
Starting Velocity: 2,756
Starting Pressure:
Max Powder: 27.2 gr
Max Velocity: 3,159
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 62 gr
Bullet Type: TTSX BT (Barnes) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.9 gr
Starting Velocity: 2,805
Starting Pressure:
Max Powder: 26.9 gr
Max Velocity: 3,146
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 62 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.8 gr
Starting Velocity: 2,720
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,087
Max Pressure:
Source: [VihtaVuori](#)



GR.: 62 gr
Bullet Type: SCIR (Swift) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.3 gr
Starting Velocity: 2,779
Starting Pressure: 44,600
Max Powder: 24.0 gr
Max Velocity: 2,967
Max Pressure: 52,400
Source: [Hodgdon](#)



GR.: 62 gr
Bullet Type: M855 Diameter:
Powder: TACTICAL RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 17.5 gr
Starting Velocity: 2,190
Starting Pressure:
Max Powder: 24.1 gr
Max Velocity: 3,035
Max Pressure: 54,405
Source: [ShootersWorld](#)



GR.: 62 gr
Bullet Type: M855/SS109 Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 23.5 gr
Starting Velocity: 2,802
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 3,156
Max Pressure: 54,600
Source: [ShootersWorld](#)



GR.: 62 gr
Bullet Type: M855 Diameter:
Powder: AR PLUS (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 17.5 gr
Starting Velocity: 2,454
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 3,054
Max Pressure: 54,523
Source: [ShootersWorld](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.0 gr
Starting Velocity: 2,845
Starting Pressure: 41,800
Max Powder: 24.2 gr
Max Velocity: 3,066
Max Pressure: 50,500 CUP
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 2,847
Starting Pressure: 36,600
Max Powder: 26.0 gr
Max Velocity: 3,054
Max Pressure: 46,300 CUP
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.0 gr
Starting Velocity: 2,957
Starting Pressure: 46,300
Max Powder: 26.4 gr
Max Velocity: 3,113
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 20.0 gr
Starting Velocity: 2,672
Starting Pressure: 38,100
Max Powder: 22.0 gr
Max Velocity: 2,862
Max Pressure: 48,400 CUP
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.5 gr
Starting Velocity: 2,820
Starting Pressure: 41,000
Max Powder: 25.0 gr
Max Velocity: 3,051
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 18.0 gr
Starting Velocity: 2,680
Starting Pressure: 33,600
Max Powder: 20.0 gr
Max Velocity: 2,846
Max Pressure: 44,600 CUP
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.5 gr
Starting Velocity: 2,831
Starting Pressure: 43,300
Max Powder: 25.5 gr
Max Velocity: 3,078
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.5 gr
Starting Velocity: 3,000
Starting Pressure: 42,400
Max Powder: 26.4 gr
Max Velocity: 3,199
Max Pressure: 50,700 CUP
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.0 gr
Starting Velocity: 2,783
Starting Pressure: 43,000
Max Powder: 23.1 gr
Max Velocity: 2,995
Max Pressure: 52,400
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.0 gr
Starting Velocity: 2,737
Starting Pressure: 42,900
Max Powder: 23.3 gr
Max Velocity: 3,018
Max Pressure: 53,000
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.5 gr
Starting Velocity: 2,765
Starting Pressure: 44,400
Max Powder: 24.8 gr
Max Velocity: 3,028
Max Pressure: 52,600
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 21.7 gr
Starting Velocity: 2,693
Starting Pressure: 43,800
Max Powder: 23.7 gr
Max Velocity: 2,911
Max Pressure: 52,600
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 18.5 gr
Starting Velocity: 2,756
Starting Pressure: 48,100
Max Powder: 20.0 gr
Max Velocity: 2,946
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.0 gr
Starting Velocity: 2,733
Starting Pressure: 42,500
Max Powder: 25.5 gr
Max Velocity: 2,975
Max Pressure: 52,900
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.9 gr
Starting Velocity: 2,758
Starting Pressure: 42,700
Max Powder: 25.3 gr
Max Velocity: 3,054
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 63 gr
Bullet Type: SP (Sierra) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 2,970
Max Pressure: 47,500 CUP
Source: [Hodgdon](#)



GR.: 64 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 18.0 gr
Starting Velocity: 2,681
Starting Pressure: 51,100
Max Powder: 19.4 gr
Max Velocity: 2,809
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 64 gr
Bullet Type: FBV (Berger Bullets) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.5 gr
Starting Velocity: 2,672
Starting Pressure: 49,400
Max Powder: 21.6 gr
Max Velocity: 2,896
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 19.6 gr
Starting Velocity: 2,562
Starting Pressure: 48,400
Max Powder: 21.8 gr
Max Velocity: 2,806
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 18.7 gr
Starting Velocity: 2,675
Starting Pressure: 49,400
Max Powder: 20.7 gr
Max Velocity: 2,893
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 21.0 gr
Starting Velocity: 2,738
Starting Pressure: 48,800
Max Powder: 23.4 gr
Max Velocity: 2,982
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 21.7 gr
Starting Velocity: 2,773
Starting Pressure: 49,200
Max Powder: 24.2 gr
Max Velocity: 3,020
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2495 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 20.5 gr
Starting Velocity: 2,721
Starting Pressure: 48,900
Max Powder: 22.8 gr
Max Velocity: 3,005
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 22.7 gr
Starting Velocity: 2,777
Starting Pressure: 47,500
Max Powder: 25.2 gr
Max Velocity: 3,011
Max Pressure: 52,800
Source: [Hodgdon](#)



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 21.9 gr
Starting Velocity: 2,743
Starting Pressure: 48,800
Max Powder: 24.3 gr
Max Velocity: 2,986
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.210"
Starting Powder: 21.0 gr
Starting Velocity: 2,738
Starting Pressure: 48,800
Max Powder: 23.4 gr
Max Velocity: 2,982
Max Pressure: 54,400
Source: [Hodgdon](#) ⓘ



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N130 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 19.0 gr
Starting Velocity: 2,687
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity: 2,927
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 20.7 gr
Starting Velocity: 2,733
Starting Pressure:
Max Powder: 22.7 gr
Max Velocity: 2,989
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 21.6 gr
Starting Velocity: 2,766
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 3,025
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 65 gr
Bullet Type: SBT (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.8 gr
Starting Velocity: 2,808
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,054
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 65 gr
Bullet Type: SBT[®] (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.5 gr
Starting Velocity: 2,769
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,058
Max Pressure:
Source: [VihtaVuori](#)



GR.: 68 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 19.5 gr
Starting Velocity: 2,506
Starting Pressure: 48,700
Max Powder: 21.7 gr
Max Velocity: 2,777
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 19.0 gr
Starting Velocity: 2,605
Starting Pressure: 49,400
Max Powder: 21.1 gr
Max Velocity: 2,888
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.3 gr
Starting Velocity: 2,721
Starting Pressure: 49,100
Max Powder: 23.7 gr
Max Velocity: 2,977
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.6 gr
Starting Velocity: 2,726
Starting Pressure: 48,900
Max Powder: 24.0 gr
Max Velocity: 2,990
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2495 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 20.9 gr
Starting Velocity: 2,660
Starting Pressure: 49,300
Max Powder: 23.2 gr
Max Velocity: 2,985
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.2 gr
Starting Velocity: 2,762
Starting Pressure: 49,200
Max Powder: 25.8 gr
Max Velocity: 3,031
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP (HDY) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 17.8 gr
Starting Velocity: 2,585
Starting Pressure: 49,500
Max Powder: 19.8 gr
Max Velocity: 2,815
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP (HDY) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 19.2 gr
Starting Velocity: 2,617
Starting Pressure: 49,200
Max Powder: 21.3 gr
Max Velocity: 2,861
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.0 gr
Starting Velocity: 2,699
Starting Pressure: 48,900
Max Powder: 24.4 gr
Max Velocity: 2,964
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.3 gr
Starting Velocity: 2,721
Starting Pressure: 49,100
Max Powder: 23.7 gr
Max Velocity: 2,977
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 68 gr
Bullet Type: BTHP (HDY) Diameter:
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.250"
Starting Powder: 25.2 gr
Starting Velocity:
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,109
Max Pressure:
Source: [Alliant Powder](#)



GR.: 68 gr
Bullet Type: BTHP (HDY) Diameter:
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.250"
Starting Powder: 21.1 gr
Starting Velocity:
Starting Pressure:
Max Powder: 23.4 gr
Max Velocity: 2,969
Max Pressure:
Source: [Alliant Powder](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.245"
Starting Powder: 19.7 gr
Starting Velocity: 2,524
Starting Pressure: 49,600
Max Powder: 21.8 gr
Max Velocity: 2,762
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.245"
Starting Powder: 18.5 gr
Starting Velocity: 2,613
Starting Pressure: 49,400
Max Powder: 20.6 gr
Max Velocity: 2,822
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.245"
Starting Powder: 20.7 gr
Starting Velocity: 2,666
Starting Pressure: 48,800
Max Powder: 23.1 gr
Max Velocity: 2,895
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.245"
Starting Powder: 21.1 gr
Starting Velocity: 2,671
Starting Pressure: 48,900
Max Powder: 23.4 gr
Max Velocity: 2,907
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2495 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.245"
Starting Powder: 20.3 gr
Starting Velocity: 2,664
Starting Pressure: 49,100
Max Powder: 22.5 gr
Max Velocity: 2,939
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [REM 7.4](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.4 gr
Starting Velocity: 2,698
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 2,973
Max Pressure:
Source: [Barnes](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.0 gr
Starting Velocity: 2,680
Starting Pressure: 49,200
Max Powder: 24.4 gr
Max Velocity: 2,931
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.8 gr
Starting Velocity: 2,615
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 2,900
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.9 gr
Starting Velocity: 2,671
Starting Pressure: 49,200
Max Powder: 24.3 gr
Max Velocity: 2,921
Max Pressure: 54,700
Source: [Hodgdon](#) ●



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.245"
Starting Powder: 20.7 gr
Starting Velocity: 2,666
Starting Pressure: 48,800
Max Powder: 23.1 gr
Max Velocity: 2,895
Max Pressure: 54,400
Source: [Hodgdon](#) ●



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.9 gr
Starting Velocity: 2,659
Starting Pressure:
Max Powder: 26.6 gr
Max Velocity: 2,938
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205m](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 23.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 26.6 gr
Max Velocity: 3,070
Max Pressure:
Source: [Alliant Powder](#) ●



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 20.0 gr
Starting Velocity: 2,628
Starting Pressure:
Max Powder: 22.2 gr
Max Velocity: 2,851
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205m](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 20.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 23.2 gr
Max Velocity: 2,969
Max Pressure:
Source: [Alliant Powder](#) ●



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.3 gr
Starting Velocity: 2,636
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 2,908
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205m](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 22.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 2,956
Max Pressure:
Source: [Alliant Powder](#) ●



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.4 gr
Starting Velocity: 2,654
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 2,942
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.5 gr
Starting Velocity: 2,770
Starting Pressure: 39,700
Max Powder: 23.5 gr
Max Velocity: 2,970
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7.4](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.1 gr
Starting Velocity: 2,625
Starting Pressure:
Max Powder: 25.7 gr
Max Velocity: 2,914
Max Pressure:
Source: [Barnes](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 24.5 gr
Starting Velocity: 2,833
Starting Pressure: 40,600
Max Powder: 26.5 gr
Max Velocity: 3,029
Max Pressure: 50,100 CUP
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7.4](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.1 gr
Starting Velocity: 2,683
Starting Pressure:
Max Powder: 25.7 gr
Max Velocity: 2,966
Max Pressure:
Source: [Barnes](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 23.5 gr
Starting Velocity: 2,788
Starting Pressure: 43,800
Max Powder: 25.8 gr
Max Velocity: 3,029
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.0 gr
Starting Velocity: 2,746
Starting Pressure: 40,500
Max Powder: 23.0 gr
Max Velocity: 2,932
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 22.0 gr
Starting Velocity: 2,801
Starting Pressure: 42,400
Max Powder: 24.0 gr
Max Velocity: 2,960
Max Pressure: 49,500 CUP
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.3 gr
Starting Velocity: 2,641
Starting Pressure:
Max Powder: 23.7 gr
Max Velocity: 2,907
Max Pressure:
Source: [Barnes](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 24.0 gr
Starting Velocity: 2,870
Starting Pressure: 41,100
Max Powder: 26.0 gr
Max Velocity: 3,069
Max Pressure: 49,700 CUP
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.3 gr
Starting Velocity: 2,635
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 2,897
Max Pressure:
Source: [Barnes](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 24.0 gr
Starting Velocity: 2,784
Starting Pressure: 39,200
Max Powder: 26.0 gr
Max Velocity: 3,010
Max Pressure: 50,200 CUP
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.0 gr
Starting Velocity: 2,696
Starting Pressure: 42,200
Max Powder: 23.8 gr
Max Velocity: 2,959
Max Pressure: 52,900
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.0 gr
Starting Velocity: 2,707
Starting Pressure: 42,900
Max Powder: 22.5 gr
Max Velocity: 2,906
Max Pressure: 52,800
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 22.5 gr
Starting Velocity: 2,690
Starting Pressure: 42,200
Max Powder: 24.0 gr
Max Velocity: 2,872
Max Pressure: 50,900
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.5 gr
Starting Velocity: 2,603
Starting Pressure: 43,000
Max Powder: 24.0 gr
Max Velocity: 2,874
Max Pressure: 53,900
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 18.3 gr
Starting Velocity: 2,706
Starting Pressure: 46,300
Max Powder: 19.5 gr
Max Velocity: 2,818
Max Pressure: 52,300
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 23.0 gr
Starting Velocity: 2,673
Starting Pressure: 43,500
Max Powder: 24.8 gr
Max Velocity: 2,873
Max Pressure: 53,100
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 23.3 gr
Starting Velocity: 2,783
Starting Pressure: 44,600
Max Powder: 24.8 gr
Max Velocity: 2,953
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 69 gr
Bullet Type: Scenar (1 (Lapua) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.2 gr
Starting Velocity: 2,589
Starting Pressure:
Max Powder: 21.9 gr
Max Velocity: 2,785
Max Pressure:
Source: [VihtaVuori](#)



GR.: 69 gr
Bullet Type: HPBT (1 (Sierra) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 20.7 gr
Starting Velocity: 2,598
Starting Pressure:
Max Powder: 22.8 gr
Max Velocity: 2,844
Max Pressure:
Source: [VihtaVuori](#)



GR.: 69 gr
Bullet Type: Scenar (1 (Lapua) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.1 gr
Starting Velocity: 2,612
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 2,828
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 69 gr
Bullet Type: HPBT (1 (Sierra) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 21.6 gr
Starting Velocity: 2,638
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 2,871
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 69 gr
Bullet Type: Scenar (1 (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.8 gr
Starting Velocity: 2,700
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 2,884
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 69 gr
Bullet Type: HPBT (1 (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 23.6 gr
Starting Velocity: 2,690
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 2,943
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 69 gr
Bullet Type: Scenar (1 (Lapua) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.1 gr
Starting Velocity: 2,654
Starting Pressure:
Max Powder: 22.7 gr
Max Velocity: 2,851
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 69 gr
Bullet Type: Scenar (1 (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.1 gr
Starting Velocity: 2,648
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 2,936
Max Pressure:
Source: [VihtaVuori](#) ▲ 🔍



GR.: 69 gr
Bullet Type: HPBT (1 (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 24.1 gr
Starting Velocity: 2,703
Starting Pressure:
Max Powder: 26.4 gr
Max Velocity: 2,986
Max Pressure:
Source: [VihtaVuori](#) ▲ 🔍



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder:
Starting Velocity:
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,870
Max Pressure: 51,500 CUP
Source: [Hodgdon](#) 🔍



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: TACTICAL RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 18.0 gr
Starting Velocity: 2,350
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 2,936
Max Pressure: 53,994
Source: [ShootersWorld](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 22.0 gr
Starting Velocity: 2,683
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 2,998
Max Pressure: 54,960
Source: [ShootersWorld](#)



GR.: 69 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 18.0 gr
Starting Velocity: 2,257
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 2,905
Max Pressure: 52,698
Source: [ShootersWorld](#)



GR.: 70 gr
Bullet Type: TSX FB (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.0 gr
Starting Velocity: 2,441
Starting Pressure: 48,600
Max Powder: 21.1 gr
Max Velocity: 2,690
Max Pressure: 54,000
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 19.0 gr
Starting Velocity: 2,560
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity: 2,833
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 19.0 gr
Starting Velocity: 2,560
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity: 2,833
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 18.0 gr
Starting Velocity: 2,566
Starting Pressure: 49,500
Max Powder: 20.0 gr
Max Velocity: 2,778
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,670
Starting Pressure: 49,200
Max Powder: 23.3 gr
Max Velocity: 2,904
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.1 gr
Starting Velocity: 2,664
Starting Pressure: 49,300
Max Powder: 23.4 gr
Max Velocity: 2,900
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.4 gr
Starting Velocity: 2,675
Starting Pressure: 49,300
Max Powder: 24.9 gr
Max Velocity: 2,931
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.5 gr
Starting Velocity: 2,684
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,853
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.5 gr
Starting Velocity: 2,684
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,853
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.6 gr
Starting Velocity: 2,658
Starting Pressure: 49,100
Max Powder: 24.0 gr
Max Velocity: 2,884
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: TSX BT (Barnes) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,670
Starting Pressure: 49,200
Max Powder: 23.3 gr
Max Velocity: 2,904
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 2,891
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.5 gr
Starting Velocity: 2,651
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 2,891
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 18.8 gr
Starting Velocity: 2,544
Starting Pressure:
Max Powder: 20.9 gr
Max Velocity: 2,753
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 18.8 gr
Starting Velocity: 2,544
Starting Pressure:
Max Powder: 20.9 gr
Max Velocity: 2,753
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,706
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,915
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,706
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,915
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.5 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 2,871
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.5 gr
Starting Velocity: 2,585
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 2,871
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 20.5 gr
Starting Velocity: 2,665
Starting Pressure: 45,200
Max Powder: 22.8 gr
Max Velocity: 2,869
Max Pressure: 51,000 CUP
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,639
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,867
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,639
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,867
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 24.5 gr
Starting Velocity: 2,774
Starting Pressure: 41,700
Max Powder: 26.5 gr
Max Velocity: 2,954
Max Pressure: 50,800 CUP
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.4 gr
Starting Velocity: 2,630
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 2,932
Max Pressure:
Source: [Barnes](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.4 gr
Starting Velocity: 2,630
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 2,932
Max Pressure:
Source: [Barnes](#) [C](#) [▲](#) [●](#)



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 23.0 gr
Starting Velocity: 2,719
Starting Pressure: 45,600
Max Powder: 24.7 gr
Max Velocity: 2,900
Max Pressure: 53,800
Source: [Hodgdon](#) [●](#)



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 19.0 gr
Starting Velocity: 2,515
Starting Pressure: 37,500
Max Powder: 23.0 gr
Max Velocity: 2,962
Max Pressure: 51,200 CUP
Source: [Hodgdon](#) [●](#)



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 21.0 gr
Starting Velocity: 2,520
Starting Pressure: 34,500
Max Powder: 23.5 gr
Max Velocity: 2,867
Max Pressure: 47,900 CUP
Source: [Hodgdon](#) [●](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.5 gr
Starting Velocity: 2,623
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,879
Max Pressure:
Source: [Barnes](#) [▲](#) [●](#)



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.5 gr
Starting Velocity: 2,623
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,879
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 23.0 gr
Starting Velocity: 2,782
Starting Pressure: 40,400
Max Powder: 25.0 gr
Max Velocity: 2,997
Max Pressure: 50,500 CUP
Source: [Hodgdon](#) ●



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,627
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,840
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 70 gr
Bullet Type: TSX (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,627
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,840
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 23.5 gr
Starting Velocity: 2,827
Starting Pressure: 41,000
Max Powder: 26.0 gr
Max Velocity: 3,024
Max Pressure: 48,400 CUP
Source: [Hodgdon](#) C ●



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 20.0 gr
Starting Velocity: 2,621
Starting Pressure: 44,100
Max Powder: 21.8 gr
Max Velocity: 2,797
Max Pressure: 52,800
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 19.0 gr
Starting Velocity: 2,582
Starting Pressure: 47,200
Max Powder: 21.2 gr
Max Velocity: 2,729
Max Pressure: 50,900
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 19.5 gr
Starting Velocity: 2,485
Starting Pressure: 42,000
Max Powder: 23.5 gr
Max Velocity: 2,831
Max Pressure: 53,300
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 20.9 gr
Starting Velocity: 2,503
Starting Pressure: 42,700
Max Powder: 23.3 gr
Max Velocity: 2,767
Max Pressure: 52,900
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 20.3 gr
Starting Velocity: 2,490
Starting Pressure: 38,200
Max Powder: 24.3 gr
Max Velocity: 2,799
Max Pressure: 52,900
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: SP (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 20.2 gr
Starting Velocity: 2,562
Starting Pressure: 45,700
Max Powder: 24.5 gr
Max Velocity: 2,917
Max Pressure: 52,300
Source: [Hodgdon](#)



GR.: 70 gr
Bullet Type: GMX (HDY) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.240"
Starting Powder: 19.3 gr
Starting Velocity: 2,552
Starting Pressure:
Max Powder: 20.2 gr
Max Velocity: 2,667
Max Pressure:
Source: [VihtaVuori](#)



GR.: 70 gr
Bullet Type: GMX (HDY) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.240"
Starting Powder: 19.3 gr
Starting Velocity: 2,467
Starting Pressure:
Max Powder: 21.8 gr
Max Velocity: 2,740
Max Pressure:
Source: [VihtaVuori](#)



GR.: 70 gr
Bullet Type: GMX (HDY) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.240"
Starting Powder: 21.6 gr
Starting Velocity: 2,497
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,828
Max Pressure:
Source: [VihtaVuori](#)



GR.: 70 gr
Bullet Type: GMX (HDY) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.240"
Starting Powder: 19.3 gr
Starting Velocity: 2,474
Starting Pressure:
Max Powder: 21.1 gr
Max Velocity: 2,736
Max Pressure:
Source: [VihtaVuori](#)



GR.: 70 gr
Bullet Type: GMX (HDT) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.240"
Starting Powder: 21.9 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 2,854
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 70 gr
Bullet Type: RDF (NOS) Diameter:
Powder: AR PLUS (Shooters World)
Primer: [Small Rifle](#)
Case: REM
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 17.5 gr
Starting Velocity: 2,395
Starting Pressure:
Max Powder: 23.6 gr
Max Velocity: 2,923
Max Pressure: 54,438
Source: [ShootersWorld](#)



GR.: 73 gr
Bullet Type: BT Target (Berger Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 18.5 gr
Starting Velocity: 2,451
Starting Pressure:
Max Powder: 21.8 gr
Max Velocity: 2,697
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 73 gr
Bullet Type: BT Target (Berger Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.2 gr
Starting Velocity: 2,438
Starting Pressure:
Max Powder: 23.3 gr
Max Velocity: 2,805
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 73 gr
Bullet Type: BT Target (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.9 gr
Starting Velocity: 2,503
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 2,871
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 73 gr
Bullet Type: BT Target (Berger Bullets) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.5 gr
Starting Velocity: 2,533
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 2,910
Max Pressure:
Source: [VihtaVuori](#)



GR.: 73 gr
Bullet Type: BT Target (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 2,582
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 2,949
Max Pressure:
Source: [VihtaVuori](#)



GR.: 75 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.1 gr
Starting Velocity: 2,425
Starting Pressure: 49,500
Max Powder: 21.2 gr
Max Velocity: 2,652
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 18.5 gr
Starting Velocity: 2,493
Starting Pressure: 48,900
Max Powder: 20.6 gr
Max Velocity: 2,720
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.4 gr
Starting Velocity: 2,563
Starting Pressure: 48,800
Max Powder: 22.7 gr
Max Velocity: 2,794
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,574
Starting Pressure: 48,800
Max Powder: 23.3 gr
Max Velocity: 2,813
Max Pressure: 54,200
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2495 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.276"
Starting Powder: 20.1 gr
Starting Velocity: 2,572
Starting Pressure: 49,300
Max Powder: 22.4 gr
Max Velocity: 2,855
Max Pressure: 55,000
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.2 gr
Starting Velocity: 2,610
Starting Pressure: 49,100
Max Powder: 24.7 gr
Max Velocity: 2,863
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.7 gr
Starting Velocity: 2,582
Starting Pressure: 48,900
Max Powder: 24.1 gr
Max Velocity: 2,820
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: BTHP-M (HDY) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.4 gr
Starting Velocity: 2,563
Starting Pressure: 48,800
Max Powder: 22.7 gr
Max Velocity: 2,794
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: A-Max (HDY) Diameter:
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.390"
Starting Powder: 23.8 gr
Starting Velocity:
Starting Pressure:
Max Powder: 26.4 gr
Max Velocity: 2,953
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 75 gr
Bullet Type: A-Max (HDY) Diameter:
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.390"
Starting Powder: 20.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 22.9 gr
Max Velocity: 2,816
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.5 gr
Starting Velocity: 2,610
Starting Pressure: 41,900
Max Powder: 23.5 gr
Max Velocity: 2,829
Max Pressure: 49,400 CUP
Source: [Hodgdon](#) ⓘ



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.0 gr
Starting Velocity: 2,646
Starting Pressure: 39,800
Max Powder: 26.0 gr
Max Velocity: 2,858
Max Pressure: 49,500 CUP
Source: [Hodgdon](#) ⓘ



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 23.0 gr
Starting Velocity: 2,680
Starting Pressure: 45,200
Max Powder: 25.0 gr
Max Velocity: 2,876
Max Pressure: 54,400
Source: [Hodgdon](#) ⓘ



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 20.0 gr
Starting Velocity: 2,594
Starting Pressure: 40,700
Max Powder: 22.0 gr
Max Velocity: 2,785
Max Pressure: 48,100 CUP
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.0 gr
Starting Velocity: 2,624
Starting Pressure: 41,300
Max Powder: 23.0 gr
Max Velocity: 2,814
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,696
Starting Pressure: 39,900
Max Powder: 24.5 gr
Max Velocity: 2,905
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,693
Starting Pressure: 40,600
Max Powder: 25.0 gr
Max Velocity: 2,907
Max Pressure: 48,400 CUP
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 20.0 gr
Starting Velocity: 2,538
Starting Pressure: 40,800
Max Powder: 22.7 gr
Max Velocity: 2,804
Max Pressure: 53,900
Source: [Hodgdon](#)



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 20.0 gr
Starting Velocity: 2,543
Starting Pressure: 40,000
Max Powder: 21.8 gr
Max Velocity: 2,740
Max Pressure: 53,500
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.0 gr
Starting Velocity: 2,531
Starting Pressure: 37,500
Max Powder: 24.0 gr
Max Velocity: 2,827
Max Pressure: 53,400
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 20.8 gr
Starting Velocity: 2,530
Starting Pressure: 45,100
Max Powder: 23.0 gr
Max Velocity: 2,733
Max Pressure: 53,000
Source: [Hodgdon](#) [E](#)



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 22.5 gr
Starting Velocity: 2,554
Starting Pressure: 39,700
Max Powder: 24.2 gr
Max Velocity: 2,766
Max Pressure: 53,200
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 75 gr
Bullet Type: VLD (JLK Bullets) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.250"
Starting Powder: 21.2 gr
Starting Velocity: 2,506
Starting Pressure: 41,200
Max Powder: 23.8 gr
Max Velocity: 2,786
Max Pressure: 51,800
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 75 gr
Bullet Type: VLD Target (Berger Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 18.7 gr
Starting Velocity: 2,402
Starting Pressure:
Max Powder: 21.9 gr
Max Velocity: 2,746
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: VLD Target (Berger Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.8 gr
Starting Velocity: 2,503
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 2,835
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: BTHP (2 (HDV) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.7 gr
Starting Velocity: 2,467
Starting Pressure:
Max Powder: 23.3 gr
Max Velocity: 2,723
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 75 gr
Bullet Type: ELD Match (HDV) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.3 gr
Starting Velocity: 2,513
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 2,874
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 19.0 gr
Starting Velocity: 2,290
Starting Pressure:
Max Powder: 22.4 gr
Max Velocity: 2,608
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: VLD Target (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.2 gr
Starting Velocity: 2,530
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 2,877
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: BTHP (2 (HDV) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 2,474
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 2,766
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 75 gr
Bullet Type: ELD Match (HDV) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.8 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 2,917
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 75 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.8 gr
Starting Velocity: 2,356
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 2,674
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: VLD Target (Berger Bullets) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.8 gr
Starting Velocity: 2,546
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 2,894
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: ELD Match (HDY) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.5 gr
Starting Velocity: 2,549
Starting Pressure:
Max Powder: 23.3 gr
Max Velocity: 2,910
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 19.8 gr
Starting Velocity: 2,323
Starting Pressure:
Max Powder: 22.4 gr
Max Velocity: 2,671
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: VLD Target (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 786
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 2,963
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: ELD Match (HDY) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 2,595
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 2,956
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: BTHP (2 (HDY) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 23.1 gr
Starting Velocity: 2,536
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 2,831
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 75 gr
Bullet Type: Scirocco II (Swift) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.1 gr
Starting Velocity: 2,438
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 2,776
Max Pressure:
Source: [VihtaVuori](#)



GR.: 75 gr
Bullet Type: Gold Dot (Speer) Diameter:
Powder: Reloder TS15.5 (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.230"
Starting Powder: 22.3 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 2,880
Max Pressure:
Source: [Alliant Powder](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 18.5 gr
Starting Velocity: 2,333
Starting Pressure: 49,400
Max Powder: 20.5 gr
Max Velocity: 2,553
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 17.6 gr
Starting Velocity: 2,395
Starting Pressure: 49,000
Max Powder: 19.6 gr
Max Velocity: 2,618
Max Pressure: 54,600
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.0 gr
Starting Velocity: 2,531
Starting Pressure: 48,900
Max Powder: 22.2 gr
Max Velocity: 2,731
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.4 gr
Starting Velocity: 2,532
Starting Pressure: 48,800
Max Powder: 22.6 gr
Max Velocity: 2,743
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2495 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.6 gr
Starting Velocity: 2,487
Starting Pressure: 48,900
Max Powder: 21.8 gr
Max Velocity: 2,741
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.7 gr
Starting Velocity: 2,553
Starting Pressure: 49,300
Max Powder: 24.1 gr
Max Velocity: 2,785
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: LT-30 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 16.5 gr
Starting Velocity: 2,342
Starting Pressure: 49,400
Max Powder: 18.3 gr
Max Velocity: 2,539
Max Pressure: 54,800
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 17.9 gr
Starting Velocity: 2,417
Starting Pressure: 49,400
Max Powder: 19.9 gr
Max Velocity: 2,625
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.1 gr
Starting Velocity: 2,483
Starting Pressure: 49,100
Max Powder: 23.4 gr
Max Velocity: 2,759
Max Pressure: 54,500
Source: [Hodgdon](#) ⓘ



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.2 gr
Starting Velocity: 2,531
Starting Pressure: 49,400
Max Powder: 22.2 gr
Max Velocity: 2,731
Max Pressure: 54,300
Source: [Hodgdon](#) ⓘ



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205m](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.2 gr
Max Velocity: 2,856
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205m](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 19.9 gr
Starting Velocity:
Starting Pressure:
Max Powder: 22.1 gr
Max Velocity: 2,757
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205m](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 21.7 gr
Starting Velocity:
Starting Pressure:
Max Powder: 24.1 gr
Max Velocity: 2,783
Max Pressure:
Source: [Alliant Powder](#) ⓘ



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.5 gr
Starting Velocity: 2,523
Starting Pressure: 37,400
Max Powder: 22.8 gr
Max Velocity: 2,763
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 23.0 gr
Starting Velocity: 2,640
Starting Pressure: 42,500
Max Powder: 24.9 gr
Max Velocity: 2,804
Max Pressure: 50,700 CUP
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.5 gr
Starting Velocity: 2,627
Starting Pressure: 45,400
Max Powder: 24.3 gr
Max Velocity: 2,811
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.0 gr
Starting Velocity: 2,578
Starting Pressure: 44,900
Max Powder: 21.8 gr
Max Velocity: 2,721
Max Pressure: 50,900 CUP
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,582
Starting Pressure: 44,400
Max Powder: 22.6 gr
Max Velocity: 2,738
Max Pressure: 51,700 CUP
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.0 gr
Starting Velocity: 2,474
Starting Pressure: 40,300
Max Powder: 22.6 gr
Max Velocity: 2,727
Max Pressure: 50,200 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,528
Starting Pressure: 42,700
Max Powder: 23.7 gr
Max Velocity: 2,737
Max Pressure: 50,700 CUP
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.5 gr
Starting Velocity: 2,535
Starting Pressure: 41,800
Max Powder: 23.2 gr
Max Velocity: 2,792
Max Pressure: 55,000
Source: [Hodgdon](#) [E](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 18.5 gr
Starting Velocity: 2,365
Starting Pressure: 42,200
Max Powder: 21.3 gr
Max Velocity: 2,692
Max Pressure: 53,700
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.0 gr
Starting Velocity: 2,397
Starting Pressure: 42,200
Max Powder: 22.7 gr
Max Velocity: 2,698
Max Pressure: 53,000
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 19.9 gr
Starting Velocity: 2,452
Starting Pressure: 45,200
Max Powder: 22.0 gr
Max Velocity: 2,663
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.5 gr
Starting Velocity: 2,347
Starting Pressure: 42,000
Max Powder: 23.1 gr
Max Velocity: 2,654
Max Pressure: 50,300
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.0 gr
Starting Velocity: 2,379
Starting Pressure: 41,800
Max Powder: 23.0 gr
Max Velocity: 2,708
Max Pressure: 53,100
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 18.8 gr
Starting Velocity: 2,300
Starting Pressure:
Max Powder: 21.5 gr
Max Velocity: 2,635
Max Pressure:
Source: [VihtaVuori](#)



GR.: 77 gr
Bullet Type: HPBT (2 (Sierra) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 19.6 gr
Starting Velocity: 2,316
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 2,595
Max Pressure:
Source: [VihtaVuori](#)



GR.: 77 gr
Bullet Type: TMK (Sierra) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 19.9 gr
Starting Velocity: 2,375
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 2,707
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 77 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.8 gr
Starting Velocity: 2,310
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 2,628
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 77 gr
Bullet Type: HPBT (2 (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.0 gr
Starting Velocity: 2,336
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 2,657
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 77 gr
Bullet Type: TMK (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.2 gr
Starting Velocity: 2,441
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 2,795
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 77 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 19.3 gr
Starting Velocity: 2,336
Starting Pressure:
Max Powder: 22.2 gr
Max Velocity: 2,664
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 77 gr
Bullet Type: HPBT (2 (Sierra) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 19.8 gr
Starting Velocity: 2,336
Starting Pressure:
Max Powder: 22.1 gr
Max Velocity: 2,608
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 77 gr
Bullet Type: TMK (Sierra) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 20.2 gr
Starting Velocity: 2,441
Starting Pressure:
Max Powder: 22.7 gr
Max Velocity: 2,789
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 77 gr
Bullet Type: Scenar (Lapua) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 21.8 gr
Starting Velocity: 2,362
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,671
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 77 gr
Bullet Type: TMK (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.5 gr
Starting Velocity: 2,477
Starting Pressure:
Max Powder: 25.2 gr
Max Velocity: 2,854
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 77 gr
Bullet Type: HPBT (2 (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.260"
Starting Powder: 22.7 gr
Starting Velocity: 2,428
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 2,717
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 24.9 gr
Starting Velocity: 2,519
Starting Pressure: 45,000
Max Powder: 26.8 gr
Max Velocity: 2,733
Max Pressure: 53,800
Source: [Hodgdon](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: MATCH RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.245"
Starting Powder: 22.0 gr
Starting Velocity: 2,580
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,750
Max Pressure: 54,600
Source: [ShootersWorld](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: PRECISION RIFLE (Shooters World)
Primer: [Small Rifle](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 18.0 gr
Starting Velocity: 2,170
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 2,726
Max Pressure: 54,125
Source: [ShootersWorld](#)



GR.: 77 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: Reloder TS 15.5 (Alliant Powder)
Primer: [FED 205m](#)
Case: WIN
Trim Length:
[C.O.L.](#): 2.260"
Starting Powder: 22.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.1 gr
Max Velocity: 2,807
Max Pressure:
Source: [Alliant Powder](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 19.5 gr
Starting Velocity: 2,349
Starting Pressure: 49,100
Max Powder: 21.7 gr
Max Velocity: 2,582
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 18.8 gr
Starting Velocity: 2,414
Starting Pressure: 49,000
Max Powder: 20.9 gr
Max Velocity: 2,641
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.8 gr
Starting Velocity: 2,528
Starting Pressure: 49,000
Max Powder: 23.1 gr
Max Velocity: 2,732
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.0 gr
Starting Velocity: 2,509
Starting Pressure: 48,800
Max Powder: 23.3 gr
Max Velocity: 2,729
Max Pressure: 54,100
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2495 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 19.3 gr
Starting Velocity: 2,467
Starting Pressure: 48,800
Max Powder: 21.5 gr
Max Velocity: 2,726
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 22.4 gr
Starting Velocity: 2,536
Starting Pressure: 49,400
Max Powder: 24.9 gr
Max Velocity: 2,792
Max Pressure: 54,900
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.9 gr
Starting Velocity: 2,500
Starting Pressure: 48,900
Max Powder: 24.3 gr
Max Velocity: 2,749
Max Pressure: 54,300
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.8 gr
Starting Velocity: 2,528
Starting Pressure: 49,000
Max Powder: 23.1 gr
Max Velocity: 2,732
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.550"
Starting Powder: 22.6 gr
Starting Velocity:
Starting Pressure:
Max Powder: 25.1 gr
Max Velocity: 2,815
Max Pressure:
Source: [Alliant Powder](#)



GR.: 80 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.550"
Starting Powder: 20.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 22.7 gr
Max Velocity: 2,726
Max Pressure:
Source: [Alliant Powder](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: Benchmark (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.5 gr
Starting Velocity: 2,525
Starting Pressure: 43,900
Max Powder: 22.5 gr
Max Velocity: 2,700
Max Pressure: 49,600 CUP
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 23.0 gr
Starting Velocity: 2,576
Starting Pressure: 39,700
Max Powder: 25.5 gr
Max Velocity: 2,768
Max Pressure: 49,400 CUP
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 23.0 gr
Starting Velocity: 2,638
Starting Pressure: 46,700
Max Powder: 24.4 gr
Max Velocity: 2,785
Max Pressure: 53,600
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.0 gr
Starting Velocity: 2,546
Starting Pressure: 40,700
Max Powder: 22.0 gr
Max Velocity: 2,744
Max Pressure: 49,000 CUP
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.0 gr
Starting Velocity: 2,453
Starting Pressure: 39,700
Max Powder: 22.5 gr
Max Velocity: 2,744
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.5 gr
Starting Velocity: 2,578
Starting Pressure: 40,100
Max Powder: 24.0 gr
Max Velocity: 2,825
Max Pressure: 50,000 CUP
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 22.0 gr
Starting Velocity: 2,547
Starting Pressure: 40,300
Max Powder: 25.0 gr
Max Velocity: 2,869
Max Pressure: 51,500 CUP
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 19.0 gr
Starting Velocity: 2,456
Starting Pressure: 44,400
Max Powder: 21.0 gr
Max Velocity: 2,628
Max Pressure: 52,900
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 18.5 gr
Starting Velocity: 2,336
Starting Pressure: 42,600
Max Powder: 21.0 gr
Max Velocity: 2,632
Max Pressure: 51,500
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.0 gr
Starting Velocity: 2,415
Starting Pressure: 39,500
Max Powder: 22.7 gr
Max Velocity: 2,673
Max Pressure: 51,900
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.3 gr
Starting Velocity: 2,446
Starting Pressure: 43,400
Max Powder: 22.6 gr
Max Velocity: 2,704
Max Pressure: 54,500
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.5 gr
Starting Velocity: 2,484
Starting Pressure: 42,600
Max Powder: 23.1 gr
Max Velocity: 2,647
Max Pressure: 51,700
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.0 gr
Starting Velocity: 2,346
Starting Pressure: 41,300
Max Powder: 23.0 gr
Max Velocity: 2,708
Max Pressure: 53,900
Source: [Hodgdon](#)



GR.: 80 gr
Bullet Type: HPBT (3 (Sierra) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#):
Starting Powder: 18.8 gr
Starting Velocity: 2,333
Starting Pressure:
Max Powder: 21.6 gr
Max Velocity: 2,587
Max Pressure:
Source: [VihtaVuori](#)



GR.: 80 gr
Bullet Type: HPBT (3 (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#):
Starting Powder: 20.7 gr
Starting Velocity: 2,395
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 2,646
Max Pressure:
Source: [VihtaVuori](#)



GR.: 80 gr
Bullet Type: HPBT (3 (Sierra) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#):
Starting Powder: 20.0 gr
Starting Velocity: 2,339
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 2,630
Max Pressure:
Source: [VihtaVuori](#)



GR.: 80 gr
Bullet Type: HPBT (3 (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#):
Starting Powder: 21.4 gr
Starting Velocity: 2,395
Starting Pressure:
Max Powder: 23.7 gr
Max Velocity: 2,652
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 80 gr
Bullet Type: MK (Sierra) Diameter: 0.224"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 23.9 gr
Starting Velocity: 2,424
Starting Pressure: 40,800
Max Powder: 26.6 gr
Max Velocity: 2,702
Max Pressure: 53,200
Source: [Hodgdon](#) ⓘ



GR.: 80.5 gr
Bullet Type: Fullbore Target (Berger Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 19.3 gr
Starting Velocity: 2,444
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity: 2,638
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 80.5 gr
Bullet Type: Fullbore Target (Berger Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 19.6 gr
Starting Velocity: 2,428
Starting Pressure:
Max Powder: 22.1 gr
Max Velocity: 2,690
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 80.5 gr
Bullet Type: Fullbore Target (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 21.9 gr
Starting Velocity: 2,500
Starting Pressure:
Max Powder: 24.4 gr
Max Velocity: 2,753
Max Pressure:
Source: [VihtaVuori](#) ⓘ ⓘ



GR.: 80.5 gr
Bullet Type: Fullbore Target (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 22.2 gr
Starting Velocity: 2,543
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 2,792
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 80.5 gr
Bullet Type: Fullbore Target (Berger Bullets) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 20.5 gr
Starting Velocity: 2,500
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 2,740
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 80.5 gr
Bullet Type: Fullbore Target (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 22.5 gr
Starting Velocity: 2,556
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 2,828
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 80.5 gr
Bullet Type: Fullbore Target (Berger Bullets) Diameter:
Powder: N550 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#): 2.244"
Starting Powder: 24.1 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 26.9 gr
Max Velocity: 2,799
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.375"
Starting Powder: 21.1 gr
Starting Velocity: 2,429
Starting Pressure: 43,300
Max Powder: 22.9 gr
Max Velocity: 2,617
Max Pressure: 52,200
Source: [Hodgdon](#) ⓘ



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.375"
Starting Powder: 21.7 gr
Starting Velocity: 2,518
Starting Pressure: 44,000
Max Powder: 23.5 gr
Max Velocity: 2,724
Max Pressure: 53,300
Source: [Hodgdon](#)



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: H414 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.375"
Starting Powder: 23.2 gr
Starting Velocity: 2,478
Starting Pressure: 44,700
Max Powder: 25.0 gr
Max Velocity: 2,667
Max Pressure: 53,700
Source: [Hodgdon](#)



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.375"
Starting Powder: 18.9 gr
Starting Velocity: 2,448
Starting Pressure: 46,500
Max Powder: 20.4 gr
Max Velocity: 2,585
Max Pressure: 52,700
Source: [Hodgdon](#)



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.375"
Starting Powder: 20.0 gr
Starting Velocity: 2,417
Starting Pressure: 44,000
Max Powder: 21.5 gr
Max Velocity: 2,590
Max Pressure: 52,800
Source: [Hodgdon](#)



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.375"
Starting Powder: 18.4 gr
Starting Velocity: 2,392
Starting Pressure: 44,440
Max Powder: 19.9 gr
Max Velocity: 2,554
Max Pressure: 52,100
Source: [Hodgdon](#)



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.:](#) 2.375"
Starting Powder: 20.3 gr
Starting Velocity: 2,461
Starting Pressure: 46,200
Max Powder: 22.5 gr
Max Velocity: 2,648
Max Pressure: 53,400
Source: [Hodgdon](#)



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.:](#) 2.375"
Starting Powder: 20.5 gr
Starting Velocity: 2,398
Starting Pressure: 45,000
Max Powder: 22.2 gr
Max Velocity: 2,582
Max Pressure: 53,300
Source: [Hodgdon](#)



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.:](#) 2.375"
Starting Powder: 20.0 gr
Starting Velocity: 2,380
Starting Pressure: 43,100
Max Powder: 21.7 gr
Max Velocity: 2,590
Max Pressure: 52,700
Source: [Hodgdon](#)



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: 760 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.:](#) 2.375"
Starting Powder: 23.2 gr
Starting Velocity: 2,478
Starting Pressure: 44,700
Max Powder: 25.0 gr
Max Velocity: 2,667
Max Pressure: 53,700
Source: [Hodgdon](#)



GR.: 82 gr
Bullet Type: BT TARG (Berger Bullets) Diameter: 0.224"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.:](#) 2.375"
Starting Powder: 24.3 gr
Starting Velocity: 2,450
Starting Pressure: 43,300
Max Powder: 26.3 gr
Max Velocity: 2,675
Max Pressure: 53,900
Source: [Hodgdon](#)



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.8 gr
Starting Velocity: 2,414
Starting Pressure:
Max Powder: 24.3 gr
Max Velocity: 2,651
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.7 gr
Starting Velocity: 2,330
Starting Pressure:
Max Powder: 22.9 gr
Max Velocity: 2,599
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 22.8 gr
Starting Velocity: 2,423
Starting Pressure:
Max Powder: 25.3 gr
Max Velocity: 2,669
Max Pressure:
Source: [Barnes](#) C ▲ ●



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.0 gr
Starting Velocity: 2,341
Starting Pressure:
Max Powder: 22.3 gr
Max Velocity: 2,540
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 21.2 gr
Starting Velocity: 2,328
Starting Pressure:
Max Powder: 23.6 gr
Max Velocity: 2,588
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 215 gr
Starting Velocity: 2,408
Starting Pressure:
Max Powder: 23.9 gr
Max Velocity: 2,634
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 18.9 gr
Starting Velocity: 2,325
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity: 2,528
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.4 gr
Starting Velocity: 2,355
Starting Pressure:
Max Powder: 22.7 gr
Max Velocity: 2,574
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.1 gr
Starting Velocity: 2,310
Starting Pressure:
Max Powder: 22.3 gr
Max Velocity: 2,564
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 85 gr
Bullet Type: Match Burner (Barnes) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [REM 7½](#)
Case: REM
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 20.9 gr
Starting Velocity: 2,325
Starting Pressure:
Max Powder: 23.3 gr
Max Velocity: 2,599
Max Pressure:
Source: [Barnes](#) ▲ ●



GR.: 85.5 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 19.3 gr
Starting Velocity: 2,375
Starting Pressure:
Max Powder: 21.3 gr
Max Velocity: 2,602
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 85.5 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 20.1 gr
Starting Velocity: 2,408
Starting Pressure:
Max Powder: 22.1 gr
Max Velocity: 2,638
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 85.5 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 21.9 gr
Starting Velocity: 2,477
Starting Pressure:
Max Powder: 23.9 gr
Max Velocity: 2,710
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 85.5 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 22.4 gr
Starting Velocity: 2,487
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 2,700
Max Pressure:
Source: [VihtaVuori](#) C ▲ ⓘ



GR.: 85.5 gr
Bullet Type: Long Range Hybrid Target (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 22.8 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 24.7 gr
Max Velocity: 2,746
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 88 gr
Bullet Type: ELD Match (HDV) Diameter:
Powder: N133 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 19.3 gr
Starting Velocity: 2,352
Starting Pressure:
Max Powder: 21.3 gr
Max Velocity: 2,559
Max Pressure:
Source: [VihtaVuori](#) ▲ 🔍



GR.: 88 gr
Bullet Type: ELD Match (HDV) Diameter:
Powder: N135 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 20.1 gr
Starting Velocity: 2,365
Starting Pressure:
Max Powder: 21.9 gr
Max Velocity: 2,575
Max Pressure:
Source: [VihtaVuori](#) ▲ 🔍



GR.: 88 gr
Bullet Type: ELD Match (HDV) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 21.6 gr
Starting Velocity: 2,434
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,631
Max Pressure:
Source: [VihtaVuori](#) C ▲ 🔍



GR.: 88 gr
Bullet Type: ELD Match (HDV) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 21.9 gr
Starting Velocity: 2,411
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 2,539
Max Pressure:
Source: [VihtaVuori](#) C ▲ 🔍



GR.: 88 gr
Bullet Type: ELD Match (HDV) Diameter:
Powder: N530 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 19.3 gr
Starting Velocity: 2,365
Starting Pressure:
Max Powder: 21.8 gr
Max Velocity: 2,605
Max Pressure:
Source: [VihtaVuori](#) ▲ 🔍



GR.: 88 gr
Bullet Type: ELD Match (HDY) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#):
Starting Powder: 21.9 gr
Starting Velocity: 2,431
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 2,687
Max Pressure:
Source: [VihtaVuori](#) ▲ ●



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 19.0 gr
Starting Velocity: 2,198
Starting Pressure: 49,100
Max Powder: 21.1 gr
Max Velocity: 2,400
Max Pressure: 54,500
Source: [Hodgdon](#) ●



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2200 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.260"
Starting Powder: 18.1 gr
Starting Velocity: 2,235
Starting Pressure: 49,300
Max Powder: 20.1 gr
Max Velocity: 2,446
Max Pressure: 54,700
Source: [Hodgdon](#) ●



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 19.6 gr
Starting Velocity: 2,393
Starting Pressure: 49,200
Max Powder: 21.8 gr
Max Velocity: 2,542
Max Pressure: 54,700
Source: [Hodgdon](#) ●



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 19.7 gr
Starting Velocity: 2,363
Starting Pressure: 48,700
Max Powder: 21.9 gr
Max Velocity: 2,537
Max Pressure: 54,100
Source: [Hodgdon](#) ●



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2495 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 18.6 gr
Starting Velocity: 2,315
Starting Pressure: 49,100
Max Powder: 20.6 gr
Max Velocity: 2,545
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.2 gr
Starting Velocity: 2,374
Starting Pressure: 48,900
Max Powder: 23.6 gr
Max Velocity: 2,586
Max Pressure: 54,400
Source: [Hodgdon](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.5 gr
Starting Velocity: 2,313
Starting Pressure: 49,200
Max Powder: 22.8 gr
Max Velocity: 2,546
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 19.6 gr
Starting Velocity: 2,393
Starting Pressure: 49,200
Max Powder: 21.8 gr
Max Velocity: 2,542
Max Pressure: 54,700
Source: [Hodgdon](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.550"
Starting Powder: 21.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 23.8 gr
Max Velocity: 2,617
Max Pressure:
Source: [Alliant Powder](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205m](#)
Case: FED
Trim Length:
[C.O.L.](#): 2.550"
Starting Powder: 19.4 gr
Starting Velocity:
Starting Pressure:
Max Powder: 21.6 gr
Max Velocity: 2,530
Max Pressure:
Source: [Alliant Powder](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.0 gr
Starting Velocity: 2,291
Starting Pressure: 41,400
Max Powder: 22.5 gr
Max Velocity: 2,491
Max Pressure: 52,300
Source: [Hodgdon](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.0 gr
Starting Velocity: 2,391
Starting Pressure: 45,900
Max Powder: 22.8 gr
Max Velocity: 2,554
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: H414 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 22.5 gr
Starting Velocity: 2,332
Starting Pressure: 41,700
Max Powder: 24.0 gr
Max Velocity: 2,482
Max Pressure: 52,100
Source: [Hodgdon](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 20.0 gr
Starting Velocity: 2,352
Starting Pressure: 47,500
Max Powder: 21.5 gr
Max Velocity: 2,481
Max Pressure: 53,500
Source: [Hodgdon](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.0 gr
Starting Velocity: 2,332
Starting Pressure: 46,700
Max Powder: 22.3 gr
Max Velocity: 2,447
Max Pressure: 52,100
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 18.0 gr
Starting Velocity: 2,270
Starting Pressure: 45,600
Max Powder: 19.6 gr
Max Velocity: 2,419
Max Pressure: 52,800
Source: [Hodgdon](#) [E](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4166 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 19.3 gr
Starting Velocity: 2,272
Starting Pressure: 42,600
Max Powder: 21.4 gr
Max Velocity: 2,510
Max Pressure: 53,800
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.0 gr
Starting Velocity: 2,338
Starting Pressure: 47,800
Max Powder: 22.5 gr
Max Velocity: 2,476
Max Pressure: 53,800
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 21.0 gr
Starting Velocity: 2,356
Starting Pressure: 46,200
Max Powder: 22.5 gr
Max Velocity: 2,527
Max Pressure: 53,000
Source: [Hodgdon](#) [C](#) [E](#)



GR.: 90 gr
Bullet Type: HPBT (Berger Bullets) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 19.3 gr
Starting Velocity: 2,119
Starting Pressure:
Max Powder: 21.8 gr
Max Velocity: 2,411
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N140 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 19.3 gr
Starting Velocity: 2,100
Starting Pressure:
Max Powder: 22.2 gr
Max Velocity: 2,434
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 90 gr
Bullet Type: HPBT (Berger Bullets) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 19.4 gr
Starting Velocity: 2,136
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 2,431
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N150 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 19.1 gr
Starting Velocity: 2,126
Starting Pressure:
Max Powder: 22.8 gr
Max Velocity: 2,454
Max Pressure:
Source: [VihtaVuori](#) ⓘ



GR.: 90 gr
Bullet Type: HPBT (Berger Bullets) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.:](#)
Starting Powder: 20.7 gr
Starting Velocity: 2,238
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 2,490
Max Pressure:
Source: [VihtaVuori](#) ▲ ⓘ



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter:
Powder: N540 (VihtaVuori)
Primer: [Small Rifle](#)
Case: Lapua
Trim Length: 1.752"
[C.O.L.](#):
Starting Powder: 20.7 gr
Starting Velocity: 2,224
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,500
Max Pressure:
Source: [VihtaVuori](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: 760 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 22.5 gr
Starting Velocity: 2,332
Starting Pressure: 41,700
Max Powder: 24.0 gr
Max Velocity: 2,482
Max Pressure: 52,100
Source: [Hodgdon](#)



GR.: 90 gr
Bullet Type: HPBT (Sierra) Diameter: 0.224"
Powder: StaBALL 6.5 (Winchester)
Primer: [WIN WSR](#)
Case: WIN
Trim Length: 1.750"
[C.O.L.](#): 2.380"
Starting Powder: 23.6 gr
Starting Velocity: 2,374
Starting Pressure: 44,200
Max Powder: 25.7 gr
Max Velocity: 2,561
Max Pressure: 53,400
Source: [Hodgdon](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 23.5 gr
Starting Velocity: 3,115
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,523
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 24.0 gr
Starting Velocity: 3,108
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,419
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 24.5 gr
Starting Velocity: 3,133
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,507
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 25.6 gr
Starting Velocity: 3,487
Starting Pressure:
Max Powder: 27.7 gr
Max Velocity: 3,686
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 23.1 gr
Starting Velocity: 3,404
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,683
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 25.7 gr
Starting Velocity: 3,470
Starting Pressure:
Max Powder: 28.5 gr
Max Velocity: 3,751
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 22.5 gr
Starting Velocity: 3,250
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,544
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 18.5 gr
Starting Velocity: 2,727
Starting Pressure:
Max Powder: 20.5 gr
Max Velocity: 3,055
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 25.9 gr
Starting Velocity: 3,383
Starting Pressure:
Max Powder: 28.8 gr
Max Velocity: 3,694
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 26.0 gr
Starting Velocity: 3,111
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,371
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 24.0 gr
Starting Velocity: 3,072
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,447
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 26.5 gr
Starting Velocity: 2,943
Starting Pressure:
Max Powder: 28.5 gr
Max Velocity: 3,182
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 20.5 gr
Starting Velocity: 3,024
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 3,400
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 23.5 gr
Starting Velocity: 2,996
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,353
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 26.0 gr
Starting Velocity: 3,198
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,523
Max Pressure:
Source: [Speer C](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 25.0 gr
Starting Velocity: 3,077
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,470
Max Pressure:
Source: [Speer C](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: NI30 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 21.2 gr
Starting Velocity: 3,277
Starting Pressure:
Max Powder: 23.6 gr
Max Velocity: 3,567
Max Pressure:
Source: [Speer](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: NI33 (VihtaVuori)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 23.0 gr
Starting Velocity: 3,188
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,549
Max Pressure:
Source: [Speer C](#)



GR.: 40 gr
Bullet Type: Spire SP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.060"
Starting Powder: 28.0 gr
Starting Velocity: 3,396
Starting Pressure:
Max Powder: 30.0 gr
Max Velocity: 3,623
Max Pressure:
Source: [Speer C](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 21.2 gr
Starting Velocity: 3,089
Starting Pressure:
Max Powder: 23.4 gr
Max Velocity: 3,339
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 23.0 gr
Starting Velocity: 3,276
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,544
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 24.0 gr
Starting Velocity: 3,291
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,505
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 21.5 gr
Starting Velocity: 3,214
Starting Pressure:
Max Powder: 23.9 gr
Max Velocity: 3,490
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 23.0 gr
Starting Velocity: 3,310
Starting Pressure:
Max Powder: 25.6 gr
Max Velocity: 3,560
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 21.0 gr
Starting Velocity: 3,179
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,468
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: Reloder 7 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 19.4 gr
Starting Velocity: 3,115
Starting Pressure:
Max Powder: 21.4 gr
Max Velocity: 3,384
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.150"
Starting Powder: 24.6 gr
Starting Velocity: 3,338
Starting Pressure:
Max Powder: 26.8 gr
Max Velocity: 3,531
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.150"
Starting Powder: 21.9 gr
Starting Velocity: 3,231
Starting Pressure:
Max Powder: 24.3 gr
Max Velocity: 3,476
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.150"
Starting Powder: 23.1 gr
Starting Velocity: 3,291
Starting Pressure:
Max Powder: 25.4 gr
Max Velocity: 3,511
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.150"
Starting Powder: 24.6 gr
Starting Velocity: 3,220
Starting Pressure:
Max Powder: 27.3 gr
Max Velocity: 3,531
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.150"
Starting Powder: 17.9 gr
Starting Velocity: 3,069
Starting Pressure:
Max Powder: 19.9 gr
Max Velocity: 3,381
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 23.8 gr
Starting Velocity: 3,131
Starting Pressure:
Max Powder: 26.4 gr
Max Velocity: 3,442
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: N130 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 19.4 gr
Starting Velocity: 3,164
Starting Pressure:
Max Powder: 21.1 gr
Max Velocity: 3,350
Max Pressure:
Source: [Speer](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: N540 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 25.5 gr
Starting Velocity: 3,246
Starting Pressure:
Max Powder: 27.5 gr
Max Velocity: 3,481
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 43 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 25.5 gr
Starting Velocity: 3,334
Starting Pressure:
Max Powder: 27.5 gr
Max Velocity: 3,538
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 23.0 gr
Starting Velocity: 2,941
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,314
Max Pressure:
Source: [Speer](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 23.5 gr
Starting Velocity: 2,813
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,206
Max Pressure:
Source: [Speer](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 24.0 gr
Starting Velocity: 2,990
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,330
Max Pressure:
Source: [Speer](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 26.1 gr
Starting Velocity: 3,368
Starting Pressure:
Max Powder: 28.9 gr
Max Velocity: 3,659
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 22.7 gr
Starting Velocity: 3,272
Starting Pressure:
Max Powder: 25.2 gr
Max Velocity: 3,569
Max Pressure:
Source: [Speer](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Reloder 10X (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 22.0 gr
Starting Velocity: 3,085
Starting Pressure:
Max Powder: 24.0 gr
Max Velocity: 3,348
Max Pressure:
Source: [Speer](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 18.0 gr
Starting Velocity: 2,851
Starting Pressure:
Max Powder: 20.0 gr
Max Velocity: 3,105
Max Pressure:
Source: [Speer](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 25.9 gr
Starting Velocity: 3,309
Starting Pressure:
Max Powder: 28.8 gr
Max Velocity: 3,634
Max Pressure:
Source: [Speer](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 26.0 gr
Starting Velocity: 2,937
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,272
Max Pressure:
Source: [Speer C](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 24.0 gr
Starting Velocity: 3,002
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,420
Max Pressure:
Source: [Speer](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 25.0 gr
Starting Velocity: 2,721
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,065
Max Pressure:
Source: [Speer C](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 26.0 gr
Starting Velocity: 3,157
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,446
Max Pressure:
Source: [Speer C](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 24.8 gr
Starting Velocity: 3,270
Starting Pressure:
Max Powder: 27.6 gr
Max Velocity: 3,592
Max Pressure:
Source: [Speer C](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.155"
Starting Powder: 25.0 gr
Starting Velocity: 3,117
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,394
Max Pressure:
Source: [Speer C](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 4198 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.155"
Starting Powder: 21.0 gr
Starting Velocity: 3,050
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,436
Max Pressure:
Source: [Speer](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.155"
Starting Powder: 25.0 gr
Starting Velocity: 3,146
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,464
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: NI33 (VihtaVuori)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.155"
Starting Powder: 22.5 gr
Starting Velocity: 3,012
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,317
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 45 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.155"
Starting Powder: 27.0 gr
Starting Velocity: 3,032
Starting Pressure:
Max Powder: 29.0 gr
Max Velocity: 3,456
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.185"
Starting Powder: 22.5 gr
Starting Velocity: 2,993
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,320
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 22.5 gr
Starting Velocity: 2,993
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,320
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.185"
Starting Powder: 23.0 gr
Starting Velocity: 2,885
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,187
Max Pressure:
Source: [Speed](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 23.0 gr
Starting Velocity: 2,885
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,187
Max Pressure:
Source: [Speed](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.185"
Starting Powder: 26.0 gr
Starting Velocity: 3,229
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,385
Max Pressure:
Source: [Speed](#) [C](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 26.0 gr
Starting Velocity: 3,229
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,385
Max Pressure:
Source: [Speed](#) [C](#)



GR.: 50 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: TAC (Ramshot)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.150"
Starting Powder: 23.0 gr
Starting Velocity: 3,070
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,295
Max Pressure:
Source: [Speed](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 21.8 gr
Starting Velocity: 3,120
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 3,390
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.8 gr
Starting Velocity: 3,120
Starting Pressure:
Max Powder: 24.2 gr
Max Velocity: 3,390
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 25.0 gr
Starting Velocity: 3,246
Starting Pressure:
Max Powder: 27.8 gr
Max Velocity: 3,523
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 25.0 gr
Starting Velocity: 3,246
Starting Pressure:
Max Powder: 27.8 gr
Max Velocity: 3,523
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 20.0 gr
Starting Velocity: 3,002
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 3,245
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 21.5 gr
Starting Velocity: 3,041
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,322
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.5 gr
Starting Velocity: 3,041
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,322
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 26.1 gr
Starting Velocity: 3,106
Starting Pressure:
Max Powder: 29.0 gr
Max Velocity: 3,436
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 26.1 gr
Starting Velocity: 3,106
Starting Pressure:
Max Powder: 29.0 gr
Max Velocity: 3,436
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 24.9 gr
Starting Velocity: 3,144
Starting Pressure:
Max Powder: 27.7 gr
Max Velocity: 3,466
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 24.9 gr
Starting Velocity: 3,144
Starting Pressure:
Max Powder: 27.7 gr
Max Velocity: 3,466
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 25.5 gr
Starting Velocity: 3,004
Starting Pressure:
Max Powder: 27.5 gr
Max Velocity: 3,252
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 25.5 gr
Starting Velocity: 3,004
Starting Pressure:
Max Powder: 27.5 gr
Max Velocity: 3,252
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 24.0 gr
Starting Velocity: 3,045
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,356
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 24.0 gr
Starting Velocity: 3,045
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,356
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 25.0 gr
Starting Velocity: 3,018
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,316
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 25.0 gr
Starting Velocity: 3,018
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,316
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 20.0 gr
Starting Velocity: 2,888
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 3,229
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 20.0 gr
Starting Velocity: 2,888
Starting Pressure:
Max Powder: 22.0 gr
Max Velocity: 3,229
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.185"
Starting Powder: 23.5 gr
Starting Velocity: 2,910
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,255
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 23.5 gr
Starting Velocity: 2,910
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,255
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.150"
Starting Powder: 24.5 gr
Starting Velocity: 3,115
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,322
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.185"
Starting Powder: 25.5 gr
Starting Velocity: 3,079
Starting Pressure:
Max Powder: 27.5 gr
Max Velocity: 3,372
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 25.5 gr
Starting Velocity: 3,079
Starting Pressure:
Max Powder: 27.5 gr
Max Velocity: 3,372
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.185"
Starting Powder: 24.6 gr
Starting Velocity: 3,130
Starting Pressure:
Max Powder: 27.3 gr
Max Velocity: 3,471
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 24.6 gr
Starting Velocity: 3,130
Starting Pressure:
Max Powder: 27.3 gr
Max Velocity: 3,471
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.185"
Starting Powder: 24.0 gr
Starting Velocity: 3,012
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,339
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 24.0 gr
Starting Velocity: 3,012
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,339
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.150"
Starting Powder: 23.5 gr
Starting Velocity: 2,908
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,169
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 25.0 gr
Starting Velocity: 3,073
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,369
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 25.0 gr
Starting Velocity: 3,073
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,369
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: NI33 (VihtaVuori)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 22.0 gr
Starting Velocity: 2,939
Starting Pressure:
Max Powder: 24.0 gr
Max Velocity: 3,290
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: NI33 (VihtaVuori)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 22.0 gr
Starting Velocity: 2,939
Starting Pressure:
Max Powder: 24.0 gr
Max Velocity: 3,290
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: NI35 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 23.8 gr
Starting Velocity: 3,169
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 3,398
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: NI35 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 23.8 gr
Starting Velocity: 3,169
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 3,398
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: N540 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 23.5 gr
Starting Velocity: 2,970
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,218
Max Pressure:
Source: [Speer](#)



GR.: 50 gr
Bullet Type: TNT Green (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.150"
Starting Powder: 24.0 gr
Starting Velocity: 3,114
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,308
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.185"
Starting Powder: 26.5 gr
Starting Velocity: 3,130
Starting Pressure:
Max Powder: 28.5 gr
Max Velocity: 3,458
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 50 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 26.5 gr
Starting Velocity: 3,130
Starting Pressure:
Max Powder: 28.5 gr
Max Velocity: 3,458
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.0 gr
Starting Velocity: 2,785
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,102
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.0 gr
Starting Velocity: 2,785
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,102
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 20.8 gr
Starting Velocity: 2,996
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 3,267
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 20.8 gr
Starting Velocity: 2,996
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 3,267
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 3,179
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,385
Max Pressure:
Source: [Speer C](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 3,179
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,385
Max Pressure:
Source: [Speer C](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 20.5 gr
Starting Velocity: 2,955
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 3,230
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 20.5 gr
Starting Velocity: 2,955
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 3,230
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.8 gr
Starting Velocity: 3,021
Starting Pressure:
Max Powder: 27.6 gr
Max Velocity: 3,322
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.8 gr
Starting Velocity: 3,021
Starting Pressure:
Max Powder: 27.6 gr
Max Velocity: 3,322
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 18.5 gr
Starting Velocity: 2,639
Starting Pressure:
Max Powder: 20.5 gr
Max Velocity: 2,972
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: Reloder 7 (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 18.5 gr
Starting Velocity: 2,639
Starting Pressure:
Max Powder: 20.5 gr
Max Velocity: 2,972
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.9 gr
Starting Velocity: 3,026
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,350
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.9 gr
Starting Velocity: 3,026
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,350
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.: 2.200"](#)
Starting Powder: 25.0 gr
Starting Velocity: 2,728
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,108
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.: 2.200"](#)
Starting Powder: 25.0 gr
Starting Velocity: 2,728
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,108
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.: 2.200"](#)
Starting Powder: 22.5 gr
Starting Velocity: 2,859
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,149
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.: 2.200"](#)
Starting Powder: 22.5 gr
Starting Velocity: 2,859
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,149
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.: 2.200"](#)
Starting Powder: 24.5 gr
Starting Velocity: 2,919
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,178
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.5 gr
Starting Velocity: 2,919
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,178
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.5 gr
Starting Velocity: 2,902
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,196
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.5 gr
Starting Velocity: 2,902
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,196
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.0 gr
Starting Velocity: 3,039
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,331
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 25.0 gr
Starting Velocity: 3,039
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,331
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.5 gr
Starting Velocity: 3,078
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 3,353
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 23.5 gr
Starting Velocity: 3,078
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 3,353
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 2,915
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,247
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 2,915
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,247
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 2,878
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,134
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.0 gr
Starting Velocity: 2,878
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,134
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.5 gr
Starting Velocity: 2,888
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,254
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 24.5 gr
Starting Velocity: 2,888
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,254
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: NI33 (VihtaVuori)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.0 gr
Starting Velocity: 2,864
Starting Pressure:
Max Powder: 24.0 gr
Max Velocity: 3,226
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: NI33 (VihtaVuori)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.0 gr
Starting Velocity: 2,864
Starting Pressure:
Max Powder: 24.0 gr
Max Velocity: 3,226
Max Pressure:
Source: [Speer](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: NI35 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.8 gr
Starting Velocity: 3,054
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 3,276
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: NI35 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 22.8 gr
Starting Velocity: 3,054
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 3,276
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: HP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.200"
Starting Powder: 26.0 gr
Starting Velocity: 3,187
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,510
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 52 gr
Bullet Type: Match BTHP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.200"
Starting Powder: 26.0 gr
Starting Velocity: 3,187
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,510
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.175"
Starting Powder: 21.5 gr
Starting Velocity: 2,788
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,071
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 21.5 gr
Starting Velocity: 2,788
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,071
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.175"
Starting Powder: 24.0 gr
Starting Velocity: 3,062
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,286
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 24.0 gr
Starting Velocity: 3,062
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,286
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.175"
Starting Powder: 25.0 gr
Starting Velocity: 3,066
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,238
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 2520 (Accurate)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.: 2.235"](#)
Starting Powder: 25.0 gr
Starting Velocity: 3,066
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,238
Max Pressure:
Source: [Speed](#) [C](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.: 2.230"](#)
Starting Powder: 18.8 gr
Starting Velocity: 2,834
Starting Pressure:
Max Powder: 20.9 gr
Max Velocity: 3,060
Max Pressure:
Source: [Speed](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: LT-32 (Accurate)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.: 2.230"](#)
Starting Powder: 18.8 gr
Starting Velocity: 2,834
Starting Pressure:
Max Powder: 20.9 gr
Max Velocity: 3,060
Max Pressure:
Source: [Speed](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.: 2.230"](#)
Starting Powder: 22.5 gr
Starting Velocity: 2,992
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 3,262
Max Pressure:
Source: [Speed](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.: 2.230"](#)
Starting Powder: 22.5 gr
Starting Velocity: 2,992
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 3,262
Max Pressure:
Source: [Speed](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.3 gr
Starting Velocity: 2,923
Starting Pressure:
Max Powder: 22.6 gr
Max Velocity: 3,192
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.3 gr
Starting Velocity: 2,923
Starting Pressure:
Max Powder: 22.6 gr
Max Velocity: 3,192
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 20.8 gr
Starting Velocity: 2,949
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 3,210
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 1200-R (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 20.8 gr
Starting Velocity: 2,949
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 3,210
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 26.1 gr
Starting Velocity: 3,134
Starting Pressure:
Max Powder: 29.0 gr
Max Velocity: 3,392
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 26.1 gr
Starting Velocity: 3,134
Starting Pressure:
Max Powder: 29.0 gr
Max Velocity: 3,392
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.7 gr
Starting Velocity: 2,991
Starting Pressure:
Max Powder: 24.1 gr
Max Velocity: 3,220
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.7 gr
Starting Velocity: 2,991
Starting Pressure:
Max Powder: 24.1 gr
Max Velocity: 3,220
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 22.2 gr
Starting Velocity: 3,021
Starting Pressure:
Max Powder: 24.6 gr
Max Velocity: 3,245
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 22.2 gr
Starting Velocity: 3,021
Starting Pressure:
Max Powder: 24.6 gr
Max Velocity: 3,245
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Reloder 10X (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.3 gr
Starting Velocity: 2,897
Starting Pressure:
Max Powder: 22.6 gr
Max Velocity: 3,163
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: Reloder 10X (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.3 gr
Starting Velocity: 2,897
Starting Pressure:
Max Powder: 22.6 gr
Max Velocity: 3,163
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 21.0 gr
Starting Velocity: 2,976
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,209
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: Reloder 10x (Alliant Powder)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.0 gr
Starting Velocity: 2,976
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,209
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.6 gr
Starting Velocity: 2,979
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,232
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.6 gr
Starting Velocity: 2,979
Starting Pressure:
Max Powder: 26.2 gr
Max Velocity: 3,232
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.6 gr
Starting Velocity: 2,977
Starting Pressure:
Max Powder: 25.1 gr
Max Velocity: 3,259
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.6 gr
Starting Velocity: 2,977
Starting Pressure:
Max Powder: 25.1 gr
Max Velocity: 3,259
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 23.3 gr
Starting Velocity: 2,967
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,270
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 23.3 gr
Starting Velocity: 2,967
Starting Pressure:
Max Powder: 25.9 gr
Max Velocity: 3,270
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 25.0 gr
Starting Velocity: 2,907
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,187
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 25.0 gr
Starting Velocity: 2,907
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,187
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 24.5 gr
Starting Velocity: 2,993
Starting Pressure:
Max Powder: 27.2 gr
Max Velocity: 3,291
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 24.5 gr
Starting Velocity: 2,993
Starting Pressure:
Max Powder: 27.2 gr
Max Velocity: 3,291
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.230"
Starting Powder: 24.5 gr
Starting Velocity: 3,048
Starting Pressure:
Max Powder: 27.2 gr
Max Velocity: 3,328
Max Pressure:
Source: [Speed](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.230"
Starting Powder: 24.5 gr
Starting Velocity: 3,048
Starting Pressure:
Max Powder: 27.2 gr
Max Velocity: 3,328
Max Pressure:
Source: [Speed](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.175"
Starting Powder: 22.5 gr
Starting Velocity: 2,860
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,208
Max Pressure:
Source: [Speed](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: H322 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 22.5 gr
Starting Velocity: 2,860
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 3,208
Max Pressure:
Source: [Speed](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.230"
Starting Powder: 21.1 gr
Starting Velocity: 2,936
Starting Pressure:
Max Powder: 23.4 gr
Max Velocity: 3,150
Max Pressure:
Source: [Speed](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.1 gr
Starting Velocity: 2,936
Starting Pressure:
Max Powder: 23.4 gr
Max Velocity: 3,150
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 24.0 gr
Starting Velocity: 2,842
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,140
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 24.0 gr
Starting Velocity: 2,842
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,140
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 19.0 gr
Starting Velocity: 2,726
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity: 3,021
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: H4198 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 19.0 gr
Starting Velocity: 2,726
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity: 3,021
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 23.5 gr
Starting Velocity: 2,949
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,246
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: H4895 (Hodgdon)
Primer: [CCI400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 23.5 gr
Starting Velocity: 2,949
Starting Pressure:
Max Powder: 25.5 gr
Max Velocity: 3,246
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [FED205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.9 gr
Starting Velocity: 2,984
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,259
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [FED205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.9 gr
Starting Velocity: 2,984
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,259
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [CCI400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 25.0 gr
Starting Velocity: 3,012
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,268
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [CCI400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 25.0 gr
Starting Velocity: 3,012
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,268
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.3 gr
Starting Velocity: 2,964
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,259
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.3 gr
Starting Velocity: 2,964
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,259
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 23.4 gr
Starting Velocity: 3,011
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,305
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 23.4 gr
Starting Velocity: 3,011
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,305
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 24.0 gr
Starting Velocity: 3,019
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,276
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: IMR 3031 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 24.0 gr
Starting Velocity: 3,019
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,276
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 24.5 gr
Starting Velocity: 2,881
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,193
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: IMR 4064 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 24.5 gr
Starting Velocity: 2,881
Starting Pressure:
Max Powder: 26.5 gr
Max Velocity: 3,193
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.2 gr
Starting Velocity: 2,878
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,224
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.2 gr
Starting Velocity: 2,878
Starting Pressure:
Max Powder: 25.8 gr
Max Velocity: 3,224
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: N133 (VihtaVuori)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.175"
Starting Powder: 21.5 gr
Starting Velocity: 2,811
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,139
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: N133 (VihtaVuori)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.235"
Starting Powder: 21.5 gr
Starting Velocity: 2,811
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 3,139
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: N135 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.6 gr
Starting Velocity: 2,885
Starting Pressure:
Max Powder: 22.9 gr
Max Velocity: 3,132
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: N135 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.230"
Starting Powder: 20.6 gr
Starting Velocity: 2,885
Starting Pressure:
Max Powder: 22.9 gr
Max Velocity: 3,132
Max Pressure:
Source: [Speer](#)



GR.: 55 gr
Bullet Type: Spitzer SP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.175"
Starting Powder: 26.0 gr
Starting Velocity: 3,008
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,369
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 55 gr
Bullet Type: TNT HP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.235"
Starting Powder: 26.0 gr
Starting Velocity: 3,008
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 3,369
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.230"
Starting Powder: 22.3 gr
Starting Velocity: 2,815
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,069
Max Pressure:
Source: [Speer](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.230"
Starting Powder: 21.7 gr
Starting Velocity: 2,838
Starting Pressure:
Max Powder: 23.9 gr
Max Velocity: 3,070
Max Pressure:
Source: [Speer](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 24.8 gr
Starting Velocity: 2,950
Starting Pressure:
Max Powder: 27.6 gr
Max Velocity: 3,208
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.7 gr
Starting Velocity: 2,816
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 3,029
Max Pressure:
Source: [Speer](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.5 gr
Starting Velocity: 2,788
Starting Pressure:
Max Powder: 25.0 gr
Max Velocity: 3,046
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.9 gr
Starting Velocity: 2,854
Starting Pressure:
Max Powder: 24.3 gr
Max Velocity: 3,075
Max Pressure:
Source: [Speer](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.4 gr
Starting Velocity: 2,889
Starting Pressure:
Max Powder: 26.0 gr
Max Velocity: 3,141
Max Pressure:
Source: [Speer](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.2 gr
Starting Velocity: 2,760
Starting Pressure:
Max Powder: 22.4 gr
Max Velocity: 2,971
Max Pressure:
Source: [Speer](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.4 gr
Starting Velocity: 2,801
Starting Pressure:
Max Powder: 24.9 gr
Max Velocity: 3,064
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.3 gr
Starting Velocity: 2,811
Starting Pressure:
Max Powder: 23.7 gr
Max Velocity: 3,064
Max Pressure:
Source: [Speer](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.3 gr
Starting Velocity: 2,759
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,064
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 62 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: N540 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 22.3 gr
Starting Velocity: 2,735
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 3,009
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: 2015 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 18.0 gr
Starting Velocity: 2,348
Starting Pressure:
Max Powder: 20.0 gr
Max Velocity: 2,583
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: 2230 (Accurate)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 21.0 gr
Starting Velocity: 2,489
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 2,749
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 21.5 gr
Starting Velocity: 2,526
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,814
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 25.0 gr
Starting Velocity: 2,775
Starting Pressure:
Max Powder: 27.1 gr
Max Velocity: 2,982
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 20.0 gr
Starting Velocity: 2,679
Starting Pressure:
Max Powder: 21.9 gr
Max Velocity: 2,834
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 22.5 gr
Starting Velocity: 2,708
Starting Pressure:
Max Powder: 24.1 gr
Max Velocity: 2,871
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 21.0 gr
Starting Velocity: 2,632
Starting Pressure:
Max Powder: 23.2 gr
Max Velocity: 2,872
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: BL-C(2) (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 21.5 gr
Starting Velocity: 2,474
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,648
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 22.5 gr
Starting Velocity: 2,621
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,849
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: H380 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 26.0 gr
Starting Velocity: 2,560
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 2,733
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: H414 (Hodgdon)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 26.0 gr
Starting Velocity: 2,690
Starting Pressure:
Max Powder: 28.0 gr
Max Velocity: 2,923
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 22.4 gr
Starting Velocity: 2,659
Starting Pressure:
Max Powder: 24.8 gr
Max Velocity: 2,901
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 4320 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 22.5 gr
Starting Velocity: 2,474
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,675
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.](#): 2.140"
Starting Powder: 22.5 gr
Starting Velocity: 2,658
Starting Pressure:
Max Powder: 24.5 gr
Max Velocity: 2,864
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: N135 (VihtaVuori)
Primer: [CCI 400](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.140"
Starting Powder: 20.5 gr
Starting Velocity: 2,449
Starting Pressure:
Max Powder: 22.5 gr
Max Velocity: 2,693
Max Pressure:
Source: [Speer](#)



GR.: 70 gr
Bullet Type: Semi-Spitzer SP (Speer) Diameter: 0.224"
Powder: 748 (Winchester)
Primer: [CCI 450 Mag](#)
Case: IMI
Trim Length: 1.750"
[C.O.L.:](#) 2.140"
Starting Powder: 25.0 gr
Starting Velocity: 2,862
Starting Pressure:
Max Powder: 27.0 gr
Max Velocity: 3,115
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.230"
Starting Powder: 20.9 gr
Starting Velocity: 2,514
Starting Pressure:
Max Powder: 23.2 gr
Max Velocity: 2,746
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: 2460 (Accurate)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.230"
Starting Powder: 20.9 gr
Starting Velocity: 2,514
Starting Pressure:
Max Powder: 23.2 gr
Max Velocity: 2,746
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.:](#) 2.230"
Starting Powder: 20.6 gr
Starting Velocity: 2,535
Starting Pressure:
Max Powder: 22.9 gr
Max Velocity: 2,757
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: X-Terminator (Ramshot)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.6 gr
Starting Velocity: 2,535
Starting Pressure:
Max Powder: 22.9 gr
Max Velocity: 2,757
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.5 gr
Starting Velocity: 2,655
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 2,897
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: 2000-MR (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 23.5 gr
Starting Velocity: 2,655
Starting Pressure:
Max Powder: 26.1 gr
Max Velocity: 2,897
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 18.7 gr
Starting Velocity: 2,461
Starting Pressure:
Max Powder: 20.8 gr
Max Velocity: 2,660
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: AR-Comp (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 18.7 gr
Starting Velocity: 2,461
Starting Pressure:
Max Powder: 20.8 gr
Max Velocity: 2,660
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.2 gr
Starting Velocity: 2,514
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,751
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: Reloder 15 (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.2 gr
Starting Velocity: 2,514
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,751
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.7 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: Varmint (Alliant Powder)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.7 gr
Starting Velocity: 2,523
Starting Pressure:
Max Powder: 23.0 gr
Max Velocity: 2,756
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.6 gr
Starting Velocity: 2,543
Starting Pressure:
Max Powder: 24.0 gr
Max Velocity: 2,781
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: CFE 223 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.6 gr
Starting Velocity: 2,543
Starting Pressure:
Max Powder: 24.0 gr
Max Velocity: 2,781
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 18.9 gr
Starting Velocity: 2,461
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity: 2,638
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: H 335 (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 18.9 gr
Starting Velocity: 2,461
Starting Pressure:
Max Powder: 21.0 gr
Max Velocity: 2,638
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.8 gr
Starting Velocity: 2,505
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 2,730
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: Varget (Hodgdon)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 20.8 gr
Starting Velocity: 2,505
Starting Pressure:
Max Powder: 23.1 gr
Max Velocity: 2,730
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 19.9 gr
Starting Velocity: 2,498
Starting Pressure:
Max Powder: 22.1 gr
Max Velocity: 2,723
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: IMR 8208 XBR (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 19.9 gr
Starting Velocity: 2,498
Starting Pressure:
Max Powder: 22.1 gr
Max Velocity: 2,723
Max Pressure:
Source: [Speer](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.2 gr
Starting Velocity: 2,508
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,766
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: IMR 4895 (Improved Military Rifle)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.2 gr
Starting Velocity: 2,508
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,766
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 75 gr
Bullet Type: TMJ (Speer) Diameter: 0.224"
Powder: N540 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.2 gr
Starting Velocity: 2,462
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,724
Max Pressure:
Source: [Speer](#) [C](#)



GR.: 75 gr
Bullet Type: Gold-Dot (Speer) Diameter: 0.224"
Powder: N540 (VihtaVuori)
Primer: [FED 205](#)
Case: FED
Trim Length: 1.750"
[C.O.L.](#): 2.230"
Starting Powder: 21.2 gr
Starting Velocity: 2,462
Starting Pressure:
Max Powder: 23.5 gr
Max Velocity: 2,724
Max Pressure:
Source: [Speer](#) [C](#)