

223 Remington Load Data Hodgdon

Twist: 1:12.000"

Barrel Length: 24.000"

Trim Length: 1.750"

Bullet Weight 30 GR. BAR VG Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.088"	22.9 3,450	44,900 PSI	25.4 3,771	49,900 PSI
Accurate	2200	Buy now	0.224"	2.100"	24.9 3,833	49,300 PSI	27.7 4,189	54,800 PSI
Accurate	2230	Buy now	0.224"	2.088"	26.1 3,687	46,400 PSI	29.0 4,029	51,600 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.088"	26.1 3,687	46,400 PSI	29.0 4,029	51,600 PSI

Bullet Weight 34 GR. MSS VNX Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.125"	23.9 3,489	48,600 PSI	26.5 3,813	54,000 PSI
Accurate	2200	Buy now	0.224"	2.125"	24.3 3,682	48,400 PSI	27.0 4,024	53,700 PSI
Accurate	2230	Buy now	0.224"	2.125"	26.6 3,665	48,200 PSI	29.5 4,006	53,600 PSI
Accurate	2460	Buy now	0.224"	2.125"	25.7 3,570	46,400 PSI	28.6 3,902	51,500 PSI
Ramshot	TAC	Buy now	0.224"	2.125"	27.4 3,636	49,500 PSI	30.4 3,974	55,000 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.125"	26.6 3,665	48,200 PSI	29.5 4,006	53,600 PSI

Bullet Weight 35 GR. HDY V-MAX Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	5744	Buy now	0.224"	2.130"	19.2 3,169	48,900 PSI	21.1 3,602	53,700 PSI

Bullet Weight 35 GR. NOS BT LF Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Hodgdon	Benchmark	Buy now	0.224"	2.280"	24.5 3,555	42,700 PSI	27.2C 3,851	52,900 PSI

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	BL-C(2)	Buy now	0.224"	2.280"	26.6	3,430	39,900 PSI	29.5	3,740	50,100 PSI
Hodgdon	H322	Out of Stock	0.224"	2.280"	24.3	3,610	43,800 PSI	25.8	3,771	50,600 PSI
Hodgdon	H335	Buy now	0.224"	2.280"	25.7	3,647	44,600 PSI	27.9	3,885	53,200 PSI
Hodgdon	H4198	Out of Stock	0.224"	2.280"	20.4	3,599	45,100 PSI	21.7	3,780	52,000 PSI
Hodgdon	H4895	Out of Stock	0.224"	2.280"	24.3	3,522	39,600 PSI	27.0C	3,891	53,000 PSI
Hodgdon	Varget	Buy now	0.224"	2.280"	25.2	3,424	38,500 PSI	28.0C	3,751	49,300 PSI
IMR	IMR 3031	Buy now	0.224"	2.280"	23.4	3,423	40,000 PSI	26.0C	3,771	51,600 PSI
IMR	IMR 4198	Buy now	0.224"	2.280"	20.4	3,651	47,600 PSI	21.7	3,804	52,100 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.280"	25.5	3,313	39,500 PSI	28.0C	3,620	49,800 PSI
IMR	IMR 4895	Buy now	0.224"	2.280"	24.3	3,263	36,400 PSI	27.0C	3,620	47,700 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.280"	25.2	3,560	41,100 PSI	28.0C	3,891	53,400 PSI

Bullet Weight 35 GR. NOS BTLF Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2200	Buy now	0.224"	2.260"	23.2	3,635	49,200 PSI	25.8	3,936	54,700 PSI
Accurate	2230	Buy now	0.224"	2.260"	25.8	3,626	49,200 PSI	28.7	3,947	54,700 PSI
Accurate	2460	Buy now	0.224"	2.260"	24.8	3,501	45,000 PSI	27.6	3,822	50,000 PSI
Accurate	2520	Out of Stock	0.224"	2.260"	26.5	3,449	41,600 PSI	29.5	3,746	46,200 PSI
Ramshot	TAC	Buy now	0.224"	2.260"	25.8	3,529	49,200 PSI	28.7	3,862	54,600 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.260"	25.8	3,626	49,200 PSI	28.7	3,947	54,700 PSI

Bullet Weight 36 GR. BAR VG Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2200	Buy now	0.224"	2.190"	23.8	3,518	49,400 PSI	26.4	3,863	54,800 PSI
Accurate	2230	Buy now	0.224"	2.190"	25.6	3,510	47,700 PSI	28.5	3,820	53,100 PSI
Accurate	LT-30	Buy now	0.224"	2.200"	21.1	3,425	49,300 PSI	23.5	3,735	54,800 PSI

					Starting Load		Maximum Loads			
Manufacturer	Powder		Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Ramshot	X-Terminator	Buy now	0.224"	2.190"	25.6	3,510	47,700 PSI	28.5	3,820	53,100 PSI

Bullet Weight 36 GR. BAR VG FB Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	Benchmark	Buy now	0.224"	2.200"	24.4	3,508	44,100 PSI	26.0	3,702	50,800 PSI
Hodgdon	BL-C(2)	Buy now	0.224"	2.200"	26.8	3,345	40,400 PSI	28.5	3,500	46,000 PSI
Hodgdon	H322	Out of Stock	0.224"	2.200"	24.2	3,523	44,300 PSI	25.7	3,721	52,700 PSI
Hodgdon	H335	Buy now	0.224"	2.200"	26.0	3,647	48,300 PSI	27.7	3,790	53,200 PSI
Hodgdon	H4198	Out of Stock	0.224"	2.200"	21.1	3,511	36,800 PSI	22.5	3,723	51,800 PSI
Hodgdon	H4895	Out of Stock	0.224"	2.200"	25.5	3,487	36,500 PSI	27.3C	3,755	49,200 PSI
Hodgdon	Varget	Buy now	0.224"	2.200"	24.8	3,278	37,000 PSI	27.5C	3,593	47,300 PSI
IMR	IMR 3031	Buy now	0.224"	2.200"	23.3	3,398	41,600 PSI	24.8C	3,600	48,200 PSI
IMR	IMR 4198	Buy now	0.224"	2.200"	21.2	3,579	43,500 PSI	22.5	3,834	52,500 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.200"	25.2	3,289	39,700 PSI	28.0C	3,653	52,200 PSI
IMR	IMR 4895	Buy now	0.224"	2.200"	24.8	3,289	39,700 PSI	27.0C	3,606	50,100 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.200"	25.4	3,548	44,500 PSI	27.0C	3,728	50,600 PSI

Bullet Weight 40 GR. BER FBV Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.210"	22.5	3,220	47,800 PSI	25.0	3,519	53,100 PSI
Accurate	2200	Buy now	0.224"	2.224"	22.6	3,386	49,200 PSI	25.1	3,700	54,700 PSI
Accurate	2230	Buy now	0.224"	2.210"	23.9	3,451	48,900 PSI	26.5	3,772	54,400 PSI
Accurate	2460	Buy now	0.224"	2.224"	25.0	3,463	49,500 PSI	27.8	3,785	55,000 PSI
Accurate	LT-30	Buy now	0.224"	2.200"	21.0	3,356	49,400 PSI	23.4	3,676	54,900 PSI
Ramshot	TAC	Buy now	0.224"	2.216"	24.6	3,389	48,800 PSI	27.3	3,704	54,200 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.210"	23.9	3,451	48,900 PSI	26.5	3,772	54,400 PSI

Bullet Weight 40 GR. HDY V-MAX Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.260"	22.9	3,288	49,400 PSI	25.4	3,593	54,900 PSI
Accurate	2200	Buy now	0.224"	2.260"	23.1	3,419	48,600 PSI	25.7	3,737	54,000 PSI
Accurate	2230	Buy now	0.224"	2.260"	24.3	3,480	49,300 PSI	27.0	3,803	54,800 PSI
Accurate	2460	Buy now	0.224"	2.260"	24.7	3,428	48,200 PSI	27.4	3,746	53,600 PSI
Accurate	LT-30	Buy now	0.224"	2.200"	21.5	3,377	49,200 PSI	23.9	3,699	54,600 PSI
Accurate	LT-32	Buy now	0.224"	2.200"	22.9	3,387	49,200 PSI	25.4	3,735	54,700 PSI
Ramshot	TAC	Buy now	0.224"	2.260"	24.9	3,419	49,300 PSI	27.7	3,737	54,800 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.260"	24.3	3,480	49,300 PSI	27.0	3,803	54,800 PSI

Bullet Weight 40 GR. NOS BT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.260"	22.7	3,256	49,500 PSI	25.2	3,558	55,000 PSI
Accurate	2200	Buy now	0.224"	2.260"	22.9	3,386	48,400 PSI	25.4	3,701	53,700 PSI
Accurate	2230	Buy now	0.224"	2.260"	24.3	3,435	48,400 PSI	27.0	3,754	53,800 PSI
Accurate	2460	Buy now	0.224"	2.260"	25.0	3,406	47,200 PSI	27.8	3,722	52,500 PSI
Accurate	5744	Buy now	0.224"	2.260"	18.5	3,025	49,200 PSI	20.6	3,439	54,800 PSI
Hodgdon	Benchmark	Buy now	0.224"	2.280"	25.3	3,404	39,600 CUP	27.3	3,666	51,000 CUP
Hodgdon	BL-C(2)	Buy now	0.224"	2.280"	26.5	3,368	35,400 CUP	28.5	3,612	45,400 CUP
Hodgdon	CFE 223	Out of Stock	0.224"	2.280"	27.5	3,457	40,600 PSI	29.0	3,667	48,200 PSI
Hodgdon	H322	Out of Stock	0.224"	2.280"	23.5	3,376	34,600 CUP	25.5	3,574	48,000 CUP
Hodgdon	H335	Buy now	0.224"	2.280"	26.0	3,299	34,400 CUP	28.0	3,572	44,600 CUP
Hodgdon	H4198	Out of Stock	0.224"	2.280"	20.5	3,147	29,400 CUP	22.5	3,601	49,600 CUP
Hodgdon	H4895	Out of Stock	0.224"	2.280"	25.0	3,204	32,100 CUP	27.5C	3,573	44,500 CUP
Hodgdon	Varget	Buy now	0.224"	2.280"	25.0	3,310	34,400 CUP	28.0C	3,674	47,200 CUP
IMR	IMR 3031	Buy now	0.224"	2.280"	23.5	3,291	42,600 PSI	25.2C	3,498	46,200 PSI

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
IMR	IMR 4198	Buy now	0.224"	2.280"	19.5 3,269	42,500 PSI	22.2 3,652	53,400 PSI	
IMR	IMR 4320	Out of Stock	0.224"	2.280"	26.0 3,267	43,500 PSI	27.7C 3,456	48,900 PSI	
IMR	IMR 4895	Buy now	0.224"	2.280"	24.9 3,164	35,200 PSI	26.5C 3,390	44,200 PSI	
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.280"	25.0 3,433	41,500 PSI	26.7C 3,659	50,400 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	25.2 3,405	49,000 PSI	28.0 3,721	54,400 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	24.3 3,435	48,400 PSI	27.0 3,754	53,800 PSI	

Bullet Weight 40 GR. NOS BTLF Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2200	Buy now	0.224"	2.260"	22.2 3,384	49,400 PSI	24.7 3,679	54,900 PSI	
Accurate	2230	Buy now	0.224"	2.260"	24.5 3,435	49,000 PSI	27.2 3,721	54,400 PSI	
Accurate	2460	Buy now	0.224"	2.260"	24.8 3,413	48,200 PSI	27.5 3,710	53,600 PSI	
Accurate	2520	Out of Stock	0.224"	2.260"	25.8 3,345	43,800 PSI	28.7 3,628	48,700 PSI	
Accurate	LT-30	Buy now	0.224"	2.260"	20.8 3,276	49,200 PSI	23.2 3,602	54,600 PSI	
Accurate	LT-32	Buy now	0.224"	2.260"	22.4 3,304	49,300 PSI	24.9 3,628	54,800 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	24.8 3,310	49,300 PSI	27.5 3,667	54,800 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	24.5 3,435	49,000 PSI	27.2 3,721	54,400 PSI	

Bullet Weight 40 GR. SIE BK Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.260"	22.7 3,261	49,000 PSI	25.2 3,564	54,400 PSI	
Accurate	2200	Buy now	0.224"	2.260"	22.9 3,400	48,900 PSI	25.4 3,716	54,400 PSI	
Accurate	2230	Buy now	0.224"	2.260"	24.3 3,459	49,200 PSI	27.0 3,780	54,600 PSI	
Accurate	2460	Buy now	0.224"	2.260"	25.0 3,451	49,000 PSI	27.8 3,772	54,500 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	24.8 3,399	48,500 PSI	27.6 3,715	53,900 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	24.3 3,459	49,200 PSI	27.0 3,780	54,600 PSI	

Bullet Weight 42 GR. SFIRE WTP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2200	Buy now	0.224"	2.200"	22.4	3,395	49,200 PSI	24.9	3,676	54,700 PSI
Accurate	2230	Buy now	0.224"	2.200"	25.3	3,437	49,000 PSI	28.1	3,730	54,500 PSI
Accurate	LT-30	Buy now	0.224"	2.200"	21.0	3,296	49,400 PSI	23.3	3,604	54,900 PSI
Accurate	LT-32	Buy now	0.224"	2.200"	22.4	3,306	49,400 PSI	24.9	3,620	54,800 PSI
Ramshot	TAC	Buy now	0.224"	2.200"	25.6	3,331	48,500 PSI	28.4	3,648	53,800 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.200"	25.3	3,437	49,000 PSI	28.1	3,730	54,500 PSI

Bullet Weight 45 GR. BAR BAND-S Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2200	Buy now	0.224"	2.220"	23.3	3,343	49,200 PSI	25.9	3,654	54,600 PSI
Accurate	2230	Buy now	0.224"	2.216"	24.3	3,309	49,200 PSI	27.0	3,616	54,700 PSI
Ramshot	TAC	Buy now	0.224"	2.216"	24.5	3,255	49,000 PSI	27.2	3,557	54,500 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.216"	24.3	3,309	49,200 PSI	27.0	3,616	54,700 PSI

Bullet Weight 45 GR. BAR TSX FB Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2200	Buy now	0.224"	2.220"	22.6	3,247	49,100 PSI	25.1	3,549	54,600 PSI
Accurate	2230	Buy now	0.224"	2.208"	24.1	3,276	49,100 PSI	26.8	3,580	54,600 PSI
Accurate	2460	Buy now	0.224"	2.220"	24.8	3,289	49,200 PSI	27.5	3,594	54,700 PSI
Ramshot	TAC	Buy now	0.224"	2.208"	24.5	3,210	48,400 PSI	27.2	3,508	53,800 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.208"	24.1	3,276	49,100 PSI	26.8	3,580	54,600 PSI

Bullet Weight 45 GR. SFIRE Case Winchester Primer Winchester SR, Small Rifle

					Starting Load			Maximum Loads		
Manufacturer	Powder		Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	Benchmark	Buy now	0.224"	2.220"	22.5	3,130	39,600 PSI	25.0	3,410	51,000 PSI

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	H322	Out of Stock	0.224"	2.220"	22.0	3,088	38,900 PSI	24.6C	3,399	50,800 PSI
Hodgdon	H335	Buy now	0.224"	2.220"	23.0	3,172	42,000 PSI	25.3	3,428	50,700 PSI
Hodgdon	H4198	Out of Stock	0.224"	2.220"	19.0	3,097	40,200 PSI	21.8	3,414	51,400 PSI
IMR	IMR 3031	Buy now	0.224"	2.220"	21.0	2,981	37,000 PSI	24.0C	3,400	52,300 PSI
IMR	IMR 4198	Buy now	0.224"	2.220"	19.0	3,108	41,000 PSI	21.0	3,395	52,400 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.220"	23.0	3,124	38,800 PSI	26.0C	3,491	52,100 PSI

Bullet Weight 45 GR. SFIRE WTP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2230	Buy now	0.224"	2.224"	24.3	3,186	48,800 PSI	27.0	3,540	54,200 PSI
Ramshot	TAC	Buy now	0.224"	2.224"	24.7	3,177	48,600 PSI	27.4	3,530	54,000 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.224"	24.3	3,186	48,800 PSI	27.0	3,540	54,200 PSI

Bullet Weight 45 GR. SIE SP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	Benchmark	Buy now	0.224"	2.240"	25.3	3,327	41,100 CUP	27.3	3,554	51,100 CUP
Hodgdon	BL-C(2)	Buy now	0.224"	2.240"	26.5	3,266	36,000 CUP	28.5	3,559	48,000 CUP
Hodgdon	CFE 223	Out of Stock	0.224"	2.240"	27.5	3,358	40,800 PSI	29.0	3,536	47,200 PSI
Hodgdon	H322	Out of Stock	0.224"	2.240"	23.0	3,164	36,000 CUP	25.0	3,424	47,400 CUP
Hodgdon	H335	Buy now	0.224"	2.240"	24.0	3,280	41,500 CUP	26.2	3,456	51,000 CUP
Hodgdon	H4198	Out of Stock	0.224"	2.240"	20.0	3,009	28,800 CUP	22.0	3,472	49,100 CUP
Hodgdon	H4895	Out of Stock	0.224"	2.240"	25.0	3,211	33,800 CUP	27.5C	3,454	43,400 CUP
Hodgdon	Varget	Buy now	0.224"	2.240"	25.0	3,071	30,200 CUP	28.0C	3,477	43,700 CUP
IMR	IMR 3031	Buy now	0.224"	2.240"	22.7	3,065	37,700 PSI	25.2C	3,374	45,800 PSI
IMR	IMR 4198	Buy now	0.224"	2.240"	19.5	3,205	44,600 PSI	22.1	3,495	52,000 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.240"	25.5	3,158	40,300 PSI	27.8C	3,342	46,300 PSI

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
				Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.240"	24.5 3,287	41,700 PSI	26.8 3,550	52,000 PSI

Bullet Weight 45 GR. SIE SPT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
				Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.222"	21.8 3,088	49,500 PSI	24.2 3,375	55,000 PSI
Accurate	2200	Buy now	0.224"	2.230"	22.0 3,219	48,800 PSI	24.4 3,518	54,300 PSI
Accurate	2230	Buy now	0.224"	2.222"	23.2 3,296	49,500 PSI	25.8 3,602	55,000 PSI
Accurate	2460	Buy now	0.224"	2.230"	23.6 3,260	48,900 PSI	26.2 3,563	54,300 PSI
Ramshot	TAC	Buy now	0.224"	2.222"	24.3 3,276	49,200 PSI	27.0 3,580	54,700 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.222"	23.2 3,296	49,500 PSI	25.8 3,602	55,000 PSI

Bullet Weight 50 GR. BAR TSX FB Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
				Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.184"	20.8 2,855	48,400 PSI	23.1 3,120	53,800 PSI
Accurate	2200	Buy now	0.224"	2.195"	21.2 3,013	49,300 PSI	23.6 3,293	54,700 PSI
Accurate	2230	Buy now	0.224"	2.184"	22.7 3,082	49,300 PSI	25.2 3,368	54,800 PSI
Accurate	2460	Buy now	0.224"	2.195"	23.4 3,110	49,200 PSI	26.0 3,399	54,700 PSI
Ramshot	TAC	Buy now	0.224"	2.184"	23.1 3,030	49,300 PSI	25.7 3,311	54,800 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.184"	22.7 3,082	49,300 PSI	25.2 3,368	54,800 PSI

Bullet Weight 50 GR. BAR VARM Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
				Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	5744	Buy now	0.224"	2.235"	17.8 2,743	47,900 PSI	19.7 3,117	53,000 PSI

Bullet Weight 50 GR. BAR VG Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
				Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2230	Buy now	0.224"	2.180"	23.0 3,007	48,900 PSI	25.5 3,341	54,200 PSI
Ramshot	TAC	Buy now	0.224"	2.180"	23.3 2,964	47,800 PSI	25.9 3,293	53,200 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.180"	23.0 3,007	48,900 PSI	25.5 3,341	54,200 PSI

Bullet Weight 50 GR. BER FBV Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.260"	21.0 2,933	48,700 PSI	23.3 3,206	54,100 PSI
Accurate	2200	Buy now	0.224"	2.260"	21.0 3,025	48,600 PSI	23.3 3,306	54,000 PSI
Accurate	2230	Buy now	0.224"	2.260"	22.1 3,122	49,400 PSI	24.6 3,412	54,900 PSI
Accurate	2460	Buy now	0.224"	2.260"	22.1 3,040	49,500 PSI	24.6 3,350	55,000 PSI
Ramshot	TAC	Buy now	0.224"	2.260"	22.7 3,065	49,000 PSI	25.2 3,350	54,400 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.260"	22.1 3,122	49,400 PSI	24.6 3,412	54,900 PSI

Bullet Weight 50 GR. HDY GMX Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	LT-30	Buy now	0.224"	2.165"	19.2 2,882	49,500 PSI	21.4 3,153	55,000 PSI
Accurate	LT-32	Buy now	0.224"	2.165"	20.6 2,893	49,200 PSI	22.9 3,179	54,600 PSI

Bullet Weight 50 GR. HDY SP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.226"	21.3 2,937	48,600 PSI	23.7 3,210	54,000 PSI
Accurate	2200	Buy now	0.224"	2.235"	21.5 3,063	49,200 PSI	23.9 3,348	54,600 PSI
Accurate	2230	Buy now	0.224"	2.226"	22.4 3,128	49,300 PSI	24.9 3,419	54,800 PSI
Ramshot	TAC	Buy now	0.224"	2.226"	23.0 3,074	47,900 PSI	25.6 3,360	53,200 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.226"	22.4 3,128	49,300 PSI	24.9 3,419	54,800 PSI

Bullet Weight 50 GR. HDY SPSX Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.180"	21.2 2,943	49,400 PSI	23.6 3,216	54,900 PSI	
Accurate	2230	Buy now	0.224"	2.180"	22.1 3,093	49,300 PSI	24.5 3,380	54,700 PSI	
Accurate	2460	Buy now	0.224"	2.185"	22.1 3,066	48,100 PSI	24.5 3,351	53,400 PSI	
Ramshot	TAC	Buy now	0.224"	2.165"	23.0 3,057	49,200 PSI	25.5 3,341	54,600 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.180"	22.1 3,093	49,300 PSI	24.5 3,380	54,700 PSI	

Bullet Weight 50 GR. HDY V-MAX Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.260"	21.6 2,984	49,500 PSI	24.0 3,261	55,000 PSI	
Accurate	2230	Buy now	0.224"	2.260"	22.2 3,115	48,100 PSI	24.7 3,404	53,500 PSI	
Accurate	2460	Buy now	0.224"	2.235"	22.7 3,129	49,400 PSI	25.2 3,420	54,900 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	22.5 3,103	49,500 PSI	25.0 3,391	55,000 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	22.2 3,115	48,100 PSI	24.7 3,404	53,500 PSI	

Bullet Weight 50 GR. MSS VNX Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.187"	21.4 2,965	48,200 PSI	23.8 3,240	53,600 PSI	
Accurate	2200	Buy now	0.224"	2.187"	20.7 3,056	47,900 PSI	23.0 3,340	53,300 PSI	
Accurate	2230	Buy now	0.224"	2.187"	22.5 3,114	49,000 PSI	25.0 3,403	54,500 PSI	
Accurate	2460	Buy now	0.224"	2.187"	22.9 3,092	49,200 PSI	25.4 3,379	54,700 PSI	
Accurate	2520	Out of Stock	0.224"	2.187"	24.3 3,142	48,300 PSI	27.0 3,434	53,700 PSI	
Ramshot	TAC	Buy now	0.224"	2.187"	23.1 3,088	48,300 PSI	25.7 3,375	53,700 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.187"	22.5 3,114	49,000 PSI	25.0 3,403	54,500 PSI	

Bullet Weight 50 GR. NOS BT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2230	Buy now	0.224"	2.260"	23.5	3,134	49,100 PSI	26.2	3,413	54,700 PSI
Accurate	2460	Buy now	0.224"	2.260"	23.7	3,178	48,700 PSI	26.4	3,428	54,200 PSI
Accurate	2520	Out of Stock	0.224"	2.260"	25.4	3,199	49,000 PSI	28.3	3,490	54,600 PSI
Ramshot	TAC	Buy now	0.224"	2.260"	24.3	3,130	48,700 PSI	27.0	3,412	54,200 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.260"	23.4	3,134	48,800 PSI	26.2	3,413	54,700 PSI
Bullet Weight 50 GR. SIE BK Case Winchester Primer Winchester SR, Small Rifle										

Bullet Weight 50 GR. SIE BK Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.260"	21.6	2,964	48,400 PSI	24.0	3,239	53,800 PSI
Accurate	2200	Buy now	0.224"	2.260"	22.1	3,111	48,600 PSI	24.6	3,400	54,000 PSI
Accurate	2230	Buy now	0.224"	2.260"	22.9	3,143	48,700 PSI	25.4	3,435	54,200 PSI
Accurate	2460	Buy now	0.224"	2.260"	23.4	3,069	49,100 PSI	26.0	3,382	54,500 PSI
Accurate	2520	Out of Stock	0.224"	2.260"	24.8	3,149	48,500 PSI	27.5	3,441	53,900 PSI
Accurate	LT-30	Buy now	0.224"	2.260"	20.3	3,053	49,400 PSI	22.6	3,332	54,900 PSI
Accurate	LT-32	Buy now	0.224"	2.260"	21.8	3,112	49,400 PSI	24.2	3,399	54,900 PSI
Ramshot	TAC	Buy now	0.224"	2.260"	23.8	3,137	49,200 PSI	26.4	3,428	54,700 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.260"	22.9	3,143	48,700 PSI	25.4	3,435	54,200 PSI

Bullet Weight 50 GR. SPR SP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	Benchmark	Buy now	0.224"	2.210"	24.0	3,139	38,600 CUP	26.5	3,396	50,400 CUP
Hodgdon	BL-C(2)	Buy now	0.224"	2.210"	26.0	3,187	34,200 CUP	28.0	3,428	47,100 CUP
Hodgdon	CFE 223	Out of Stock	0.224"	2.210"	27.0	3,241	41,500 PSI	28.5	3,505	53,600 PSI
Hodgdon	H322	Out of Stock	0.224"	2.210"	22.0	3,018	36,500 CUP	24.0	3,301	49,300 CUP
Hodgdon	H335	Buy now	0.224"	2.210"	24.0	3,166	43,000 CUP	26.0	3,393	51,700 CUP
Hodgdon	H4198	Out of Stock	0.224"	2.210"	19.5	3,023	32,400 CUP	21.5	3,223	45,900 CUP

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	H4895	Out of Stock	0.224"	2.210"	25.0 3,200	38,300 CUP	27.5C 3,468	51,300 CUP	
Hodgdon	Varget	Buy now	0.224"	2.210"	26.5 3,242	40,800 CUP	27.5C 3,383	44,800 CUP	
IMR	IMR 3031	Buy now	0.224"	2.210"	23.5 3,169	44,600 PSI	25.0 3,268	46,900 PSI	
IMR	IMR 4166	Out of Stock	0.224"	2.210"	23.9 3,026	43,200 PSI	26.2C 3,267	51,600 PSI	
IMR	IMR 4198	Buy now	0.224"	2.210"	19.8 3,094	42,800 PSI	21.9 3,352	52,100 PSI	
IMR	IMR 4320	Out of Stock	0.224"	2.210"	24.8 3,006	39,400 PSI	27.5C 3,270	48,900 PSI	
IMR	IMR 4895	Buy now	0.224"	2.210"	25.2 3,118	43,300 PSI	26.7C 3,211	45,200 PSI	
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.210"	23.5 3,111	40,500 PSI	25.8 3,407	53,300 PSI	
Winchester	748	Buy now	0.224"	2.210"	null		26.0 3,200	40,000 CUP	
Winchester	StaBALL Match	Out of Stock	0.224"	2.210"	25.7 3,084	40,800 PSI	28.0C 3,400	54,300 PSI	

Bullet Weight 52 GR. BER FBV Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.260"	21.2 2,895	49,300 PSI	23.5 3,180	54,800 PSI	
Accurate	2230	Buy now	0.224"	2.260"	22.1 3,088	49,500 PSI	24.6 3,375	55,000 PSI	
Accurate	2460	Buy now	0.224"	2.255"	21.8 3,003	49,100 PSI	24.2 3,282	54,600 PSI	
Accurate	2520	Out of Stock	0.224"	2.260"	23.4 3,052	49,400 PSI	26.0 3,335	54,900 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	22.2 2,983	48,400 PSI	24.7 3,260	53,800 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	22.1 3,088	49,500 PSI	24.6 3,375	55,000 PSI	

Bullet Weight 52 GR. NOS HPBT CC Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.226"	21.2 2,906	48,700 PSI	23.6 3,176	54,100 PSI	
Accurate	2200	Buy now	0.224"	2.236"	21.4 3,011	48,100 PSI	23.8 3,291	53,400 PSI	
Accurate	2230	Buy now	0.224"	2.226"	22.1 3,059	48,000 PSI	24.6 3,343	53,400 PSI	
Accurate	2460	Buy now	0.224"	2.236"	22.7 2,992	49,400 PSI	25.2 3,310	54,900 PSI	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2520	Out of Stock	0.224"	2.226"	24.7 3,100	48,700 PSI	27.4 3,388	54,100 PSI	
Accurate	LT-30	Buy now	0.224"	2.237"	20.0 3,009	48,900 PSI	22.2 3,257	54,400 PSI	
Accurate	LT-32	Buy now	0.224"	2.237"	21.4 3,039	49,400 PSI	23.8 3,324	54,900 PSI	
Ramshot	TAC	Buy now	0.224"	2.226"	22.5 3,003	47,900 PSI	25.0 3,282	53,300 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.226"	22.1 3,059	48,000 PSI	24.6 3,343	53,400 PSI	

Bullet Weight 53 GR. BAR TSX FB Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.202"	20.4 2,750	49,500 PSI	22.7 3,050	55,000 PSI	
Accurate	2200	Buy now	0.224"	2.213"	20.7 2,936	48,900 PSI	23.0 3,209	54,300 PSI	
Accurate	2230	Buy now	0.224"	2.202"	22.3 3,015	49,200 PSI	24.8 3,295	54,700 PSI	
Accurate	2460	Buy now	0.224"	2.213"	22.9 3,013	48,600 PSI	25.4 3,293	54,100 PSI	
Accurate	2520	Out of Stock	0.224"	2.202"	25.0 3,044	47,400 PSI	27.8 3,327	52,700 PSI	
Accurate	LT-30	Buy now	0.224"	2.200"	19.6 2,922	49,400 PSI	21.7 3,186	54,900 PSI	
Accurate	LT-32	Buy now	0.224"	2.200"	21.0 2,923	49,300 PSI	23.3 3,214	54,800 PSI	
Ramshot	TAC	Buy now	0.224"	2.202"	22.9 2,977	49,100 PSI	25.4 3,254	54,600 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.202"	22.3 3,015	49,200 PSI	24.8 3,295	54,700 PSI	

Bullet Weight 53 GR. HDY HP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	5744	Buy now	0.224"	2.225"	16.8 2,626	48,400 PSI	18.7 2,985	53,900 PSI	

Bullet Weight 53 GR. SIE HP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	Benchmark	Buy now	0.224"	2.200"	24.0 3,102	39,900 CUP	26.0 3,308	49,800 CUP	
Hodgdon	BL-C(2)	Buy now	0.224"	2.200"	26.0 3,090	36,600 CUP	28.0 3,328	47,600 CUP	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs.	Vel. (ft/s) Pressure	Grs.	Vel. (ft/s) Pressure	
Hodgdon	CFE 223	Out of Stock	0.224"	2.200"	27.0	3,245 45,900 PSI	28.5	3,415	52,900 PSI
Hodgdon	H322	Out of Stock	0.224"	2.200"	21.5	2,912 39,200 CUP	23.5	3,183	48,900 CUP
Hodgdon	H335	Buy now	0.224"	2.200"	24.0	3,060 44,100 CUP	26.0	3,300	52,000 CUP
Hodgdon	H4198	Out of Stock	0.224"	2.200"	19.5	2,986 34,200 CUP	21.5	3,188	46,700 CUP
Hodgdon	H4895	Out of Stock	0.224"	2.200"	25.0	3,166 37,400 CUP	27.0C	3,383	48,600 CUP
Hodgdon	Varget	Buy now	0.224"	2.200"	24.0	3,026 38,400 CUP	27.0C	3,389	47,900 CUP
IMR	IMR 3031	Buy now	0.224"	2.200"	22.0	2,959 40,700 PSI	24.5C	3,260	53,300 PSI
IMR	IMR 4064	Buy now	0.224"	2.200"	24.0	2,964 41,600 PSI	25.7C	3,178	45,600 PSI
IMR	IMR 4166	Out of Stock	0.224"	2.200.000"	23.4	2,936 44,300 PSI	25.6C	3,174	52,500 PSI
IMR	IMR 4198	Buy now	0.224"	2.200"	19.0	2,972 43,800 PSI	21.4	3,268	48,200 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.200"	24.0	2,929 40,400 PSI	27.5C	3,273	52,300 PSI
IMR	IMR 4895	Buy now	0.224"	2.200"	24.5	3,012 43,900 PSI	26.4C	3,238	52,300 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.200"	23.0	3,032 41,400 PSI	25.4	3,310	53,400 PSI
Winchester	748	Buy now	0.224"	2.200"	null		26.0	3,200	43,500 CUP

Bullet Weight 55 GR. BAR MPG Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs.	Vel. (ft/s) Pressure	Grs.	Vel. (ft/s) Pressure	
Accurate	2200	Buy now	0.224"	2.180"	19.0	2,745 48,600 PSI	21.1	2,977	54,000 PSI
Accurate	2230	Buy now	0.224"	2.180"	23.3	2,946 49,400 PSI	25.9	3,186	54,900 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.180"	23.3	2,946 49,400 PSI	25.9	3,186	54,900 PSI

Bullet Weight 55 GR. BAR TSX FB Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs.	Vel. (ft/s) Pressure	Grs.	Vel. (ft/s) Pressure	
Accurate	2015	Buy now	0.224"	2.183"	19.8	2,685 49,400 PSI	22.0	2,966	54,900 PSI
Accurate	2200	Buy now	0.224"	2.190"	20.0	2,798 48,300 PSI	22.2	3,058	53,700 PSI
Accurate	2230	Buy now	0.224"	2.183"	21.7	2,905 49,400 PSI	24.1	3,195	54,900 PSI

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2460	Buy now	0.224"	2.190"	22.0	2,887	48,000 PSI	24.4	3,155	53,300 PSI
Accurate	2520	Out of Stock	0.224"	2.183"	24.1	2,959	48,700 PSI	26.8	3,234	54,100 PSI
Hodgdon	Benchmark	Buy now	0.224"	2.180"	20.0	2,885	47,600 PSI	22.2	3,066	52,200 PSI
Hodgdon	BL-C(2)	Buy now	0.224"	2.180"	23.4	2,888	41,900 PSI	26.0	3,135	50,300 PSI
Hodgdon	CFE 223	Out of Stock	0.224"	2.180"	24.7	3,065	44,600 PSI	27.4	3,317	54,000 PSI
Hodgdon	H322	Out of Stock	0.224"	2.180"	21.0	2,953	48,600 PSI	22.4	3,083	51,300 PSI
Hodgdon	H335	Buy now	0.224"	2.180"	21.3	2,920	48,900 PSI	22.7	3,063	53,000 PSI
Hodgdon	H4895	Out of Stock	0.224"	2.180"	21.0	2,910	43,700 PSI	22.6	3,110	51,500 PSI
Hodgdon	Varget	Buy now	0.224"	2.180"	22.8	2,996	47,600 PSI	24.0C	3,134	53,300 PSI
IMR	IMR 3031	Buy now	0.224"	2.180"	20.0	2,878	46,800 PSI	21.3	3,024	52,200 PSI
IMR	IMR 4064	Buy now	0.224"	2.180"	21.2	2,871	43,900 PSI	23.5C	3,116	52,500 PSI
IMR	IMR 4166	Out of Stock	0.224"	2.180"	22.9	2,845	45,600 PSI	25.5C	3,096	53,800 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.180"	22.1	2,805	41,900 PSI	24.6	3,078	52,100 PSI
IMR	IMR 4895	Buy now	0.224"	2.180"	21.5	2,837	43,000 PSI	23.9C	3,107	52,300 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.180"	21.5	2,949	47,600 PSI	23.0	3,105	52,900 PSI
Ramshot	TAC	Buy now	0.224"	2.183"	22.5	2,887	48,500 PSI	25.0	3,155	53,900 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.183"	21.8	2,914	49,500 PSI	24.2	3,185	55,000 PSI
Winchester	748	Buy now	0.224"	2.180"	22.5	2,862	39,200 PSI	25.0	3,104	48,500 PSI
Winchester	StaBALL Match	Out of Stock	0.224"	2.185"	25.0	2,985	45,800 PSI	27.0C	3,207	54,500 PSI

Bullet Weight 55 GR. BER FBV Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.244"	20.9	2,795	49,300 PSI	23.2	3,075	54,800 PSI
Accurate	2200	Buy now	0.224"	2.260"	21.0	2,898	48,800 PSI	23.3	3,167	54,200 PSI
Accurate	2230	Buy now	0.224"	2.244"	21.3	2,965	49,500 PSI	23.7	3,240	55,000 PSI
Accurate	2460	Buy now	0.224"	2.260"	20.9	2,886	48,900 PSI	23.2	3,154	54,300 PSI

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2520	Out of Stock	0.224"	2.244"	22.7 2,931	48,600 PSI	25.2 3,203	54,000 PSI	
Ramshot	TAC	Buy now	0.224"	2.244"	22.1 2,927	49,300 PSI	24.5 3,199	54,700 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.244"	21.3 2,965	49,500 PSI	23.7 3,240	55,000 PSI	

Bullet Weight 55 GR. HDY FMJ Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	Clays	Out of Stock	0.224"	2.200"	null		3.2 1,060	3,700 CUP	
Hodgdon	Titegroup	Buy now	0.224"	2.200"	null		3.1 1,064	4,000 CUP	
Hodgdon	Trail Boss	Out of Stock	0.224"	2.200"	null		4.0 1,074		

Bullet Weight 55 GR. HDY FMJBT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.200"	20.9 2,804	49,300 PSI	23.2 3,105	54,800 PSI	
Accurate	2200	Buy now	0.224"	2.200"	20.4 2,936	48,900 PSI	22.7 3,202	54,400 PSI	
Accurate	2230	Buy now	0.224"	2.200"	22.4 2,976	49,000 PSI	24.9 3,278	54,500 PSI	
Accurate	2460	Buy now	0.224"	2.200"	22.6 3,029	49,100 PSI	25.1 3,293	54,600 PSI	
Accurate	2520	Out of Stock	0.224"	2.200"	24.3 3,053	49,400 PSI	27.0 3,345	54,900 PSI	
Ramshot	TAC	Buy now	0.224"	2.200"	23.2 3,018	49,400 PSI	25.8 3,293	54,900 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.200"	22.4 2,976	49,000 PSI	24.9 3,278	54,500 PSI	

Bullet Weight 55 GR. HDY GMX Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	LT-30	Buy now	0.224"	2.185"	17.4 2,645	49,200 PSI	19.3 2,879	54,700 PSI	
Accurate	LT-32	Buy now	0.224"	2.185"	18.6 2,699	49,100 PSI	20.6 2,932	54,600 PSI	

Bullet Weight 55 GR. HDY SP Case Winchester Primer Winchester SR, Small Rifle

Starting Load Maximum Loads

Manufacturer	Powder		Bullet Diam.	C.O.L	Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2200	Buy now	0.224"	2.220"	20.5 2,846	47,900 PSI	22.8 3,110	53,200 PSI

Bullet Weight 55 GR. HDY SPSX Case Winchester Primer Winchester SR, Small Rifle

Starting Load

Maximum Loads

Manufacturer	Powder		Bullet Diam.	C.O.L	Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.195"	20.3 2,750	47,700 PSI	22.5 3,005	53,000 PSI
Accurate	2230	Buy now	0.224"	2.195"	21.4 2,949	48,700 PSI	23.8 3,223	54,100 PSI
Ramshot	TAC	Buy now	0.224"	2.195"	21.6 2,879	49,000 PSI	24.0 3,146	54,500 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.195"	21.4 2,949	48,700 PSI	23.8 3,223	54,100 PSI

Bullet Weight 55 GR. HDY V-MAX Case Winchester Primer Winchester SR, Small Rifle

Starting Load

Maximum Loads

Manufacturer	Powder		Bullet Diam.	C.O.L	Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.260"	20.3 2,735	49,300 PSI	22.5 3,025	54,800 PSI
Accurate	2230	Buy now	0.224"	2.260"	21.2 2,936	48,800 PSI	23.5 3,209	54,200 PSI
Accurate	2460	Buy now	0.224"	2.260"	21.8 2,914	49,500 PSI	24.2 3,185	55,000 PSI
Accurate	2495	Buy now	0.224"	2.230"	22.5 2,832	47,800 PSI	25.0 3,111	53,100 PSI
Accurate	2520	Out of Stock	0.224"	2.260"	23.0 2,934	48,700 PSI	25.6 3,207	54,100 PSI
Accurate	LT-30	Buy now	0.224"	2.260"	19.4 2,860	49,300 PSI	21.5 3,114	54,800 PSI
Accurate	LT-32	Buy now	0.224"	2.260"	20.8 2,924	49,500 PSI	23.1 3,175	55,000 PSI
Ramshot	TAC	Buy now	0.224"	2.260"	22.2 2,909	47,400 PSI	24.7 3,179	52,700 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.260"	21.2 2,936	48,800 PSI	23.5 3,209	54,200 PSI

Bullet Weight 55 GR. MSS VNX Case Winchester Primer Winchester SR, Small Rifle

Starting Load

Maximum Loads

Manufacturer	Powder		Bullet Diam.	C.O.L	Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.162"	20.6 2,800	49,400 PSI	22.9 3,095	54,900 PSI
Accurate	2200	Buy now	0.224"	2.162"	19.8 2,890	48,900 PSI	22.0 3,175	54,300 PSI
Accurate	2230	Buy now	0.224"	2.203"	21.6 2,948	48,500 PSI	24.0 3,222	53,900 PSI
Accurate	2460	Buy now	0.224"	2.203"	21.9 2,936	49,500 PSI	24.3 3,209	55,000 PSI

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2520	Out of Stock	0.224"	2.203"	22.7 2,952	48,200 PSI	25.2 3,226	53,600 PSI	
Ramshot	TAC	Buy now	0.224"	2.162"	22.3 2,931	47,800 PSI	24.8 3,203	53,100 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.162"	21.6 2,943	47,900 PSI	24.0 3,216	53,200 PSI	

Bullet Weight 55 GR. NOS BT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.260"	20.9 2,804	48,600 PSI	23.2 3,065	54,000 PSI	
Accurate	2200	Buy now	0.224"	2.260"	21.1 2,904	47,700 PSI	23.4 3,174	53,000 PSI	
Accurate	2230	Buy now	0.224"	2.260"	22.1 2,983	49,200 PSI	24.5 3,260	54,600 PSI	
Accurate	2460	Buy now	0.224"	2.260"	22.9 2,990	49,400 PSI	25.4 3,268	54,900 PSI	
Accurate	2520	Out of Stock	0.224"	2.260"	24.0 3,000	49,500 PSI	26.7 3,311	55,000 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	23.1 2,987	49,500 PSI	25.7 3,265	55,000 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	22.1 2,983	49,200 PSI	24.5 3,260	54,600 PSI	

Bullet Weight 55 GR. NOS VARMGT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	LT-30	Buy now	0.224"	2.260"	19.6 2,907	49,300 PSI	21.7 3,147	54,800 PSI	

Bullet Weight 55 GR. SFIRE Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	Benchmark	Buy now	0.224"	2.220"	21.0 2,903	42,600 PSI	23.4 3,128	51,000 PSI	
Hodgdon	BL-C(2)	Buy now	0.224"	2.220"	24.0 2,937	40,800 PSI	27.0 3,220	51,500 PSI	
Hodgdon	H322	Out of Stock	0.224"	2.220"	21.0 2,894	42,800 PSI	23.1 3,113	51,700 PSI	
Hodgdon	H335	Buy now	0.224"	2.220"	21.4 2,969	47,000 PSI	22.8 3,099	51,800 PSI	
Hodgdon	H4198	Out of Stock	0.224"	2.220"	18.0 2,852	42,700 PSI	20.4 3,084	51,400 PSI	
Hodgdon	H4895	Out of Stock	0.224"	2.220"	22.0 2,941	40,600 PSI	24.6C 3,226	53,500 PSI	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	Varget	Buy now	0.224"	2.220"	23.5 2,990	45,200 PSI	25.1C 3,149	51,700 PSI	
IMR	IMR 4064	Buy now	0.224"	2.220"	21.0 2,711	37,100 PSI	23.0C 2,945	44,800 PSI	
IMR	IMR 4320	Out of Stock	0.224"	2.220"	23.0 2,796	39,300 PSI	25.5 3,100	51,100 PSI	
IMR	IMR 4895	Buy now	0.224"	2.220"	22.0 2,827	40,500 PSI	24.6C 3,106	50,700 PSI	

Bullet Weight 55 GR. SFIRE NTP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2200	Buy now	0.224"	2.260"	19.7 2,859	49,100 PSI	21.9 3,157	54,600 PSI	
Accurate	2230	Buy now	0.224"	2.260"	22.5 2,997	49,500 PSI	25.0 3,285	55,000 PSI	
Accurate	2460	Buy now	0.224"	2.260"	22.7 3,019	49,400 PSI	25.2 3,302	54,900 PSI	
Accurate	2520	Out of Stock	0.224"	2.260"	24.3 3,024	46,800 PSI	27.1 3,304	52,200 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	22.5 2,997	49,500 PSI	25.0 3,285	55,000 PSI	

Bullet Weight 55 GR. SFIRE WTP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Ramshot	TAC	Buy now	0.224"	2.244"	23.1 2,929	48,700 PSI	25.7 3,254	54,200 PSI	

Bullet Weight 55 GR. SIE HPBT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.160"	21.0 2,804	48,700 PSI	23.3 3,064	54,100 PSI	
Accurate	2200	Buy now	0.224"	2.175"	20.6 2,890	48,700 PSI	22.9 3,159	54,200 PSI	
Accurate	2230	Buy now	0.224"	2.160"	22.2 3,007	49,300 PSI	24.7 3,286	54,800 PSI	
Accurate	2460	Buy now	0.224"	2.175"	23.0 3,010	50,000 PSI	25.5 3,290	55,500 PSI	
Accurate	2520	Out of Stock	0.224"	2.160"	24.1 2,985	49,400 PSI	26.8 3,295	54,900 PSI	
Ramshot	TAC	Buy now	0.224"	2.160"	23.2 3,000	49,400 PSI	25.8 3,279	54,900 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.160"	22.2 3,007	49,300 PSI	24.7 3,286	54,800 PSI	

Bullet Weight 55 GR. SIE SBT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2200	Buy now	0.224"	2.230"	20.9	2,934	48,900 PSI	23.2	3,207	54,300 PSI
Accurate	2230	Buy now	0.224"	2.215"	22.1	3,028	49,400 PSI	24.5	3,309	54,900 PSI
Accurate	2460	Buy now	0.224"	2.230"	22.1	2,967	48,900 PSI	24.6	3,243	54,300 PSI
Accurate	2520	Out of Stock	0.224"	2.215"	24.0	3,012	48,700 PSI	26.7	3,292	54,100 PSI
Ramshot	TAC	Buy now	0.224"	2.215"	23.0	3,002	49,500 PSI	25.5	3,281	55,000 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.215"	22.2	3,028	49,500 PSI	24.7	3,309	55,000 PSI

Bullet Weight 55 GR. SIE SPT Case Winchester Primer Winchester SR, Small Rifle

					Starting Load		Maximum Loads			
Manufacturer	Powder		Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	5744	Buy now	0.224"	2.230"	16.8	2,612	49,400 PSI	18.7	2,968	55,000 PSI

Bullet Weight 55 GR. SPR SP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	Benchmark	Buy now	0.224"	2.200"	24.0	3,113	42,600 CUP	25.6	3,264	50,000 CUP
Hodgdon	BL-C(2)	Buy now	0.224"	2.200"	25.5	3,069	37,200 CUP	27.5	3,313	48,500 CUP
Hodgdon	CFE 223	Out of Stock	0.224"	2.200"	26.0	3,133	43,300 PSI	27.8	3,329	51,300 PSI
Hodgdon	H322	Out of Stock	0.224"	2.200"	21.0	2,841	38,600 CUP	23.0	3,106	48,900 CUP
Hodgdon	H335	Buy now	0.224"	2.200"	23.0	3,018	40,800 CUP	25.3	3,203	49,300 CUP
Hodgdon	H4198	Out of Stock	0.224"	2.200"	19.0	2,841	34,800 CUP	21.0	3,150	47,600 CUP
Hodgdon	H4895	Out of Stock	0.224"	2.200"	25.0	3,176	39,700 CUP	26.0	3,315	49,000 CUP
Hodgdon	Varget	Buy now	0.224"	2.200"	25.5	3,174	41,300 CUP	27.5C	3,384	49,700 CUP
IMR	IMR 3031	Buy now	0.224"	2.200"	21.6	2,907	41,100 PSI	24.6C	3,233	52,500 PSI
IMR	IMR 4064	Buy now	0.224"	2.200"	23.0	2,867	40,300 PSI	25.7C	3,201	52,600 PSI
IMR	IMR 4166	Out of Stock	0.224"	2.200"	24.2	2,975	44,900 PSI	26.2C	3,195	53,200 PSI
IMR	IMR 4198	Buy now	0.224"	2.200"	18.8	2,885	41,600 PSI	20.4	3,122	53,600 PSI

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
IMR	IMR 4320	Out of Stock	0.224"	2.200"	23.5 2,874	41,300 PSI	26.1C 3,146	50,700 PSI	
IMR	IMR 4895	Buy now	0.224"	2.200"	23.0 2,843	39,500 PSI	26.2C 3,219	53,200 PSI	
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.200"	23.0 3,024	42,100 PSI	25.3 3,268	53,100 PSI	
Winchester	748	Buy now	0.224"	2.200"	null		26.3 3,150	39,000 CUP	
Winchester	StaBALL Match	Out of Stock	0.224"	2.200"	25.0 2,890	37,400 PSI	27.0C 3,212	52,000 PSI	

Bullet Weight 60 GR. HDY V-MAX Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2230	Buy now	0.224"	2.250"	21.0 2,795	49,500 PSI	23.3 3,082	55,000 PSI	
Hodgdon	Benchmark	Buy now	0.224"	2.250"	23.0 2,913	42,500 CUP	24.6 3,086	49,900 CUP	
Hodgdon	BL-C(2)	Buy now	0.224"	2.250"	25.0 2,948	44,900 CUP	27.0 3,137	51,900 CUP	
Hodgdon	CFE 223	Out of Stock	0.224"	2.250"	25.0 3,007	46,000 PSI	26.7 3,176	53,400 PSI	
Hodgdon	H322	Out of Stock	0.224"	2.250"	22.0 2,873	40,300 CUP	23.5 3,063	49,800 CUP	
Hodgdon	H335	Buy now	0.224"	2.250"	22.5 2,910	43,700 CUP	24.0 3,075	50,600 CUP	
Hodgdon	H4198	Out of Stock	0.224"	2.250"	18.0 2,747	42,500 CUP	20.0 2,953	47,600 CUP	
Hodgdon	H4895	Out of Stock	0.224"	2.250"	24.0 2,918	37,600 CUP	26.0C 3,174	50,100 CUP	
Hodgdon	Varget	Buy now	0.224"	2.250"	25.0 2,924	40,400 CUP	27.0C 3,159	51,900 CUP	
IMR	IMR 3031	Buy now	0.224"	2.250"	21.0 2,815	42,500 PSI	22.5 3,008	51,700 PSI	
IMR	IMR 4064	Buy now	0.224"	2.250"	23.0 2,837	42,500 PSI	24.7C 3,055	52,600 PSI	
IMR	IMR 4166	Out of Stock	0.224"	2.250"	22.0 2,777	45,800 PSI	24.2C 2,985	53,100 PSI	
IMR	IMR 4198	Buy now	0.224"	2.250"	18.3 2,795	42,500 PSI	19.5 2,945	52,000 PSI	
IMR	IMR 4320	Out of Stock	0.224"	2.250"	23.7 2,860	45,400 PSI	25.3C 3,006	52,100 PSI	
IMR	IMR 4895	Buy now	0.224"	2.250"	23.7 2,884	45,000 PSI	25.2C 3,052	52,700 PSI	
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.250"	21.5 2,857	43,500 PSI	23.6 3,057	51,700 PSI	
Ramshot	TAC	Buy now	0.224"	2.250"	22.0 2,810	49,500 PSI	24.4 3,090	55,000 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.250"	21.0 2,795	49,500 PSI	23.3 3,082	55,000 PSI	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Winchester	StaBALL Match	Out of Stock	0.224"	2.250"	23.8 2,777	40,200 PSI	26.0C 3,099	54,400 PSI

Bullet Weight 60 GR. NOS PART Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.205"	19.4 2,628	48,600 PSI	21.5 2,872	54,100 PSI
Accurate	2200	Buy now	0.224"	2.220"	19.3 2,713	49,100 PSI	21.4 2,965	54,500 PSI
Accurate	2230	Buy now	0.224"	2.205"	21.2 2,836	48,900 PSI	23.6 3,099	54,400 PSI
Accurate	2460	Buy now	0.224"	2.205"	21.2 2,792	48,500 PSI	23.6 3,051	53,900 PSI
Accurate	2520	Out of Stock	0.224"	2.205"	23.0 2,856	49,100 PSI	25.6 3,121	54,500 PSI
Ramshot	TAC	Buy now	0.224"	2.205"	22.3 2,845	49,500 PSI	24.8 3,109	55,000 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.205"	21.2 2,836	48,900 PSI	23.6 3,099	54,400 PSI

Bullet Weight 60 GR. SIE HP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.232"	20.3 2,691	49,500 PSI	22.6 2,941	55,000 PSI
Accurate	2200	Buy now	0.224"	2.232"	20.2 2,738	48,000 PSI	22.4 2,992	53,300 PSI
Accurate	2230	Buy now	0.224"	2.232"	20.9 2,815	48,700 PSI	23.2 3,077	54,100 PSI
Accurate	2460	Buy now	0.224"	2.232"	21.2 2,793	48,600 PSI	23.6 3,053	54,000 PSI
Accurate	2520	Out of Stock	0.224"	2.232"	22.5 2,826	48,800 PSI	25.0 3,089	54,200 PSI
Ramshot	TAC	Buy now	0.224"	2.232"	22.1 2,838	48,700 PSI	24.6 3,102	54,100 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.232"	20.9 2,815	48,700 PSI	23.2 3,077	54,100 PSI

Bullet Weight 62 GR. BAR TAC-XBT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads	
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure
Hodgdon	CFE 223	Out of Stock	0.224"	2.250"	25.3 3,059	47,900 PSI	27.0 3,200	53,200 PSI

Bullet Weight 62 GR. BAR TSX BT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.255"	20.5 2,669	49,300 PSI	22.8 2,935	54,900 PSI	
Accurate	2200	Buy now	0.224"	2.255"	19.5 2,741	49,500 PSI	21.6 3,010	54,900 PSI	
Accurate	2230	Buy now	0.224"	2.255"	22.1 2,833	48,700 PSI	24.5 3,100	54,000 PSI	
Accurate	2460	Buy now	0.224"	2.255"	22.7 2,861	49,200 PSI	25.2 3,132	54,600 PSI	
Accurate	2520	Out of Stock	0.224"	2.255"	24.1 2,864	47,300 PSI	26.8 3,140	52,600 PSI	
Accurate	LT-30	Buy now	0.224"	2.260"	17.8 2,659	49,200 PSI	19.8 2,895	54,700 PSI	
Accurate	LT-32	Buy now	0.224"	2.260"	19.1 2,716	49,500 PSI	21.2 2,944	55,000 PSI	
Ramshot	TAC	Buy now	0.224"	2.255"	22.5 2,804	48,900 PSI	25.0 3,066	54,300 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.255"	22.1 2,833	48,700 PSI	24.5 3,100	54,000 PSI	

Bullet Weight 62 GR. MIL M855 Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.260"	20.4 2,660	49,100 PSI	22.7 2,916	54,500 PSI	
Accurate	2200	Buy now	0.224"	2.260"	19.5 2,750	49,500 PSI	21.7 3,011	55,000 PSI	
Accurate	2230	Buy now	0.224"	2.260"	21.4 2,785	48,700 PSI	23.8 3,050	54,100 PSI	
Accurate	2460	Buy now	0.224"	2.260"	22.1 2,741	48,800 PSI	24.6 3,046	54,300 PSI	
Accurate	2520	Out of Stock	0.224"	2.260"	23.9 2,855	48,900 PSI	26.5 3,127	54,400 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	22.5 2,800	49,500 PSI	25.0 3,078	54,900 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	21.4 2,778	48,700 PSI	23.8 3,050	54,100 PSI	

Bullet Weight 62 GR. SFT SCIR Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	Benchmark	Buy now	0.224"	2.260"	20.8 2,755	45,400 PSI	22.7 2,948	52,800 PSI	
Hodgdon	BL-C(2)	Buy now	0.224"	2.260"	22.5 2,772	45,100 PSI	24.2 2,949	52,500 PSI	
Hodgdon	CFE 223	Out of Stock	0.224"	2.260"	23.8 2,884	44,100 PSI	25.9 3,110	53,700 PSI	
Hodgdon	H322	Out of Stock	0.224"	2.260"	19.5 2,717	45,400 PSI	21.2 2,904	52,300 PSI	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	H335	Buy now	0.224"	2.260"	19.3	2,678	47,500 PSI	21.4	2,887	53,600 PSI
Hodgdon	H4895	Out of Stock	0.224"	2.260"	21.0	2,740	42,300 PSI	23.0	3,004	53,000 PSI
Hodgdon	Varget	Buy now	0.224"	2.260"	22.1	2,773	44,700 PSI	24.1	2,974	52,600 PSI
IMR	IMR 3031	Buy now	0.224"	2.260"	20.3	2,700	43,500 PSI	22.0	2,940	53,100 PSI
IMR	IMR 4064	Buy now	0.224"	2.260"	21.9	2,671	42,200 PSI	23.6	2,928	53,200 PSI
IMR	IMR 4166	Out of Stock	0.224"	2.260"	21.4	2,626	44,000 PSI	23.8C	2,890	53,000 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.260"	22.7	2,729	45,200 PSI	24.4	2,920	52,700 PSI
IMR	IMR 4895	Buy now	0.224"	2.260"	22.4	2,782	46,900 PSI	24.1	2,956	53,400 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.260"	21.4	2,787	43,400 PSI	23.2	2,999	53,000 PSI
Winchester	748	Buy now	0.224"	2.260"	22.3	2,779	44,600 PSI	24.0	2,967	52,400 PSI
Winchester	StaBALL Match	Out of Stock	0.224"	2.260"	23.4	2,736	41,800 PSI	25.5C	3,004	54,400 PSI

Bullet Weight 63 GR. SIE SP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	Benchmark	Buy now	0.224"	2.200"	22.0	2,845	41,800 CUP	24.2	3,066	50,500 CUP
Hodgdon	BL-C(2)	Buy now	0.224"	2.200"	24.0	2,847	36,600 CUP	26.0	3,054	46,300 CUP
Hodgdon	CFE 223	Out of Stock	0.224"	2.200"	25.0	2,957	46,300 PSI	26.4	3,113	53,500 PSI
Hodgdon	H322	Out of Stock	0.224"	2.200"	20.0	2,672	38,100 CUP	22.0	2,862	48,400 CUP
Hodgdon	H335	Buy now	0.224"	2.200"	22.5	2,820	41,000 CUP	25.0	3,051	50,000 CUP
Hodgdon	H4198	Out of Stock	0.224"	2.200"	18.0	2,680	33,600 CUP	20.0	2,846	44,600 CUP
Hodgdon	H4895	Out of Stock	0.224"	2.200"	23.5	2,831	43,300 CUP	25.5	3,078	50,000 CUP
Hodgdon	Varget	Buy now	0.224"	2.200"	24.5	3,000	42,400 CUP	26.4C	3,199	50,700 CUP
IMR	IMR 3031	Buy now	0.224"	2.200"	21.0	2,737	42,900 PSI	23.3	3,018	53,000 PSI
IMR	IMR 4064	Buy now	0.224"	2.200"	22.5	2,765	44,400 PSI	24.8C	3,028	52,600 PSI
IMR	IMR 4166	Out of Stock	0.224"	2.200"	21.7	2,693	43,800 PSI	23.7	2,911	52,600 PSI
IMR	IMR 4198	Buy now	0.224"	2.200"	18.5	2,756	48,100 PSI	20.0	2,946	53,500 PSI

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
IMR	IMR 4320	Out of Stock	0.224"	2.200"	23.0	2,733	42,500 PSI	25.5	2,975	52,900 PSI
IMR	IMR 4895	Buy now	0.224"	2.200"	22.9	2,758	42,700 PSI	25.3	3,054	53,500 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.200"	21.0	2,783	43,000 PSI	23.1	2,995	52,400 PSI
Winchester	748	Buy now	0.224"	2.200"	null			25.0	2,970	47,500 CUP

Bullet Weight 64 GR. BER FBV Case Winchester Primer Winchester SR, Small Rifle

					Starting Load			Maximum Loads		
Manufacturer	Powder		Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	LT-30	Buy now	0.224"	2.260"	18.0	2,681	51,100 PSI	19.4	2,809	54,900 PSI
Accurate	LT-32	Buy now	0.224"	2.260"	19.5	2,672	49,400 PSI	21.6	2,896	54,900 PSI

Bullet Weight 65 GR. SIE SBT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.210"	19.6	2,562	48,400 PSI	21.8	2,806	53,800 PSI
Accurate	2200	Buy now	0.224"	2.210"	18.7	2,675	49,400 PSI	20.7	2,893	54,600 PSI
Accurate	2230	Buy now	0.224"	2.210"	21.0	2,738	48,800 PSI	23.4	2,982	54,400 PSI
Accurate	2460	Buy now	0.224"	2.210"	21.7	2,773	49,200 PSI	24.2	3,020	54,800 PSI
Accurate	2495	Buy now	0.224"	2.210"	20.5	2,721	48,900 PSI	22.8	3,005	54,400 PSI
Accurate	2520	Out of Stock	0.224"	2.210"	22.7	2,777	47,500 PSI	25.2	3,011	52,800 PSI
Ramshot	TAC	Buy now	0.224"	2.210"	21.9	2,743	48,800 PSI	24.3	2,986	54,100 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.210"	21.0	2,738	48,800 PSI	23.4	2,982	54,400 PSI

Bullet Weight 68 GR. HDY BTHP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	LT-30	Buy now	0.224"	2.250"	17.8	2,585	49,500 PSI	19.8	2,815	55,000 PSI
Accurate	LT-32	Buy now	0.224"	2.250"	19.2	2,617	49,200 PSI	21.3	2,861	54,700 PSI

Bullet Weight 68 GR. HDY BTHP-M Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.250"	19.5 2,506	48,700 PSI	21.7 2,777	54,200 PSI	
Accurate	2200	Buy now	0.224"	2.250"	19.0 2,605	49,400 PSI	21.1 2,888	54,900 PSI	
Accurate	2230	Buy now	0.224"	2.250"	21.3 2,721	49,100 PSI	23.7 2,977	54,700 PSI	
Accurate	2460	Buy now	0.224"	2.250"	21.6 2,726	48,900 PSI	24.0 2,990	54,300 PSI	
Accurate	2495	Buy now	0.224"	2.250"	20.9 2,660	49,300 PSI	23.2 2,985	54,700 PSI	
Accurate	2520	Out of Stock	0.224"	2.250"	23.2 2,762	49,200 PSI	25.8 3,031	54,700 PSI	
Ramshot	TAC	Buy now	0.224"	2.250"	22.0 2,699	48,900 PSI	24.4 2,964	54,200 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.250"	21.3 2,721	49,100 PSI	23.7 2,977	54,700 PSI	

Bullet Weight 69 GR. SIE HPBT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.245"	19.7 2,524	49,600 PSI	21.8 2,762	54,900 PSI	
Accurate	2200	Buy now	0.224"	2.245"	18.5 2,613	49,400 PSI	20.6 2,822	55,000 PSI	
Accurate	2230	Buy now	0.224"	2.245"	20.7 2,666	48,800 PSI	23.1 2,895	54,400 PSI	
Accurate	2460	Buy now	0.224"	2.245"	21.1 2,671	48,900 PSI	23.4 2,907	54,300 PSI	
Accurate	2495	Buy now	0.224"	2.245"	20.3 2,664	49,100 PSI	22.5 2,939	54,400 PSI	
Accurate	2520	Out of Stock	0.224"	2.260"	22.0 2,680	49,200 PSI	24.4 2,931	54,600 PSI	
Hodgdon	Benchmark	Buy now	0.224"	2.235"	21.5 2,770	39,700 CUP	23.5 2,970	49,700 CUP	
Hodgdon	BL-C(2)	Buy now	0.224"	2.235"	24.5 2,833	40,600 CUP	26.5 3,029	50,100 CUP	
Hodgdon	CFE 223	Out of Stock	0.224"	2.235"	23.5 2,788	43,800 PSI	25.8 3,029	54,600 PSI	
Hodgdon	H322	Out of Stock	0.224"	2.235"	21.0 2,746	40,500 CUP	23.0 2,932	49,400 CUP	
Hodgdon	H335	Buy now	0.224"	2.235"	22.0 2,801	42,400 CUP	24.0 2,960	49,500 CUP	
Hodgdon	H4895	Out of Stock	0.224"	2.235"	24.0 2,870	41,100 CUP	26.0C 3,069	49,700 CUP	
Hodgdon	Varget	Buy now	0.224"	2.235"	24.0 2,784	39,200 CUP	26.0C 3,010	50,200 CUP	
IMR	IMR 3031	Buy now	0.224"	2.235"	21.0 2,707	42,900 PSI	22.5 2,906	52,800 PSI	
IMR	IMR 4064	Buy now	0.224"	2.235"	22.5 2,690	42,200 PSI	24.0C 2,872	50,900 PSI	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
IMR	IMR 4166	Out of Stock	0.224"	2.235"	21.5 2,603	43,000 PSI	24.0 2,874	53,900 PSI	
IMR	IMR 4198	Buy now	0.224"	2.235"	18.3 2,706	46,300 PSI	19.5 2,818	52,300 PSI	
IMR	IMR 4320	Out of Stock	0.224"	2.235"	23.0 2,673	43,500 PSI	24.8 2,873	53,100 PSI	
IMR	IMR 4895	Buy now	0.224"	2.235"	23.3 2,783	44,600 PSI	24.8C 2,953	53,600 PSI	
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.235"	21.0 2,696	42,200 PSI	23.8 2,959	52,900 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	21.9 2,671	49,200 PSI	24.3 2,921	54,700 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.245"	20.7 2,666	48,800 PSI	23.1 2,895	54,400 PSI	
Winchester	748	Buy now	0.224"	2.235"	null		24.5 2,870	51,500 CUP	

Bullet Weight 70 GR. BAR TSX BT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2200	Buy now	0.224"	2.260"	18.0 2,566	49,500 PSI	20.0 2,778	55,000 PSI	
Accurate	2230	Buy now	0.224"	2.260"	21.0 2,670	49,200 PSI	23.3 2,904	54,600 PSI	
Accurate	2460	Buy now	0.224"	2.260"	21.1 2,664	49,300 PSI	23.4 2,900	54,700 PSI	
Accurate	2520	Out of Stock	0.224"	2.260"	22.4 2,675	49,300 PSI	24.9 2,931	54,800 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	21.6 2,658	49,100 PSI	24.0 2,884	54,500 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	21.0 2,670	49,200 PSI	23.3 2,904	54,600 PSI	

Bullet Weight 70 GR. BAR TSX FB Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.260"	19.0 2,441	48,600 PSI	21.1 2,690	54,000 PSI	

Bullet Weight 70 GR. SPR SP Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	Benchmark	Buy now	0.224"	2.140"	20.5 2,665	45,200 CUP	22.8 2,869	51,000 CUP	
Hodgdon	BL-C(2)	Buy now	0.224"	2.140"	24.5 2,774	41,700 CUP	26.5 2,954	50,800 CUP	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	CFE 223	Out of Stock	0.224"	2.140"	23.0	2,719	45,600 PSI	24.7	2,900	53,800 PSI
Hodgdon	H322	Out of Stock	0.224"	2.140"	19.0	2,515	37,500 CUP	23.0	2,962	51,200 CUP
Hodgdon	H335	Buy now	0.224"	2.140"	21.0	2,520	34,500 CUP	23.5	2,867	47,900 CUP
Hodgdon	H4895	Out of Stock	0.224"	2.140"	23.0	2,782	40,400 CUP	25.0	2,997	50,500 CUP
Hodgdon	Varget	Buy now	0.224"	2.140"	23.5	2,827	41,000 CUP	26.0C	3,024	48,400 CUP
IMR	IMR 3031	Buy now	0.224"	2.140"	19.0	2,582	47,200 PSI	21.2	2,729	50,900 PSI
IMR	IMR 4064	Buy now	0.224"	2.140"	19.5	2,485	42,000 PSI	23.5C	2,831	53,300 PSI
IMR	IMR 4166	Out of Stock	0.224"	2.140"	20.9	2,503	42,700 PSI	23.3C	2,767	52,900 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.140"	20.3	2,490	38,200 PSI	24.3	2,799	52,900 PSI
IMR	IMR 4895	Buy now	0.224"	2.140"	20.2	2,562	45,700 PSI	24.5C	2,917	52,300 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.140"	20.0	2,621	44,100 PSI	21.8	2,797	52,800 PSI
Winchester	StaBALL Match	Out of Stock	0.224"	2.140"	23.0	2,605	40,400 PSI	25.3C	2,889	54,000 PSI

Bullet Weight 75 GR. HDY BTHP-M Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.260"	19.1	2,425	49,500 PSI	21.2	2,652	54,900 PSI
Accurate	2200	Buy now	0.224"	2.260"	18.5	2,493	48,900 PSI	20.6	2,720	54,400 PSI
Accurate	2230	Buy now	0.224"	2.260"	20.4	2,563	48,800 PSI	22.7	2,794	54,300 PSI
Accurate	2460	Buy now	0.224"	2.260"	21.0	2,574	48,800 PSI	23.3	2,813	54,200 PSI
Accurate	2495	Buy now	0.224"	2.276"	20.1	2,572	49,300 PSI	22.4	2,855	55,000 PSI
Accurate	2520	Out of Stock	0.224"	2.260"	22.2	2,610	49,100 PSI	24.7	2,863	54,600 PSI
Ramshot	TAC	Buy now	0.224"	2.260"	21.7	2,582	48,900 PSI	24.1	2,820	54,300 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.260"	20.4	2,563	48,800 PSI	22.7	2,794	54,300 PSI

Bullet Weight 75 GR. JLK VLD Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	Benchmark	Buy now	0.224"	2.250"	21.5	2,610	41,900 CUP	23.5	2,829	49,400 CUP
Hodgdon	BL-C(2)	Buy now	0.224"	2.250"	23.0	2,646	39,800 CUP	26.0	2,858	49,500 CUP
Hodgdon	CFE 223	Out of Stock	0.224"	2.250"	23.0	2,680	45,200 PSI	25.0	2,876	54,400 PSI
Hodgdon	H322	Out of Stock	0.224"	2.250"	20.0	2,594	40,700 CUP	22.0	2,785	48,100 CUP
Hodgdon	H335	Buy now	0.224"	2.250"	21.0	2,624	41,300 CUP	23.0	2,814	50,000 CUP
Hodgdon	H4895	Out of Stock	0.224"	2.250"	22.5	2,696	39,900 CUP	24.5	2,905	50,000 CUP
Hodgdon	Varget	Buy now	0.224"	2.250"	22.5	2,693	40,600 CUP	25.0C	2,907	48,400 CUP
IMR	IMR 3031	Buy now	0.224"	2.250"	20.0	2,543	40,000 PSI	21.8C	2,740	53,500 PSI
IMR	IMR 4064	Buy now	0.224"	2.250"	21.0	2,531	37,500 PSI	24.0C	2,827	53,400 PSI
IMR	IMR 4166	Out of Stock	0.224"	2.250"	20.8	2,530	45,100 PSI	23.0	2,733	53,000 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.250"	22.5	2,554	39,700 PSI	24.2C	2,766	53,200 PSI
IMR	IMR 4895	Buy now	0.224"	2.250"	21.2	2,506	41,200 PSI	23.8C	2,786	51,800 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.250"	20.0	2,538	40,800 PSI	22.7	2,804	53,900 PSI
Winchester	StaBALL Match	Out of Stock	0.224"	2.250"	23.0	3,246	41,400 PSI	25.3C	2,850	54,400 PSI

Bullet Weight 77 GR. SIE HPBT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.260"	18.5	2,333	49,400 PSI	20.5	2,553	54,700 PSI
Accurate	2200	Buy now	0.224"	2.260"	17.6	2,395	49,000 PSI	19.6	2,618	54,600 PSI
Accurate	2230	Buy now	0.224"	2.260"	20.0	2,531	48,900 PSI	22.2	2,731	54,300 PSI
Accurate	2460	Buy now	0.224"	2.260"	20.4	2,532	48,800 PSI	22.6	2,743	54,100 PSI
Accurate	2495	Buy now	0.224"	2.260"	19.6	2,487	48,900 PSI	21.8	2,741	54,400 PSI
Accurate	2520	Out of Stock	0.224"	2.260"	21.7	2,553	49,300 PSI	24.1	2,785	54,800 PSI
Accurate	LT-30	Buy now	0.224"	2.260"	16.5	2,342	49,400 PSI	18.3	2,539	54,800 PSI
Accurate	LT-32	Buy now	0.224"	2.260"	17.9	2,417	49,400 PSI	19.9	2,625	54,900 PSI
Hodgdon	Benchmark	Buy now	0.224"	2.260"	20.5	2,523	37,400 CUP	22.8	2,763	50,000 CUP

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	BL-C(2)	Buy now	0.224"	2.260"	23.0 2,640	42,500 CUP	24.9 2,804	50,700 CUP	
Hodgdon	CFE 223	Out of Stock	0.224"	2.260"	22.5 2,627	45,400 PSI	24.3 2,811	53,500 PSI	
Hodgdon	H322	Out of Stock	0.224"	2.260"	20.0 2,578	44,900 CUP	21.8 2,721	50,900 CUP	
Hodgdon	H335	Buy now	0.224"	2.260"	21.0 2,582	44,400 CUP	22.6 2,738	51,700 CUP	
Hodgdon	H4895	Out of Stock	0.224"	2.260"	20.0 2,474	40,300 CUP	22.6C 2,727	50,200 CUP	
Hodgdon	Varget	Buy now	0.224"	2.260"	21.0 2,528	42,700 CUP	23.7C 2,737	50,700 CUP	
IMR	IMR 3031	Buy now	0.224"	2.260"	18.5 2,365	42,200 PSI	21.3C 2,692	53,700 PSI	
IMR	IMR 4064	Buy now	0.224"	2.260"	20.0 2,397	42,200 PSI	22.7C 2,698	53,000 PSI	
IMR	IMR 4166	Out of Stock	0.224"	2.260"	19.9 2,452	45,200 PSI	22.0 2,663	53,600 PSI	
IMR	IMR 4320	Out of Stock	0.224"	2.260"	20.5 2,347	42,000 PSI	23.1C 2,654	50,300 PSI	
IMR	IMR 4895	Buy now	0.224"	2.260"	20.0 2,379	41,800 PSI	23.0C 2,708	53,100 PSI	
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.260"	20.5 2,535	41,800 PSI	23.2 2,792	55,000 PSI	
Ramshot	TAC	Buy now	0.224"	2.260"	21.1 2,483	49,100 PSI	23.4 2,759	54,500 PSI	
Ramshot	X-Terminator	Buy now	0.224"	2.260"	20.2 2,531	49,400 PSI	22.2 2,731	54,300 PSI	
Winchester	StaBALL 6.5	Buy now	0.224"	2.260"	24.9 2,519	45,000 PSI	26.8C 2,733	53,800 PSI	
Winchester	StaBALL Match	Out of Stock	0.224"	2.260"	22.0 2,497	41,200 PSI	24.0 2,754	54,700 PSI	

Bullet Weight 80 GR. SIE HPBT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Accurate	2015	Buy now	0.224"	2.380"	19.5 2,349	49,100 PSI	21.7 2,582	54,700 PSI	
Accurate	2200	Buy now	0.224"	2.260"	18.8 2,414	49,000 PSI	20.9 2,641	54,500 PSI	
Accurate	2230	Buy now	0.224"	2.380"	20.8 2,528	49,000 PSI	23.1 2,732	54,400 PSI	
Accurate	2460	Buy now	0.224"	2.380"	21.0 2,509	48,800 PSI	23.3 2,729	54,100 PSI	
Accurate	2495	Buy now	0.224"	2.380"	19.3 2,467	48,800 PSI	21.5 2,726	54,400 PSI	
Accurate	2520	Out of Stock	0.224"	2.380"	22.4 2,536	49,400 PSI	24.9 2,792	54,900 PSI	
Ramshot	TAC	Buy now	0.224"	2.380"	21.9 2,500	48,900 PSI	24.3 2,749	54,300 PSI	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Ramshot	X-Terminator	Buy now	0.224"	2.380"	20.8 2,528	49,000 PSI	23.1 2,732	54,400 PSI	

Bullet Weight 80 GR. SIE MK Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	Benchmark	Buy now	0.224"	2.380"	20.5 2,525	43,900 CUP	22.5 2,700	49,600 CUP	
Hodgdon	BL-C(2)	Buy now	0.224"	2.380"	23.0 2,576	39,700 CUP	25.5 2,768	49,400 CUP	
Hodgdon	CFE 223	Out of Stock	0.224"	2.380"	23.0 2,638	46,700 PSI	24.4 2,785	53,600 PSI	
Hodgdon	H322	Out of Stock	0.224"	2.380"	20.0 2,546	40,700 CUP	22.0 2,744	49,000 CUP	
Hodgdon	H335	Buy now	0.224"	2.380"	20.0 2,453	39,700 CUP	22.5 2,744	50,000 CUP	
Hodgdon	H4895	Out of Stock	0.224"	2.380"	21.5 2,578	40,100 CUP	24.0 2,825	50,000 CUP	
Hodgdon	Varget	Buy now	0.224"	2.380"	22.0 2,547	40,300 CUP	25.0C 2,869	51,500 CUP	
IMR	IMR 3031	Buy now	0.224"	2.380"	18.5 2,336	42,600 PSI	21.0 2,632	51,500 PSI	
IMR	IMR 4064	Buy now	0.224"	2.380"	20.0 2,415	39,500 PSI	22.7C 2,673	51,900 PSI	
IMR	IMR 4166	Out of Stock	0.224"	2.380"	20.3 2,446	43,400 PSI	22.6C 2,704	54,500 PSI	
IMR	IMR 4320	Out of Stock	0.224"	2.380"	21.5 2,484	42,600 PSI	23.1 2,647	51,700 PSI	
IMR	IMR 4895	Buy now	0.224"	2.380"	20.0 2,346	41,300 PSI	23.0C 2,708	53,900 PSI	
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.380"	19.0 2,456	44,400 PSI	21.0 2,628	52,900 PSI	
Winchester	StaBALL 6.5	Buy now	0.224"	2.380"	23.9 2,424	40,800 PSI	26.6 2,702	53,200 PSI	

Bullet Weight 82 GR. BER BT TARG Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
					Grs. Vel. (ft/s)	Pressure	Grs. Vel. (ft/s)	Pressure	
Hodgdon	BL-C(2)	Buy now	0.224"	2.375"	21.1 2,429	43,300 PSI	22.9 2,617	52,200 PSI	
Hodgdon	CFE 223	Out of Stock	0.224"	2.375"	21.7 2,518	44,000 PSI	23.5 2,724	53,300 PSI	
Hodgdon	H414	Out of Stock	0.224"	2.375"	23.2 2,478	44,700 PSI	25.0 2,667	53,700 PSI	
Hodgdon	H4895	Out of Stock	0.224"	2.375"	18.9 2,448	46,500 PSI	20.4 2,585	52,700 PSI	
Hodgdon	Varget	Buy now	0.224"	2.375"	20.0 2,417	44,000 PSI	21.5 2,590	52,800 PSI	

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
IMR	IMR 4166	Out of Stock	0.224"	2.375"	20.3	2,461	46,200 PSI	22.5C	2,648	53,400 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.375"	20.5	2,398	45,000 PSI	22.2	2,582	53,300 PSI
IMR	IMR 4895	Buy now	0.224"	2.375"	20.0	2,380	43,100 PSI	21.7	2,590	52,700 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.375"	18.4	2,392	44,440 PSI	19.9	2,554	52,100 PSI
Winchester	760	Out of Stock	0.224"	2.375"	23.2	2,478	44,700 PSI	25.0	2,667	53,700 PSI
Winchester	StaBALL 6.5	Buy now	0.224"	2.375"	24.3	2,450	43,300 PSI	26.3	2,675	53,900 PSI

Bullet Weight 90 GR. SIE HPBT Case Winchester Primer Winchester SR, Small Rifle

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2015	Buy now	0.224"	2.380"	19.0	2,198	49,100 PSI	21.1	2,400	54,500 PSI
Accurate	2200	Buy now	0.224"	2.260"	18.1	2,235	49,300 PSI	20.1	2,446	54,700 PSI
Accurate	2230	Buy now	0.224"	2.380"	19.6	2,393	49,200 PSI	21.8	2,542	54,700 PSI
Accurate	2460	Buy now	0.224"	2.380"	19.7	2,363	48,700 PSI	21.9	2,537	54,100 PSI
Accurate	2495	Buy now	0.224"	2.380"	18.6	2,315	49,100 PSI	20.6	2,545	54,400 PSI
Accurate	2520	Out of Stock	0.224"	2.380"	21.2	2,374	48,900 PSI	23.6	2,586	54,400 PSI
Hodgdon	BL-C(2)	Buy now	0.224"	2.380"	21.0	2,291	41,400 PSI	22.5	2,491	52,300 PSI
Hodgdon	CFE 223	Out of Stock	0.224"	2.380"	21.0	2,391	45,900 PSI	22.8	2,554	53,500 PSI
Hodgdon	H414	Out of Stock	0.224"	2.380"	22.5	2,332	41,700 PSI	24.0	2,482	52,100 PSI
Hodgdon	H4895	Out of Stock	0.224"	2.380"	20.0	2,352	47,500 PSI	21.5	2,481	53,500 PSI
Hodgdon	Varget	Buy now	0.224"	2.380"	21.0	2,332	46,700 PSI	22.3C	2,447	52,100 PSI
IMR	IMR 4166	Out of Stock	0.224"	2.380"	19.3	2,272	42,600 PSI	21.4C	2,510	53,800 PSI
IMR	IMR 4320	Out of Stock	0.224"	2.380"	21.0	2,338	47,800 PSI	22.5C	2,476	53,800 PSI
IMR	IMR 4895	Buy now	0.224"	2.380"	21.0	2,356	46,200 PSI	22.5C	2,527	53,000 PSI
IMR	IMR 8208 XBR	Out of Stock	0.224"	2.380"	18.0	2,270	45,600 PSI	19.6	2,419	52,800 PSI
Ramshot	TAC	Buy now	0.224"	2.380"	20.5	2,313	49,200 PSI	22.8	2,546	54,700 PSI
Ramshot	X-Terminator	Buy now	0.224"	2.380"	19.6	2,393	49,200 PSI	21.8	2,542	54,700 PSI

Manufacturer	Powder		Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
					Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Winchester	760	Out of Stock	0.224"	2.380"	22.5	2,332	41,700 PSI	24.0	2,482	52,100 PSI
Winchester	StaBALL 6.5	Buy now	0.224"	2.380"	23.6	2,374	44,200 PSI	25.7C	2,561	53,400 PSI
Winchester	StaBALL Match	Out of Stock	0.224"	2.380"	21.3	2,322	41,700 PSI	23.2	2,574	54,700 PSI