

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)	Comp. Load
------------------------------	----------------	----------------	---------------------------	----------------------------	-------------------------	--------------------------	--------------------------	-----------------	---------------

270 WINCHESTER

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter: 0.277"
Case: WIN | Max Case Length: 2.540" | Trim Length: 2.530"

RAMSHOT BIG GAME

85	BARNES	MPG	55.4	3,488	61.5	3,802	64,726	3.100
90	SIERRA	HP	52.5	3,311	58.3	3,632	64,665	3.175
95	BARNES	TAC-TX	52.7	3,319	58.6	3,604	64,456	3.100
110	HDY	V-MAX	49.9	3,108	55.5	3,381	64,913	3.100
130	BERGER	VLD	47.1	2,844	52.4	3,081	64,504	3.250
130	HDY	SST	47.8	2,821	53.1	3,095	64,366	3.235
130	NOSLER	PART	48.0	2,822	53.4	3,076	64,106	3.285
130	SIERRA	SBT GK	48.0	2,833	53.3	3,106	64,388	3.275
130	BARNES	TSX-BT	46.5	2,761	51.7	3,049	64,600	3.300
130	NOSLER	E-TIP	46.0	2,718	51.1	3,013	64,637	3.340

ACCURATE 2700

85	BARNES	MPG	56.4	3,491	62.6	3,777	64,595	3.100	C
90	SIERRA	HP	53.3	3,311	59.3	3,621	64,478	3.175	
95	BARNES	TAC-TX	55.3	3,338	61.5	3,643	64,287	3.100	C
110	HDY	V-MAX	50.8	3,041	56.4	3,343	64,619	3.100	
130	BERGER	VLD	48.1	2,839	53.5	3,094	64,396	3.250	
130	HDY	SST	48.1	2,807	53.5	3,099	64,781	3.235	
130	NOSLER	PART	48.8	2,852	54.2	3,110	64,826	3.285	
130	SIERRA	SBT GK	48.9	2,877	54.4	3,105	64,374	3.275	
130	BARNES	TSX-BT	48.0	2,802	53.4	3,092	64,421	3.300	
130	NOSLER	E-TIP	45.9	2,784	51.0	3,009	64,099	3.340	
140	BERGER	VLD	46.8	2,722	52.0	2,979	64,888	3.250	
140	HDY	BTSP	46.9	2,704	52.1	2,977	64,625	3.210	
150	SIERRA	SBT GK	46.0	2,574	51.0	2,840	63,500	3.300	
160	NOSLER	PART	45.0	2,450	50.0	2,750	63,500	3.228	

ACCURATE 4350

90	SIERRA	HP	56.3	3,192	62.5	3,566	58,256	3.175	C
95	BARNES	TAC-TX	53.3	2,993	59.2	3,371	52,369	3.100	C
110	HDY	V-MAX	53.8	2,971	59.8	3,350	59,808	3.100	C
110	SIERRA	SPT PH	53.0	2,900	59.0	3,300	61,300	3.240	
130	BERGER	VLD	50.5	2,782	56.1	3,118	64,358	3.250	

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)	Comp. Load
---------------------------	-------------	-------------	------------------------	-------------------------	----------------------	-----------------------	-----------------------	-----------------	------------

270 WINCHESTER *(continued)*

ACCURATE 4350 *(continued)*

130	HDY	SST	51.0	2,814	56.7	3,132	64,073	3.235	C
130	NOSLER	B-TIP	49.5	2,660	53.5	3,000	63,500	3.300	
130	NOSLER	PART	50.2	2,853	55.8	3,117	64,521	3.285	
130	SIERRA	SBT GK	50.5	2,839	56.1	3,130	64,339	3.275	
130	BARNES	TSX-BT	50.7	2,815	56.4	3,112	64,222	3.300	C
130	NOSLER	E-TIP	46.9	2,753	52.1	3,020	64,032	3.340	
140	BERGER	VLD	49.0	2,699	54.4	3,009	64,401	3.250	
140	HDY	BTSP	50.0	2,745	55.5	3,045	64,269	3.210	C
140	NOSLER	A-BOND	47.4	2,708	52.7	2,962	64,615	3.340	
140	SIERRA	SBT GK	49.2	2,757	54.6	3,021	64,506	3.250	
150	BERGER	VLD	48.3	2,633	53.6	2,916	64,754	3.275	
150	HDY	SP	48.1	2,621	53.5	2,896	64,607	3.205	
150	NOSLER	PART	45.9	2,595	51.0	2,847	64,193	3.320	
150	SIERRA	SBT GK	47.3	2,656	52.6	2,912	64,715	3.250	
150	BARNES	TSX-FB	44.6	2,509	49.6	2,774	64,599	3.210	
160	NOSLER	PART	45.4	2,559	50.4	2,769	64,241	3.300	

RAMSHOT HUNTER

85	BARNES	MPG	58.8	3,482	65.4	3,759	59,203	3.100	C
90	SIERRA	HP	57.0	3,426	63.4	3,700	64,009	3.175	
90	SPEER	TNT HP	56.4	3,326	62.7	3,696	63,780	3.130	
95	BARNES	TAC-TX	58.8	3,422	65.3	3,690	62,162	3.100	C
110	HDY	V-MAX	53.5	3,139	59.4	3,419	64,699	3.100	
130	BERGER	VLD	50.2	2,907	55.8	3,147	64,668	3.250	
130	HDY	SST	50.9	2,895	56.5	3,153	64,374	3.235	
130	NOSLER	PART	50.0	2,833	55.6	3,112	64,365	3.285	
130	SIERRA	SBT GK	49.8	2,870	55.4	3,127	64,288	3.275	
130	BARNES	MRX-BT	51.3	2,833	57.0	3,148	64,210	3.210	C
130	BARNES	TSX-BT	51.0	2,862	56.6	3,145	64,508	3.300	
130	NOSLER	E-TIP	49.2	2,772	54.6	3,075	64,370	3.340	
140	BERGER	VLD	48.7	2,777	54.1	3,027	64,539	3.250	
140	HDY	BTSP	48.8	2,759	54.2	3,048	64,532	3.210	
140	NOSLER	A-BOND	48.3	2,727	53.7	2,999	64,632	3.340	
140	SIERRA	SBT GK	48.4	2,762	53.8	3,031	64,633	3.250	
140	BARNES	TSX-BT	48.6	2,670	54.0	2,967	63,490	3.200	
150	BERGER	VLD	47.4	2,660	52.7	2,908	64,645	3.275	
150	HDY	SP	46.7	2,609	51.9	2,863	64,200	3.205	
150	NOSLER	PART	46.4	2,622	51.5	2,869	64,334	3.320	
150	SIERRA	SBT GK	47.0	2,658	52.2	2,925	64,900	3.250	
150	BARNES	MRX-BT	47.7	2,579	53.0	2,866	62,870	3.210	
150	BARNES	TSX-FB	48.0	2,638	53.3	2,874	64,788	3.210	
160	NOSLER	PART	45.3	2,550	50.4	2,781	64,861	3.300	

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)	Comp. Load
------------------------------	----------------	----------------	---------------------------	----------------------------	-------------------------	--------------------------	--------------------------	-----------------	---------------

ACCURATE MAGPRO

110	HDY	V-MAX	59.2	2,933	65.8	3,253	62,703	3.100	C
130	BERGER	VLD	57.3	2,836	63.7	3,117	64,355	3.250	C
130	HDY	SST	59.0	2,860	65.5	3,136	64,418	3.235	C
130	NOSLER	B-TIP	58.5	2,919	65.0	3,234	63,200	3.300	C
130	NOSLER	PART	57.0	2,846	63.3	3,122	64,386	3.285	C
130	SIERRA	SBT GK	57.3	2,846	63.7	3,123	64,501	3.275	C
130	BARNES	TSX-BT	58.8	2,839	65.3	3,096	62,489	3.300	C
130	NOSLER	E-TIP	57.2	2,855	63.6	3,102	64,713	3.340	C
140	BERGER	VLD	55.4	2,731	61.6	3,020	64,324	3.250	C
140	HDY	BTSP	57.0	2,808	63.3	3,062	64,603	3.210	C
140	NOSLER	A-BOND	56.4	2,810	62.7	3,054	64,800	3.340	C
140	SIERRA	SBT GK	56.5	2,819	62.8	3,051	64,447	3.250	C
150	BERGER	VLD	54.5	2,668	60.6	2,926	64,326	3.275	C
150	HDY	SP	54.5	2,657	60.6	2,909	64,474	3.205	C
150	NOSLER	PART	54.4	2,706	60.4	2,955	64,680	3.320	
150	SIERRA	SBT GK	54.9	2,722	61.1	2,974	64,722	3.250	C
150	BARNES	TSX-FB	53.6	2,602	59.6	2,888	64,333	3.210	C
160	NOSLER	PART	53.4	2,630	59.3	2,868	64,753	3.300	

RAMSHOT MAGNUM

110	HDY	V-MAX	59.6	2,935	66.2	3,223	61,100	3.100	C
130	BERGER	VLD	58.3	2,823	64.8	3,128	64,812	3.250	C
130	HDY	SST	59.1	2,845	65.7	3,127	64,039	3.235	C
130	NOSLER	PART	58.5	2,852	65.0	3,127	64,394	3.285	C
130	SIERRA	SBT GK	59.2	2,854	65.8	3,144	64,272	3.275	C
130	BARNES	TSX-BT	59.1	2,825	65.7	3,110	64,324	3.300	C
130	NOSLER	E-TIP	57.2	2,787	63.6	3,066	64,460	3.340	C
140	BERGER	VLD	56.2	2,728	62.4	3,008	64,497	3.250	C
140	HDY	BTSP	56.7	2,731	63.0	3,022	64,291	3.210	C
140	NOSLER	A-BOND	56.6	2,757	62.9	3,023	64,742	3.340	C
140	NOSLER	B-TIP	57.0	2,662	63.3	2,958	58,610	3.300	C
140	SIERRA	SBT GK	56.0	2,721	62.2	3,014	64,197	3.250	
150	BERGER	VLD	54.8	2,640	60.9	2,908	64,207	3.275	
150	HDY	SP	55.8	2,656	62.0	2,903	64,622	3.205	C
150	NOSLER	PART	53.9	2,608	59.9	2,885	64,189	3.320	
150	SIERRA	SBT GK	54.6	2,646	60.7	2,922	64,598	3.250	
150	BARNES	TSX-FB	56.1	2,588	62.3	2,891	64,029	3.210	C
160	NOSLER	PART	53.2	2,559	59.1	2,822	64,489	3.300	