

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	--------------------	--------------------	--------------

40 S&W

Barrel: 4" | Twist: 1-16" | Primer: WIN WSP | Bullet Diameter: 0.400"

Case: WIN | Max Case Length: 0.850" | Trim Length: 0.845"

ACCURATE NITRO 100 NF

135 (P)	RAIN	HP	4.3	1,017	5.0	1,121	34,800	1.105
155 (P)	BERRY	HBRN	3.6	875	4.2	960	33,654	1.115
165 (P)	RAIN	HP	3.4	837	4.0	923	34,516	1.115
180 (P)	BERRY	HP	3.0	754	3.5	834	34,777	1.115
180 (P)	RAIN	RNFP	3.0	743	3.5	822	34,215	1.120

RAMSHOT COMPETITION

135 (P)	RAIN	HP	4.2	1,015	5.0	1,109	34,272	1.105
140 (L)	LC	TCBB	4.1	1,039	4.9	1,119	34,117	1.105
155 (P)	BERRY	HBRN	3.8	884	4.5	969	34,309	1.115
155 (P)	BERRY	RS	4.0	923	4.7	1,015	34,991	1.115
155 (P)	RAIN	FP	4.0	914	4.7	1,008	33,433	1.115
155 (L)	LC	RNSWC	3.6	941	4.2	1,015	34,219	1.126
165 (P)	BERRY	FP	3.5	869	4.2	943	34,598	1.123
165 (P)	RAIN	HP	3.6	844	4.2	943	34,645	1.115
170 (L)	LC	SWC	3.1	839	3.6	917	34,665	1.136
180 (L)	LC	TC	2.8	766	3.3	849	31,048	1.130
180 (P)	BERRY	FP	3.2	791	3.7	863	34,663	1.115
180 (P)	BERRY	HP	2.9	736	3.4	816	31,515	1.115
180 (P)	BERRY	RS	3.4	807	4.0	890	34,917	1.115
180 (P)	RAIN	HP	2.9	723	3.4	795	31,142	1.115
180 (P)	RAIN	RNFP	3.0	727	3.6	818	32,199	1.120
180 (L)	LC	TC	2.8	766	3.3	849	31,048	1.130
185 (L)	LC	RNSWC	2.9	770	3.5	861	31,387	1.174
200 (L)	LC	TC	2.5	711	3.0	776	34,709	1.135

RAMSHOT ZIP

135 (P)	RAIN	HP	5.3	1,045	6.3	1,204	34,387	1.105
140 (L)	LC	TCBB	5.8	1,113	6.4	1,237	33,830	1.120

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------	-------------	-------------	---------------------	----------------------	-------------------	--------------------	--------------------	--------------

155	HDY	XTP	5.4	1,008	6.0	1,120	32,500	1.130
155 (L)	LC	RNSWC	5.1	1,005	5.7	1,117	31,720	1.120
165	SIERRA	JHP	5.1	925	5.7	1,028	29,070	1.124
165 (P)	RAIN	HP	4.3	901	5.1	1,016	34,674	1.115
170 (L)	LC	SWC	4.0	873	4.4	970	34,450	1.135
180	HDY	XTP	4.1	845	4.5	921	34,995	1.126
180 (P)	RAIN	RNFP	3.9	818	4.6	925	34,299	1.120
180 (L)	LC	TC	3.7	842	4.1	935	34,070	1.120

ACCURATE SOLO 1000

135 (P)	RAIN	HP	5.2	1,072	6.1	1,184	34,750	1.105
165 (P)	RAIN	HP	4.4	917	5.1	1,009	34,812	1.115
180 (P)	RAIN	RNFP	3.8	830	4.5	907	34,822	1.120

ACCURATE NO. 2

105	SF	RHFP	5.6	1,136	6.2	1,262	34,300	1.120
125	SF	RHFP	4.6	949	5.1	1,054	34,740	1.120
135	NOSLER	JHP	6.8	1,097	7.6	1,247	34,700	1.125
135 (P)	RAIN	FP	5.7	1,106	6.7	1,204	34,658	1.115
140 (L)	LC	TCBB	5.9	1,016	6.6	1,155	33,400	1.115
150	NOSLER	JHP	5.9	988	6.6	1,098	34,860	1.135
155	HDY	XTP	5.9	966	6.5	1,073	34,350	1.135
155 (P)	BERRY	HBRN	5.0	953	5.9	1,112	34,987	1.125
155 (P)	BERRY	RS	5.6	968	6.2	1,100	35,000	1.125
155 (L)	LC	RNSWC	5.7	982	6.3	1,116	34,100	1.130
165	SIERRA	JHP	4.5	897	5.3	996	34,926	1.125
165 (P)	RAIN	RNFP	4.6	915	5.4	1,014	34,798	1.125
175 (L)	MCB	SWCBB	4.8	858	5.3	975	34,200	1.115
180	HDY	XTP	4.8	828	5.3	920	34,450	1.135
180	REM	GS	4.4	827	5.2	927	34,285	1.175
180 (P)	BERRY	HP	4.0	823	4.8	920	34,565	1.125
180 (P)	RAIN	HP	4.3	794	4.8	903	33,400	1.125
185 (L)	LC	RNSWC	4.6	829	5.1	942	33,000	1.174

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------------	----------------	----------------	---------------------------	----------------------------	-------------------------	--------------------------	--------------------------	-----------------

RAMSHOT SILHOUETTE

105	SF	RHFP	8.3	1,306	9.2	1,451	34,210	1.120
115	LHG	XD	7.0	1,161	8.3	1,297	34,729	1.126
125	SF	RHFP	6.2	1,040	6.9	1,156	32,680	1.120
135 (P)	RAIN	FP	7.4	1,139	8.7	1,309	34,862	1.115
140	BARNES	XPB	5.5	918	6.5	1,080	34,970	1.135
140 (L)	LC	TCBB	7.3	1,132	8.1	1,258	33,270	1.135
150	SIERRA	JHP	7.0	1,110	7.5	1,190	32,800	1.135
155	HDY	XTP	6.9	1,100	7.4	1,170	33,500	1.135
155	BARNES	XPB	4.4	774	4.9	860	30,100	1.135
155 (P)	BERRY	HBRN	6.4	1,008	7.6	1,175	34,750	1.125
155 (L)	LC	RNSWC	6.5	1,036	7.2	1,151	34,140	1.135
165	SIERRA	JHP	5.9	942	6.9	1,101	34,861	1.125
165 (P)	RAIN	RNFP	6.1	978	7.2	1,118	34,500	1.125
170	WIN	FMJ	6.2	1,020	6.7	1,085	33,500	1.135
170 (L)	LC	SWC	5.5	932	6.1	1,035	34,180	1.135
180	SIERRA	JHP	5.5	920	6.2	1,020	33,200	1.135
180 (P)	BERRY	HP	5.4	885	6.3	1,032	34,795	1.125
180 (L)	LC	TC	5.3	895	5.9	994	34,120	1.120
200	HDY	XTP	4.8	800	5.6	920	32,600	1.135

RAMSHOT TRUE BLUE

105	SF	RHFP	7.4	1,168	8.2	1,298	33,060	1.120
115	LHG	XD	6.2	975	7.3	1,147	34,816	1.126
125	SF	RHFP	5.8	970	6.4	1,078	33,080	1.120
135	NOSLER	JHP	8.3	1,149	9.2	1,277	32,200	1.120
135 (P)	RAIN	FP	7.2	1,087	8.4	1,250	34,989	1.115
140	BARNES	XPB	5.2	872	5.8	969	32,000	1.135
140 (L)	LC	TCBB	7.7	1,125	8.5	1,250	33,400	1.130
150	NOSLER	JHP	7.3	1,052	8.1	1,169	32,500	1.125
155	BARNES	XPB	4.2	730	4.7	811	32,500	1.135
155 (P)	BERRY	HBRN	6.4	979	7.5	1,153	34,953	1.125
155 (L)	LC	RNSWC	6.5	963	7.2	1,070	33,500	1.095
165	SIERRA	JHP	5.8	891	6.8	1,033	34,821	1.125
165 (P)	RAIN	RNFP	5.9	924	6.9	1,056	34,650	1.125
170 (L)	LC	SWC	5.9	878	6.6	975	32,500	1.130

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------------	----------------	----------------	---------------------------	----------------------------	-------------------------	--------------------------	--------------------------	-----------------

40 S&W *(continued)*

RAMSHOT TRUE BLUE *(continued)*

180	NOSLER	JHP	6.3	935	7.0	1,039	32,390	1.135
180	SPEER	GDHP	4.8	794	5.7	927	34,752	1.120
180 (P)	BERRY	HP	5.2	844	6.1	967	34,823	1.125
180 (L)	LC	TC	5.1	853	5.7	948	34,050	1.120
200	HDY	XTP	5.4	802	6.0	891	32,210	1.135

ACCURATE NO. 5

105	SF	RHFP	8.1	1,201	9.0	1,334	33,170	1.120
115	LHG	XD	6.8	998	8.0	1,164	34,582	1.126
125	SF	RHFP	6.5	1,013	7.2	1,125	34,320	1.120
135	SIERRA	JHP	8.4	1,114	9.3	1,266	34,900	1.125
135 (P)	RAIN	FP	8.1	1,102	9.5	1,270	34,856	1.115
140	BARNES	XPB	5.7	873	6.3	970	32,500	1.135
140 (L)	LC	TC BB	7.2	1,038	8.0	1,179	34,900	1.115
150	NOSLER	JHP	7.5	1,030	8.3	1,170	35,000	1.120
155	HDY	XTP	7.2	1,010	8.0	1,128	34,800	1.125
155	BARNES	XPB	4.6	736	5.1	818	31,960	1.135
155 (P)	BERRY	HBRN	7.0	975	8.2	1,139	34,996	1.125
155 (P)	RAIN	FP	6.9	963	7.7	1,095	32,100	1.125
155 (L)	LC	RNSWC	6.8	1,019	7.5	1,158	35,000	1.130
165	SIERRA	JHP	6.2	886	7.3	1,049	34,358	1.125
165 (P)	RAIN	RNFP	6.5	912	7.6	1,066	34,978	1.125
170 (L)	LC	SWC	5.5	868	6.1	986	35,000	1.115
180	HDY	XTP	5.9	849	6.6	965	32,500	1.135
180 (P)	BERRY	HP	5.7	828	6.7	960	34,764	1.125
180 (L)	LC	TC	5.4	858	6.0	975	35,000	1.120
190	SIERRA	FPJ	6.0	828	6.7	950	35,000	1.125

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Velocity (FPS)	Max Load (Grains)	Max Velocity (FPS)	Max Pressure (PSI)	COL (Inches)
------------------------------	----------------	----------------	---------------------------	----------------------------	-------------------------	--------------------------	--------------------------	-----------------

ACCURATE NO. 7

135	NOSLER	JHP	10.1	1,089	11.2	1,237	33,900	1.125
135 (P)	RAIN	FP	9.4	1,148	11.1	1,293	34,186	1.115
140 (L)	LC	TC BB	9.0	1,030	10.0	1,171	33,700	1.115
150	NOSLER	JHP	9.2	1,000	10.2	1,136	34,300	1.120
155	HDY	XTP	9.0	995	10.0	1,124	34,500	1.125
155 (P)	BERRY	HBRN	8.2	1,005	9.6	1,161	34,550	1.125
155 (P)	RAIN	FP	9.3	998	10.3	1,135	34,300	1.125
155 (L)	MCB	SWC	8.7	1,008	9.7	1,146	34,600	1.130
165	SIERRA	JHP	7.5	940	8.8	1,086	34,589	1.125
165 (P)	RAIN	RNFP	7.9	965	9.3	1,107	34,268	1.125
175 (L)	MCB	SWC	7.6	892	8.4	1,014	35,000	1.115
180	HDY	XTP	7.7	861	8.5	978	34,600	1.135
180	SIERRA	JHP	7.2	870	8.5	1,023	33,758	1.135
180 (P)	BERRY	HP	6.8	865	8.0	1,001	34,843	1.125
185 (L)	LC	RNSWC	7.4	871	8.2	990	35,000	1.174
190	SIERRA	FPJ	7.7	848	8.6	964	34,300	1.125
200	HDY	XTP	6.7	748	7.4	850	35,000	1.130
200 (L)	LC	TC	6.1	777	6.8	883	34,800	1.110