

Hogdgons Load Data 6.5 Swede**Twist:** 1:7.870"**Barrel Length:** 24.000"**Trim Length:** 2.155"**Bullet Weight 85 GR. SIE HP Case Winchester Primer Winchester LR, Large Rifle**

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
				Grs.	Vel. (ft/s) Pressure	Grs.	Vel. (ft/s) Pressure	
Hodgdon	BL-C(2)	0.264"	2.800"	43.0	2,931 33,400 CUP	47.5	3,261	44,500 CUP
Hodgdon	CFE 223	0.264"	2.800"	44.0	3,003 37,000 CUP	48.0	3,301	44,800 CUP
Hodgdon	H335	0.264"	2.800"	40.0	3,023 36,800 CUP	44.5	3,314	45,200 CUP
Hodgdon	H380	0.264"	2.800"	43.0	2,932 33,400 CUP	48.0	3,231	42,900 CUP
Hodgdon	H414	0.264"	2.800"	45.0	3,071 35,500 CUP	50.0	3,265	40,900 CUP
Hodgdon	H4350	0.264"	2.800"	47.0	2,909 31,600 CUP	52.0C	3,283	42,100 CUP
Hodgdon	H4895	0.264"	2.800"	40.0	3,031 34,600 CUP	44.0	3,370	45,100 CUP
Hodgdon	Varget	0.264"	2.800"	40.0	3,128 36,600 CUP	44.0	3,350	42,300 CUP
IMR	IMR 4064	0.264"	2.800"	40.0	2,993 39,000 CUP	43.5	3,205	44,900 CUP
IMR	IMR 4350	0.264"	2.800"	46.0	2,896 37,500 CUP	49.0C	3,117	43,100 CUP
IMR	IMR 4451	0.264"	2.800"	44.9	2,939 40,800 CUP	47.8C	3,141	45,800 CUP
IMR	IMR 4895	0.264"	2.800"	40.0	2,979 39,200 CUP	43.5	3,183	45,000 CUP
Winchester	760	0.264"	2.800"	45.0	3,071 35,500 CUP	50.0	3,265	40,900 CUP
Winchester	StaBALL 6.5	0.264"	2.800"	47.0	3,062 39,600 CUP	51.4	3,355	45,900 CUP

Bullet Weight 100 GR. HDY SP Case Norma Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2700	0.264"	2.905"	43.0	2,832	49,300 PSI	47.7	3,147	54,800 PSI
Accurate	4350	0.264"	2.905"	45.1	2,792	49,200 PSI	50.2	3,154	54,600 PSI
Accurate	MAGPRO	0.264"	2.905"	49.4	2,718	49,400 PSI	54.9	3,053	54,800 PSI
Ramshot	Hunter	0.264"	2.905"	45.2	2,898	49,600 PSI	50.2	3,186	55,100 PSI
Ramshot	Magnum	0.264"	2.905"	50.5	2,768	49,400 PSI	56.1	3,048	54,900 PSI

Bullet Weight 100 GR. SIE HP Case Winchester Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	BL-C(2)	0.264"	2.850"	39.5	2,734	38,900 CUP	43.8	2,948	45,200 CUP
Hodgdon	CFE 223	0.264"	2.850"	41.0	2,793	37,900 CUP	45.0	3,037	44,900 CUP
Hodgdon	H335	0.264"	2.850"	37.0	2,686	36,300 CUP	41.0	2,991	46,000 CUP
Hodgdon	H380	0.264"	2.850"	43.0	2,845	36,000 CUP	48.0	3,092	43,000 CUP
Hodgdon	H414	0.264"	2.850"	44.5	2,879	36,500 CUP	49.5	3,183	45,400 CUP
Hodgdon	H4350	0.264"	2.850"	45.0	2,724	31,400 CUP	50.0C	3,172	46,000 CUP
Hodgdon	H4831	0.264"	2.850"	46.0	2,552	27,800 CUP	51.0C	2,883	37,500 CUP
Hodgdon	H4895	0.264"	2.850"	37.0	2,820	38,800 CUP	41.0	3,033	46,000 CUP
Hodgdon	Varget	0.264"	2.850"	38.0	2,892	37,800 CUP	42.0	3,177	45,800 CUP
IMR	IMR 4064	0.264"	2.850"	39.0	2,894	41,000 CUP	42.7	3,074	46,000 CUP
IMR	IMR 4350	0.264"	2.850"	45.0	2,842	40,100 CUP	48.5C	3,032	45,200 CUP
IMR	IMR 4451	0.264"	2.850"	44.2	2,810	41,000 CUP	47.1C	2,988	46,200 CUP
IMR	IMR 4831	0.264"	2.850"	46.5	2,827	37,500 CUP	49.5C	3,014	43,200 CUP

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
IMR	IMR 4895	0.264"	2.850"	39.0	2,847	40,800 CUP	42.5	3,024	45,600 CUP
IMR	IMR 4955	0.264"	2.850"	46.0	2,775	33,800 CUP	50.0C	3,089	45,000 CUP
IMR	IMR 7828 SSC	0.264"	2.850"	48.0	2,772	39,500 CUP	51.5C*	2,987	45,500 CUP
Winchester	760	0.264"	2.850"	44.5	2,879	36,500 CUP	49.5	3,183	45,400 CUP
Winchester	StaBALL 6.5	0.264"	2.850"	44.4	2,858	38,500 CUP	48.4	3,108	45,300 CUP

Bullet Weight 107 GR. SIE HPBT Case Winchester Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	BL-C(2)	0.264"	3.050"	41.0	2,784	37,300 CUP	44.5	3,050	45,600 CUP
Hodgdon	CFE 223	0.264"	3.050"	41.0	2,836	40,700 CUP	45.6	3,004	45,900 CUP
Hodgdon	H335	0.264"	3.050"	36.0	2,660	37,800 CUP	40.0	2,948	45,800 CUP
Hodgdon	H380	0.264"	3.050"	41.0	2,749	39,200 CUP	45.0	2,941	45,800 CUP
Hodgdon	H414	0.264"	3.050"	43.0	2,743	36,100 CUP	47.5	3,036	45,900 CUP
Hodgdon	H4350	0.264"	3.050"	43.0	2,706	36,000 CUP	48.0C	3,035	45,600 CUP
Hodgdon	H4831	0.264"	3.050"	46.0	2,590	34,500 CUP	51.0C	2,911	42,700 CUP
Hodgdon	H4895	0.264"	3.050"	37.0	2,777	39,600 CUP	39.7	2,943	45,900 CUP
Hodgdon	Hybrid 100V	0.264"	3.050"	43.0	2,724	41,300 CUP	47.0C	2,946	46,100 CUP
Hodgdon	Varget	0.264"	3.050"	38.0	2,742	39,800 CUP	42.0	2,952	45,600 CUP
IMR	IMR 4064	0.264"	3.050"	38.0	2,791	39,500 CUP	41.5	2,982	45,200 CUP
IMR	IMR 4350	0.264"	3.050"	44.0	2,773	39,400 CUP	47.8	2,994	45,600 CUP
IMR	IMR 4451	0.264"	3.050"	43.2	2,758	41,800 CUP	46.0	2,933	46,100 CUP
IMR	IMR 4831	0.264"	3.050"	46.0	2,795	38,900 CUP	49.0C	2,997	44,800 CUP
IMR	IMR 4895	0.264"	3.050"	37.5	2,776	40,600 CUP	40.8	2,955	45,500 CUP
IMR	IMR 4955	0.264"	3.050"	46.0	2,766	35,800 CUP	50.0C	3,071	46,000 CUP
IMR	IMR 7828 SSC	0.264"	3.050"	46.5	2,721	39,700 CUP	50.5C*	2,915	45,300 CUP

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Winchester	760	0.264"	3.050"	43.0	2,743	36,100 CUP	47.5	3,036	45,900 CUP
Winchester	StaBALL 6.5	0.264"	3.050"	43.2	2,790	36,600 CUP	47.2	3,039	45,500 CUP

Bullet Weight 110 GR. BAR BAND-S Case Norma Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2700	0.264"	2.980"	40.5	2,766	49,300 PSI	45.0	3,025	54,700 PSI
Accurate	4350	0.264"	2.980"	42.0	2,714	49,200 PSI	46.7	2,989	54,700 PSI
Accurate	MAGPRO	0.264"	2.980"	47.0	2,652	49,400 PSI	52.2	2,948	54,900 PSI
Ramshot	Hunter	0.264"	2.980"	43.8	2,804	49,500 PSI	48.7	3,066	55,000 PSI
Ramshot	Magnum	0.264"	2.980"	48.6	2,662	49,200 PSI	54.0	2,934	54,600 PSI

Bullet Weight 120 GR. NOS BT Case Winchester Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	H380	0.264"	3.000"	40.0	2,555	38,200 CUP	44.3	2,784	46,000 CUP
Hodgdon	H414	0.264"	3.000"	40.0	2,528	37,000 CUP	44.5	2,783	46,000 CUP
Hodgdon	H4350	0.264"	3.000"	41.5	2,545	36,800 CUP	46.0	2,792	45,800 CUP
Hodgdon	H4831	0.264"	3.000"	44.5	2,528	36,200 CUP	49.5C	2,802	45,900 CUP
Hodgdon	H4895	0.264"	3.000"	34.0	2,571	43,000 CUP	37.8	2,715	46,000 CUP
Hodgdon	Hybrid 100V	0.264"	3.000"	41.0	2,553	39,300 CUP	45.5	2,787	46,000 CUP
Hodgdon	Varget	0.264"	3.000"	35.0	2,579	36,800 CUP	39.0	2,812	45,300 CUP
IMR	IMR 4064	0.264"	3.000"	37.0	2,625	41,300 CUP	40.0	2,764	45,100 CUP
IMR	IMR 4350	0.264"	3.000"	43.0	2,631	39,500 CUP	46.8C	2,863	46,000 CUP
IMR	IMR 4451	0.264"	3.000"	41.0	2,548	40,600 CUP	44.0	2,761	46,300 CUP

				Starting Load			Maximum Loads		
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
IMR	IMR 4831	0.264"	3.000"	44.5	2,674	38,400 CUP	48.5C	2,913	46,200 CUP
IMR	IMR 4895	0.264"	3.000"	36.0	2,569	39,200 CUP	39.6	2,767	45,900 CUP
IMR	IMR 4955	0.264"	3.000"	44.2	2,630	36,900 CUP	48.1C	2,901	45,500 CUP
IMR	IMR 7828 SSC	0.264"	3.000"	45.5	2,590	40,200 CUP	49.5C	2,802	45,600 CUP
Winchester	760	0.264"	3.000"	40.0	2,528	37,000 CUP	44.5	2,783	46,000 CUP
Winchester	StaBALL 6.5	0.264"	3.000"	41.4	2,612	36,400 CUP	46.0	2,938	45,700 CUP

Bullet Weight 120 GR. SIE SPT Case Norma Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2700	0.264"	3.000"	37.6	2,572	49,200 PSI	41.8	2,750	54,700 PSI
Accurate	4350	0.264"	3.000"	40.6	2,565	49,400 PSI	45.1	2,802	54,900 PSI
Accurate	MAGPRO	0.264"	3.000"	46.6	2,544	49,500 PSI	51.8	2,836	55,000 PSI
Ramshot	Hunter	0.264"	3.000"	41.1	2,589	49,400 PSI	45.7	2,839	54,900 PSI
Ramshot	Magnum	0.264"	3.000"	47.5	2,567	49,200 PSI	52.8	2,822	54,700 PSI

Bullet Weight 129 GR. HDY SP Case Norma Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2700	0.264"	2.925"	38.0	2,425	49,200 PSI	42.3	2,672	54,700 PSI
Accurate	4350	0.264"	2.925"	41.1	2,459	49,500 PSI	45.7	2,724	55,000 PSI
Accurate	MAGPRO	0.264"	2.925"	45.8	2,433	49,500 PSI	50.9	2,720	55,000 PSI
Hodgdon	H380	0.264"	2.935"	38.5	2,440	38,400 CUP	42.5	2,654	45,500 CUP

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	H414	0.264"	2.935"	39.5	2,460	37,900 CUP	43.5	2,677	45,700 CUP
Hodgdon	H4350	0.264"	2.935"	40.0	2,430	35,100 CUP	45.5	2,703	45,500 CUP
Hodgdon	H4831	0.264"	2.935"	44.0	2,449	35,600 CUP	48.5C	2,689	45,000 CUP
Hodgdon	H4895	0.264"	2.935"	33.0	2,373	38,200 CUP	36.3	2,561	45,600 CUP
Hodgdon	Hybrid 100V	0.264"	2.935"	41.0	2,504	39,300 CUP	45.5	2,743	46,400 CUP
Hodgdon	Varget	0.264"	2.935"	34.0	2,472	36,900 CUP	37.5	2,664	46,000 CUP
IMR	IMR 4064	0.264"	2.935"	36.0	2,534	39,800 CUP	39.2	2,704	45,800 CUP
IMR	IMR 4350	0.264"	2.935"	42.0	2,584	40,000 CUP	46.0	2,793	45,800 CUP
IMR	IMR 4451	0.264"	2.935"	40.5	2,496	40,600 CUP	43.8	2,667	45,400 CUP
IMR	IMR 4831	0.264"	2.935"	43.0	2,549	37,200 CUP	47.0C	2,792	45,100 CUP
IMR	IMR 4895	0.264"	2.935"	35.0	2,488	38,400 CUP	39.0	2,703	45,600 CUP
IMR	IMR 4955	0.264"	2.935"	44.1	2,574	36,200 CUP	48.0C	2,827	45,300 CUP
IMR	IMR 7828 SSC	0.264"	2.935"	45.0	2,537	38,900 CUP	49.0C*	2,734	45,000 CUP
Ramshot	Hunter	0.264"	2.925"	40.9	2,522	49,600 PSI	45.4	2,762	55,100 PSI
Ramshot	Magnum	0.264"	2.925"	46.2	2,435	49,500 PSI	51.3	2,690	55,000 PSI
Winchester	760	0.264"	2.935"	39.5	2,460	37,900 CUP	43.5	2,677	45,700 CUP
Winchester	StaBALL 6.5	0.264"	2.935"	41.5	2,597	39,400 CUP	45.5	2,841	45,700 CUP

Bullet Weight 130 GR. BAR TSX FB Case Norma Primer Winchester LR, Large Rifle

				Starting Load		Maximum Loads			
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	MAGPRO	0.264"	2.950"	44.4	2,392	49,400 PSI	49.3	2,626	54,900 PSI
Ramshot	Hunter	0.264"	2.950"	38.2	2,360	49,000 PSI	42.5	2,588	54,500 PSI
Ramshot	Magnum	0.264"	2.950"	44.9	2,343	49,300 PSI	49.9	2,604	54,800 PSI

Bullet Weight 130 GR. BER VLD Case Norma Primer Winchester LR, Large Rifle

				Starting Load		Maximum Loads			
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	4350	0.264"	3.140"	39.3	2,474	49,300 PSI	43.7	2,713	54,800 PSI
Accurate	MAGPRO	0.264"	3.140"	44.9	2,489	49,500 PSI	49.9	2,762	55,000 PSI
Ramshot	Hunter	0.264"	3.140"	39.4	2,513	49,500 PSI	43.8	2,760	55,000 PSI
Ramshot	Magnum	0.264"	3.140"	45.8	2,487	49,500 PSI	50.9	2,735	55,000 PSI

Bullet Weight 140 GR. BER VLD Case Norma Primer Winchester LR, Large Rifle

				Starting Load		Maximum Loads			
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	4350	0.264"	3.140"	37.9	2,391	49,300 PSI	42.1	2,601	54,800 PSI
Accurate	MAGPRO	0.264"	3.140"	44.4	2,435	49,400 PSI	49.4	2,676	54,900 PSI
Ramshot	Hunter	0.264"	3.140"	37.7	2,396	49,500 PSI	41.9	2,622	55,000 PSI
Ramshot	Magnum	0.264"	3.140"	44.4	2,381	49,300 PSI	49.4	2,632	54,800 PSI

Bullet Weight 140 GR. HDY A-MAX Case Norma Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Ramshot	Hunter	0.264"	3.025"	37.5	2,412	49,400 PSI	41.7	2,601	55,000 PSI
Ramshot	Magnum	0.264"	3.025"	44.4	2,375	49,200 PSI	49.4	2,622	54,800 PSI

Bullet Weight 140 GR. NOS PART Case Norma Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load			Maximum Loads		
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	4350	0.264"	3.110"	33.8	2,263	49,100 PSI	37.6	2,440	54,600 PSI
Accurate	MAGPRO	0.264"	3.110"	42.1	2,422	49,300 PSI	46.7	2,615	54,800 PSI
Ramshot	Hunter	0.264"	3.110"	36.4	2,351	49,500 PSI	40.5	2,551	55,000 PSI
Ramshot	Magnum	0.264"	3.110"	43.2	2,367	49,300 PSI	48.0	2,596	54,800 PSI

Bullet Weight 140 GR. SIE SBT Case Norma Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Accurate	2700	0.264"	2.900"	35.9	2,360	49,400 PSI	39.9	2,564	54,900 PSI
Accurate	4350	0.264"	2.900"	38.4	2,383	49,300 PSI	42.7	2,594	54,700 PSI
Accurate	MAGPRO	0.264"	2.900"	44.4	2,374	49,500 PSI	49.4	2,657	55,000 PSI
Ramshot	Hunter	0.264"	2.900"	38.5	2,394	49,200 PSI	42.8	2,629	54,700 PSI
Ramshot	Magnum	0.264"	2.900"	45.7	2,392	49,200 PSI	50.7	2,639	54,700 PSI

Bullet Weight 140 GR. SPR SP Case Winchester Primer Winchester LR, Large Rifle

				Starting Load			Maximum Loads		
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	H1000	0.264"	3.030"	46.5	2,423	37,600 CUP	51.5C	2,651	46,000 CUP
Hodgdon	H380	0.264"	3.030"	36.5	2,316	37,600 CUP	40.5	2,520	45,100 CUP

				Starting Load			Maximum Loads		
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	H414	0.264"	3.030"	37.5	2,393	40,000 CUP	41.5	2,565	45,600 CUP
Hodgdon	H4350	0.264"	3.030"	39.5	2,418	38,600 CUP	44.0	2,617	45,700 CUP
Hodgdon	H4831	0.264"	3.030"	42.5	2,382	38,100 CUP	47.0	2,586	45,700 CUP
Hodgdon	H4895	0.264"	3.030"	32.5	2,305	38,100 CUP	35.8	2,493	45,700 CUP
Hodgdon	Hybrid 100V	0.264"	3.030"	40.0	2,418	38,300 CUP	44.5	2,642	45,200 CUP
Hodgdon	Varget	0.264"	3.030"	32.5	2,312	37,500 CUP	36.0	2,528	46,000 CUP
IMR	IMR 4064	0.264"	3.030"	35.0	2,394	39,500 CUP	38.0	2,563	45,800 CUP
IMR	IMR 4350	0.264"	3.030"	41.0	2,486	39,300 CUP	45.0	2,677	46,000 CUP
IMR	IMR 4451	0.264"	3.030"	39.9	2,426	41,000 CUP	43.0	2,592	46,200 CUP
IMR	IMR 4831	0.264"	3.030"	43.0	2,507	39,100 CUP	46.3	2,700	45,400 CUP
IMR	IMR 4895	0.264"	3.030"	34.5	2,364	38,900 CUP	37.8	2,550	45,500 CUP
IMR	IMR 4955	0.264"	3.030"	42.5	2,497	39,200 CUP	46.3	2,684	45,500 CUP
IMR	IMR 7828 SSC	0.264"	3.030"	44.0	2,460	38,300 CUP	48.2	2,678	45,800 CUP
IMR	IMR 7977	0.264"	3.030"	45.6	2,445	38,600 CUP	49.1C	2,646	45,300 CUP
Winchester	760	0.264"	3.030"	37.5	2,393	40,000 CUP	41.5	2,565	45,600 CUP
Winchester	StaBALL 6.5	0.264"	3.030"	40.0	2,463	37,700 CUP	45.0	2,722	45,600 CUP
Winchester	Supreme 780	0.264"	3.030"	45.0	2,451	40,600 CUP	47.8	2,592	45,300 CUP

Bullet Weight 142 GR. SIE HPBT Case Winchester Primer Winchester LR, Large Rifle

				Starting Load		Maximum Loads			
Manufacturer	Powder	Bullet Diam.	C.O.L	Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
Hodgdon	H1000	0.264"	3.050"	48.0	2,453	37,500 CUP	51.5C	2,601	41,600 CUP
Hodgdon	H380	0.264"	3.050"	35.0	2,239	35,600 CUP	38.5	2,437	45,300 CUP
Hodgdon	H414	0.264"	3.050"	39.0	2,399	37,200 CUP	43.0	2,653	45,300 CUP
Hodgdon	H4350	0.264"	3.050"	39.0	2,427	38,400 CUP	43.7	2,653	45,800 CUP

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
				Grs.	Vel. (ft/s) Pressure	Grs.	Vel. (ft/s) Pressure	
Hodgdon	H4831	0.264"	3.050"	42.5	2,383 37,300 CUP	47.0	2,604	45,300 CUP
Hodgdon	H4895	0.264"	3.050"	32.5	2,311 37,800 CUP	35.8	2,511	45,800 CUP
Hodgdon	Hybrid 100V	0.264"	3.050"	40.0	2,420 39,300 CUP	44.0	2,658	46,200 CUP
Hodgdon	Varget	0.264"	3.050"	34.0	2,334 38,100 CUP	38.0	2,559	45,700 CUP
IMR	IMR 4064	0.264"	3.050"	35.0	2,430 40,300 CUP	38.0	2,582	45,600 CUP
IMR	IMR 4350	0.264"	3.050"	41.0	2,452 38,000 CUP	44.8	2,667	45,100 CUP
IMR	IMR 4451	0.264"	3.050"	39.7	2,442 39,900 CUP	42.7	2,622	45,900 CUP
IMR	IMR 4831	0.264"	3.050"	43.0	2,500 38,400 CUP	46.5	2,704	44,900 CUP
IMR	IMR 4895	0.264"	3.050"	35.0	2,416 40,000 CUP	38.3	2,574	45,700 CUP
IMR	IMR 4955	0.264"	3.050"	42.5	2,479 37,500 CUP	46.2	2,725	46,100 CUP
IMR	IMR 7828 SSC	0.264"	3.050"	44.0	2,457 38,600 CUP	47.7	2,671	45,500 CUP
IMR	IMR 7977	0.264"	3.050"	46.0	2,494 39,500 CUP	49.3	2,666	45,400 CUP
Winchester	760	0.264"	3.050"	39.0	2,399 37,200 CUP	43.0	2,653	45,300 CUP
Winchester	Supreme 780	0.264"	3.050"	44.6	2,461 41,100 CUP	47.5	2,640	45,900 CUP

Bullet Weight 160 GR. HDY RN Case Winchester Primer Winchester LR, Large Rifle

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads		
				Grs.	Vel. (ft/s) Pressure	Grs.	Vel. (ft/s) Pressure	
Hodgdon	H1000	0.264"	3.000"	45.0	2,265 35,000 CUP	50.0C	2,517	45,300 CUP
Hodgdon	H414	0.264"	3.000"	38.5	2,262 38,400 CUP	41.0	2,383	44,700 CUP
Hodgdon	H4350	0.264"	3.000"	40.0	2,317 38,800 CUP	43.0	2,445	44,900 CUP
Hodgdon	H4831	0.264"	3.000"	44.0	2,327 36,600 CUP	48.0C	2,524	46,000 CUP
Hodgdon	Hybrid 100V	0.264"	3.000"	40.0	2,317 39,300 CUP	43.5	2,490	45,600 CUP
Hodgdon	Varget	0.264"	3.000"	32.5	2,173 38,200 CUP	36.0	2,354	45,600 CUP
IMR	IMR 4064	0.264"	3.000"	34.0	2,243 39,500 CUP	36.5	2,360	44,700 CUP

Manufacturer	Powder	Bullet Diam.	C.O.L	Starting Load		Maximum Loads			
				Grs.	Vel. (ft/s)	Pressure	Grs.	Vel. (ft/s)	Pressure
IMR	IMR 4350	0.264"	3.000"	40.0	2,320	39,800 CUP	43.8	2,513	45,900 CUP
IMR	IMR 4451	0.264"	3.000"	38.9	2,261	38,000 CUP	41.9	2,439	46,100 CUP
IMR	IMR 4831	0.264"	3.000"	42.0	2,362	38,900 CUP	45.5	2,503	45,100 CUP
IMR	IMR 4895	0.264"	3.000"	33.0	2,189	37,700 CUP	36.0	2,346	44,600 CUP
IMR	IMR 4955	0.264"	3.000"	43.0	2,409	40,500 CUP	46.8	2,563	46,100 CUP
IMR	IMR 7828 SSC	0.264"	3.000"	43.0	2,335	40,100 CUP	47.0	2,512	45,600 CUP
IMR	IMR 7977	0.264"	3.000"	45.5	2,335	38,700 CUP	48.5C	2,508	45,300 CUP
Winchester	760	0.264"	3.000"	38.5	2,262	38,400 CUP	41.0	2,383	44,700 CUP
Winchester	Supreme 780	0.264"	3.000"	44.2	2,333	39,800 CUP	47.0	2,455	44,600 CUP